


USER MANUAL

RIGHT NOBLE CONSORT SEAT SOFA

If you want to install the sofa queen position on the left side, please refer to page 32



Retain these instructions for future reference.




Do not discard any of the packaging until you have checked that you have all the parts and the pack of fixings.


ASSEMBLY INSTRUCTIONS




Read through the instructions carefully before you begin.



Make sure you have all the required tools. Never use power tools unless instructed.



Identify and lay out all of the components before assembling.




Unless instructed, do not fully tighten screws until the item is fully assembled.



WARNING! TO REDUCE THE RISK OF SERIOUS INJURY, READ THE FOLLOWING SAFETY INSTRUCTIONS BEFORE ASSEMBLING AND USING THE PRODUCT.

- **Preparation work**
Read the instruction manual carefully before assembly to understand the steps and required tools.
Prepare tools: Ensure that you have the necessary tools at hand, such as screwdrivers, wrenches, rubber hammers, etc.
Counting parts: Check if all parts are complete according to the instruction manual to avoid omissions.
- **Assembly environment**
Adequate space: Choose a spacious and clean venue for easy operation and placement of parts.
Ground protection: Lay protective pads on the ground to prevent scratching the floor or sofa components.
- **Assembly steps**
Assemble in order: strictly follow the steps in the manual to avoid rework caused by sequence errors.
Tighten screws: Ensure that all screws and connectors are securely fastened, but avoid damaging parts with excessive force.
Check alignment: Pay attention to aligning all components during assembly to ensure the stability of the sofa structure.
- **Safety precautions**
Injury prevention: Pay attention to safety when using tools to avoid scratches or pinch injuries.
Anti tipping: Ensure that the sofa does not tip over during assembly, and seek assistance if necessary
Keep children away: During assembly, keep children and pets away to avoid accidental injury or interference.
- **Inspection after assembly**
Stability: After assembly, check whether the sofa is stable, whether there is looseness or abnormal noise
Appearance inspection: Check for scratches or damage on the surface of the sofa and promptly address them.
- **Other tips**
Retain instruction manual: After assembly, retain the instruction manual and excess parts for future maintenance.
Professional assistance: In case of difficulties, seek professional assistance to avoid damage caused by forced assembly.
- **Practical skills**
Marking parts: Similar parts can be labeled with tags before assembly to avoid confusion.
Staged assembly: Divide the assembly process into several stages and complete them gradually to avoid handling too many steps at once.
Teamwork: If the sofa is large or heavy, it is recommended that two or more people work together to improve efficiency and ensure safety.
- **Common problem handling**
Missing parts: If missing parts are found, contact the supplier promptly for replacement.
Assembly error: If an assembly error is found, do not forcefully continue. Disassemble and follow the instructions again.
Following these suggestions can ensure the smooth completion of sofa assembly and extend its service life.

TOOLS REQUIRED



NOTE:

To avoid damage, ensure screws are hand tightened.

DO NOT USE POWER

TOOLS TO ASSEMBLE YOUR UNIT.



2 person

ASSEMBLY INSTRUCTIONS


ASSEMBLY TIPS:

1. Remove hardware from box and sort by size.
2. Please check to see that all hardware and parts are present prior to start of assembly.
3. Please follow attached instructions in the same sequence as numbered to assure fast & easy assembly.


WARNING!

Don't attempt to repair or modify parts that are broken or defective. Please contact the seller immediately.


PARTS CHECK LIST (BOX1#)



PARTS CHECK LIST (BOX2#)


















PARTS CHECK LIST (BOX3#)






PARTS CHECK LIST (BOX3#)




WHITE HARDWARE BAG (A)



WHITE HARDWARE BAG (A)




WHITE HARDWARE BAG (C)





ASSEMBLY INSTRUCTIONS




ASSEMBLY INSTRUCTIONS

Step 1 Use a hex wrench to tighten the M8 * 40mm screws to lock the side panel onto the seat frame

Note:

The short edge gap of the side panel corresponds to the short edge gap of the seat frame

①	× 1
②	× 1
K	× 2
G	× 2
L	× 1




Step 2 Use a hex wrench to tighten the M8 * 40mm screws to lock the side panel onto the seat frame

①	× 1
K	× 2
G	× 2
L	× 1


Note:

The short edge gap of the side panel corresponds to the short edge gap of the seat frame




ASSEMBLY INSTRUCTIONS

Step 3 Use a hex wrench to tighten the M6 * 16mm screw to lock the large conical insert onto the side panel



Step 4 Use a hex wrench to tighten the M6 * 16mm screw to lock the limit hardware onto the side panel



ASSEMBLY INSTRUCTIONS


Step 5

Use a hex wrench to tighten the M6*16 (E) and M6 *30 (H) screw to lock hardware insert a and insert b onto the left armrest.
Twist the plastic feet onto the bottom of the left armrest again

⑤	× 2
⑥	× 1
A	× 2
D	× 1
E	× 4
L	× 1
H	× 2


Note:

All screws first in this step need to be 50% tightened, again 100% tighten




Note:

These two black foot are long threaded rod



Armrest storage cover can be opened



ASSEMBLY INSTRUCTIONS


Step 6

Use a hex wrench to tighten the M6*16 (E) and M6*30 (H) screw to lock hardware insert a and insert b onto the right armrest.
Twist the plastic feet onto the bottom of the right armrest again


⑤	× 2
⑦	× 1
A	× 2
D	× 1
E	× 4
L	× 1
H	× 2

Note:

All screws first in this step need to be 50% tightened, again 100% tighten




Armrest storage cover can be opened



ASSEMBLY INSTRUCTIONS

Step 7

Insert the hardware of the left armrest of the sofa into the hardware of the side panel of the seat frame





ASSEMBLY INSTRUCTIONS

Step 8


Place the box of the Noble Consort's seat on the side
The plastic legs of the sofa are twisted onto the bottom of the Noble Consort's box

⑧	× 1
②①	× 4




ASSEMBLY INSTRUCTIONS

Step 9 Open the storage lid of the Noble Consort's position




Step 10 Place the two seaters against the Noble Consort's Box

Note :
Align the large hole on the side panel of the seater
with the large hole on the Noble Consort's Box




ASSEMBLY INSTRUCTIONS

Step 11 Thread the M8*40mm long screw through the large holes on the side panel and the Noble Consort box




Step 12 Place the m8 screw with washer, then screw the m8 nut onto the m8 screw, and tighten the nut with a socket wrench



ASSEMBLY INSTRUCTIONS

Step 13 Place the support rod in the Noble Consort's box use a hex wrench to tighten the M6*16mm screw to lock the support rod to the Noble Consort box


Q	×1
R	×4
L	×1





ASSEMBLY INSTRUCTIONS

Step 14 Open the lid of the Noble Consort's box and place the Noble Consort's seat bag on the lid of the Noble Consort's box

④ × 1




Step 15 Tie the Noble Consort's seat bag and Noble Consort's box cover tightly with braided straps




ASSEMBLY INSTRUCTIONS

Step 16 Use an Allen wrench to tighten the M6 * 16mm screw to lock the large conical insert into the Noble Concubine Box




Step 17 Insert the hardware of the right armrest of the sofa into the hardware of the Noble Consort's box



ASSEMBLY INSTRUCTIONS


Step 18 The long backrest and short backrest against each other.

⑧	× 1
⑨	× 1



Step 19 Attach the U-shaped hardware to the two backrests, Place the gasket again, use a hex wrench to tighten the M6*16mm long screw to secure it in place


K	× 8
E	× 8
L	× 1
O	× 2



ASSEMBLY INSTRUCTIONS


Step 20 Use a hexagonal wrench to tighten the M6*16mm long screw to fixed hardware small straight insert

C	× 2
E	× 4
L	× 1




Step 21 Cover the U-shaped hardware iron with a cloth

⑩ × 1




ASSEMBLY INSTRUCTIONS

Step 22 Stick the lower long edge of the short side of the cloth cover to the bottom of the backrest




Step 23 Stick the inner adhesive strip on the back of the cloth cover to the backrest



ASSEMBLY INSTRUCTIONS


Step 24 Insert the backrest hardware into the sofa armrest hardware

Flip the cloth cover over for easy installation of the backrest



Step 25 Stick the adhesive strips on both sides of the cloth cover to the sofa armrest



Stick the cloth cover flat on the armres



ASSEMBLY INSTRUCTIONS

Step 26 Arrange the pillows and armrest pillows


⑫	× 3
⑬	× 2



ASSEMBLY INSTRUCTIONS


Step 27 Use an Allen wrench to tighten the M6 * 16mm long screw to secure the right hardware lifter to the foot pedal frame

⑭	× 1
⑮	× 1
E	× 2
L	× 1



Step 28 Use an Allen wrench to tighten the M6 * 16mm long screw to secure the left hardware lifter to the foot pedal frame

⑮	× 1
E	× 2
L	× 1




ASSEMBLY INSTRUCTIONS

Step 29 Use an Allen wrench to tighten the M6 * 16mm long screw to secure the right hardware lifter to Bottom of pedal seat


⑰	× 1
E	× 4
L	× 1

All screws first in this step need to be 50% tightened, again 100% tighten



Step 30 Use a hex wrench to tighten the M6 * 16mm long screw and secure the hardware feet to the bottom frame



⑱	× 4
E	× 8
L	× 1



ASSEMBLY INSTRUCTIONS


Step 32 Use an Allen wrench to tighten the M6 * 16mm(E) and M6 * 45mm(F) screws to secure the foot pedal front plate to the L-shaped angle iron

①9	× 1
E	× 4
F	× 2
L	× 1



All screws first in this step need to be 50% tightened, again 100% tighten



FOOT OPERATED LIFTING METHOD



ASSEMBLY INSTRUCTIONS

Step 33


1. First lift the front of the foot pedal upwards
2. then push the foot pedal forward



ASSEMBLY INSTRUCTIONS


Step 34 USB interface plugged into the British standard adapter

S	× 1
---	-----



USER MANUAL

LEFT NOBLE CONSORT SEAT SOFA



Retain these instructions
for future reference.




Do not discard any of the packaging until
you have checked that you have all the
parts and the pack of fixings.

ASSEMBLY INSTRUCTIONS

- ▶ Same as step 1 on page 9
- ▶ Same as step 2 on page 9
- ▶ Same as step 3 on page 10
- ▶ Same as step 4 on page 10
- ▶ Same as step 5 on page 11
- ▶ Same as step 6 on page 12

Step 7 Insert the hardware of the right armrest of the sofa into the hardware of the side panel of the seat frame




ASSEMBLY INSTRUCTIONS

► Same as step 8 on page 14


► Same as step 9 on page 15

Step 10 Place the two seaters against the Noble Consort's Box



Step 11 Thread the M8*40mm long screw through the large holes on the side panel and the Noble Consort box



G	× 2
K	× 2



ASSEMBLY INSTRUCTIONS

Step 12 Install the gasket onto the M8 screw and tighten the M8 nut with a socket wrench


K	× 2
J	× 2
I	× 1



ASSEMBLY INSTRUCTIONS

Step 13 Place the support rod in the Noble Consort's box use a hex wrench to tighten the M6*16mm screw to lock the support rod to the Noble Consort box


Q	×1
R	×4
L	×1




ASSEMBLY INSTRUCTIONS

Step 14 Open the lid of the Noble Consort's box and place the Noble Consort's seat bag on the lid of the Noble Consort's box

Note:
The gap in the seat bag is on the right side




Step 15 Tie the Noble Consort's seat bag and Noble Consort's box cover tightly with braided straps



ASSEMBLY INSTRUCTIONS

Step 16 Use an Allen wrench to tighten the M6 * 16mm screw to lock the large conical insert into the Noble Concubine Box




Note:
All screws first in this step
need to be 50% tightened, again 100% tighten

B	× 2
E	× 4
L	× 1

Step 17 Insert the hardware of the right armrest of the sofa into the hardware of the Noble Consort's box

⑥ × 1




ASSEMBLY INSTRUCTIONS

- ▶ Same as step 18 on page 20
- ▶ Same as step 19 on page 20
- ▶ Same as step 20 on page 21
- ▶ Same as step 21 on page 21
- ▶ Same as step 22 on page 22
- ▶ Same as step 23 on page 22

ASSEMBLY INSTRUCTIONS


Step 24 Insert the backrest hardware into the sofa armrest hardware

Flip the cloth cover over for easy installation of the backrest




Step 25 Stick the adhesive strips on both sides of the cloth cover to the sofa armrest

Stick the cloth cover flat on the armrest



ASSEMBLY INSTRUCTIONS

Step 26 Arrange the pillows and armrest pillows




ASSEMBLY INSTRUCTIONS

- ▶ Same as step 27 on page 25
- ▶ Same as step 30 on page 26
- ▶ Same as step 28 on page 25
- ▶ Same as step 31 on page 27
- ▶ Same as step 29 on page 26
- ▶ Same as step 32 on page 28

ASSEMBLY INSTRUCTIONS

Step 33

1. First lift the front of the foot pedal upwards
2. then push the foot pedal forward



► Same as step 34 on page 31

CARING FOR YOUR ITEM

Daily cleaning

Vacuuming: Use a vacuum cleaner to clean the surface of the sofa every week, especially the gaps and folds, to prevent dust accumulation.

1

Local cleaning: If there are stains, immediately use a clean cloth dipped in a small amount of water or a special cleaning agent to gently wipe, avoiding excessive force that may damage the fabric.

Avoid moisture: After cleaning, ensure that the surface of the sofa is completely dry to prevent mold growth.

Protective measures

2

Dust cover: When not in use for a long time, a dust cover can be used to protect the sofa from dust and direct sunlight.

Avoid direct sunlight: Place the sofa in a place away from direct sunlight, or use curtains to cover it to prevent fading and aging.

Pet protection: If you have a pet, it is recommended to use a sofa cushion or blanket to prevent scratching and hair accumulation.

Regular maintenance

3

Flip and tap: Regularly flip and tap the seat cushion to maintain its shape and elasticity.

Deep cleaning: Conduct a deep cleaning every six months or one year, and seek professional cleaning services or use a steam cleaning machine.

Check the structure: Regularly inspect the sofa frame and connections to ensure stability, and repair any looseness in a timely manner.

Precautions

4

Avoid sharp objects: prevent sharp objects from scratching the surface of the sofa.

Stay away from heat sources: Avoid placing the sofa near heating or fire sources to prevent fabric damage.



QUESTION & ANSWER

1. I received a damaged package

When you receive a damaged box, please open this package and check if there are any damaged or missing components inside the box. If so, please provide pictures and contact us through the platform. We will promptly resolve your issue.

2. I received the wrong color or product, which is not what I ordered

Please provide the following pictures as requested and send them to us through the platform. We will provide a solution as soon as we receive your pictures:

- the item No. on the package.
- the shipping label on the package.
- the actual item you received.

3. My order is incomplete

Normally, we will send you 1, 2 or 3... packages according to your order. If product you received is incomplete, please contact us to update other package information to you. Missing parts should be reported within 48 hours after delivery. Please email us a description. Once the email and photos have been received, we will contact you to send out spare parts.

4. My item is faulty

If your item faulty, please provide us with some pictures or videos (if the box is also damaged) through the platform, and we will provide a solution after receiving your pictures. We do our best to make sure all orders arrive in perfect condition. In the rare event that it does not, our customer services team is here to help.

RETURN & REFUND

While we hope you'll be happy with Furniture items, if sometimes you need to return them. This policy has all the information you'll need to know.

1. How to cancel my order?

If you wish to cancel your order for any reason, please contact us immediately. Only orders that have not yet been dispatched can be canceled. If the order has already been dispatched we will not be able to cancel at the platform and the below policy will apply.

2. How do I make a return?

If you wish to return an item that is no problem. We're happy to offer a refund or an exchange, as long as it's within the return period. You must return the item(s) to us within 30 days of receiving your order. To make the return process as quick and smooth as possible, please follow the below steps:

a. Contact us by email within 30 days of your delivery to let us know you would like to return or exchange as well as why you would like to do so. We will solve the problem for you then.

b. Make sure the item your order is in the original boxes. If you have not kept the original boxes, it is your responsibility to make sure the products are re-boxed, we do not provide additional boxes. Items must not have been used or assembled in any way. Please include the return slip in the box or write your order number on the outside.

3. Receiving your refund

When we reach a consensus, we will refund the money to the same way you paid for the product.

Please allow up to 5-14 working days for the refund to show in your account, which is the time for the bank to operate the refund.