ASSEMBLY INSTRUCTIONS

Modern Tufted Office Chair with Arms




Thank you for purchasing our product!

Do a quick inventory of all the parts and hardware listed below.	**For Support, assembly questions & Replacement Parts within the 48 *Contiguous* United States:**	Replacement Parts for International Customers orders: Our products will replace the part free of charge, while **the customer is responsible for shipping costs plus any International local taxes or duties**.

MAIN PARTS LIST


A Backrest




B Seat



C 5-Leg star base



D Mechanism




E Lift cylinder




F Casters


x5




G-L Left armrest






G-R Right armrest



H x1 Set Covers for lift cylinder



HARDWARE LIST


Part #	QTY	SIZE/Description	Item
I	4	M6x20	
J	8	M8x35	
K	8	Ø22, Ø8, 2mm	

INCLUDED TOOLS


Allen Wrench	M5 

ASSEMBLY STEPS


STEP 1



STEP 2




THEN: Attach G-L and G-R to B on their respective sides.




Pay attention!
- Leave loose to allow flexibility.
- Do not fasten the zippers.

ASSEMBLY STEPS

STEP 3




Pay attention!
To make sure the holes from A will align well with the holes on G-L and G-R, the bottom screws should be loosened to allow flexibility.




After attaching A, proceed to tighten all the screws and fasten the zippers.

STEP 4



F will enter into C by applying pressure.

STEP 5





E enters into D.

CHAIR'S FUNCTIONS

Pull Handle UP.

Pull Handle OUT to UNLOCK; Push Handle IN to LOCK.






Turn CLOCKWISE for less tension (-); COUTERCLOCKWISE for more tension (+).

With less tension, the tilting feels easier.


WARNINGS - Not paying attention to the following warnings could result in injuries.



Do not use the chair if the frame parts are damaged, or if any of the screws are loose or missing.



Only one person at a time and refrain from sitting on the edge of the seat to prevent the chair from tipping over.



Do not stand or use the chair as ladder.






Do not leave babies or toddlers unattended while seated on the chair, always ensure adult supervision. Keep children from playing with the chair for their safety.

CARE AND MAINTENANCE


Clean with a soft cloth lightly damped in a solution of smooth soap and water.



Do not use solvents or abrasive materials.



Do not expose to direct sunlight or to extreme environmental conditions.



Inspect the chair throughly every 4 months and re-tighten the screws.



WARRANTY



LIMITED 2 YEAR WARRANTY