

Installation Instruction



Assembling

What you need


- Use the packaging carton as a working surface to prevent product damage during assembly
- Phillips head screwdriver



Weight Limitation




100 lbs table top | 35 lbs per



What' included

Code	Description	Qty
A	Cam Bolt M6X35MM	8
B	Cam Lock 15X9MM	8
C	Wooden Dowel M8X30MM	8
D	Screw M4X40MM	6
E	Screw M3.5X14MM	22
F	Hinge	2
G	Nylon Strap	2
H	Screw M3.5X14MM	36
I	Cam Bolt M4X20MM	2
J	The back button	12
K	Anchor	2
L	Hinge	4
M	Foot nail	4
N	Hole position sticker	8
O	Ron absorption	2
P	Shelf Holder	4
Q	Screw M3.0X14MM	4
R	Five hole iron sheet	4

The Hardwares



IMPORTANT:

1.Do not tighten bolts / screws completely until all bolts / screws are lined up and inserted into holes.

2.Do not over tighten screws and bolts to avoid stripping


3.Please use hand tools to assemble this product, you can also use power tools (please use power tools carefully)

4.To prevent scratches, please assemble on a soft surface, such as a carpet or the product's own cardboard packaging.


Included Accessories


Code	Description	Qty
1	Panel	1
2	Base plate	1
3	Left panel	1
4	Right side panel	1
5	Left door panel	1
6	The right door panel	1
7	Activity shelf	1
8	Back support bar	1
9	Back panel	2
10	Solid wood feet	4

The Accessoriess





Step 1








Step 2












Step 3


A	x 4




Q	x 4




O	x 2







Step 4


C	x 4







Step 5












B	x 4




N	x 4







Step 6


C	x 4







Step 7







Step 8








Step 9







M	x 4




Step 10



H	x 12




J	x 12







Ensure all 12 back buttons (J) are installed properly to prevent the cabinet from wobbling.

Step 11







Step 12





Step 13





Step 14






Step 15

F	x 2

H	x 16

I	x 2



How do I get the two doors to align flat by adjusting the hinges?




01 Adjust the screws shown in Figure 1 to adjust the doors up and down.

02 Adjust the screws shown in Fig. 2 and pull the door back and forth so that it can be opened smoothly.

03 Adjust the screws shown in Figure 3 to adjust the door left and right to the right position.

04 After the adjustment is complete, install the remaining two screws to secure the door in place.


Step 16




D	x 2




G	x 2




K	x 2




Step 17



E	x 2




Step 18









Two people work together to move the table.
Make sure you lift it off the ground.
Don't push and pull.