


EURO-STYLE ISLAND RANGE HOOD SPECIFICATIONS

EPITH18-466


Halogen lights. This model is not available with heat lamps. Shown with optional duct cover (sold separately). Optional duct covers are available in standard and custom sizes.

Dimensional Information


| Width | 66 |
|---------------|--------|
| Depth | 30.0 |
| Height | 18.0 |
| CFM @ 0.0" SP | 1100.0 |
| Sones | 6.4 |
| Amps | 9.8 |
| # Lights | 8.0 |
| | |




Connection Diagram



1100 CFM T400 Cluster Blower (Top View)



Recommended Mounting Height*



*Exceeding recommended mounting height may compromise performance.

Electrical/Mechanical Specifications For Blower Unit

| Model | Volts | Amps* | Hz | RPM | CFM SP@0.0" | Equivalent CFM | CFM SP@0.1" | CFM SP@0.2" | CFM SP@0.3" | Minimum Round Duct Size | Sones# |
|---------------------|-------|-------|------|--------|----------------|----------------|----------------|----------------|----------------|-------------------------|--------|
| T400 Island Cluster | 115.0 | 5.8 | 60.0 | 1550.0 | 1100.0 | 1800.0 | 998.0 | 855.0 | 774.0 | 12" (113 sq. in.) | 6.4 |

⁺ This model is equipped with halogen lighting (8 lights: 60" - 66").



^{\$} Because the Magic Lung® blower uses centrifugal filtration rather than conventional baffle or mesh filters, the Magic Lung® blower can handle cooking equipment with higher cubic feet per minute (CFM) requirements and can deliver equivalent CFM much more efficiently than other filtration systems. When comparing the Magic Lung® with other blower units made by other manufacturers, use the "Equivalent CFM".

[#] Ratings in accordance with the Standard Test Code by the Energy Systems Laboratory of the Texas Engineering Experiment Station