











**IF YOU BUY A SINGLE SOFA**  
**please follow below assembly instruction**

**Parts incidued**






**Parts List (BOX 1)**

<b>A</b> Seat frame  1PC	<b>B</b> Seat cushion  1PC	<b>C</b> Back Cushion  1PC	<b>F</b> Backrest  1PC	<b>G</b> Leg  4PC
--	--	--	---	---

---

<b>L</b> Gasket  4PCS	<b>O</b> M8*60mm Bolt  4PCS	<b>N</b> Washer  12PCS	<b>R</b> Alley Key  1PC	<b>E</b> Pillow  1PC
---	---	--	--	--




**Parts List (BOX 2)**

<b>H</b> Left armrest  1PC	<b>I</b> Right armrest  1PC	<b>O</b> M8*60mm Bolt  8PCS	<b>N</b> Washer  8PCS	<b>R</b> Alley Key  1PC
--	---	---	--	---



Note: Please retain all boxes until you are certain that your product isn't damaged and that you do not wish to return it. Disposal of boxes may prevent our ability to resolve your request.

## ASSEMBLY STEPS


STEP 1: Assemble the Left armrest (H) and the Right armrest (I) to the Seat frame (A) with Washers (N) and Bolts (O).




STEP 2: Assemble the Legs (G) on the sofa with Gaskets (L).




STEP 3: Insert the Backrest (F) into the designated holes, using Washers (N) and Bolts (O) to 70% tightness, and then tighten the all Bolts on the seat.



STEP 4: The cushion is packaged by vacuum compression. After cutting the package, it rebounds quickly within 4 hours. If the fabric has wrinkles, it will basically disappear after standing for 72 hours



STEP 5: Place Seat cushion (B) and back cushion (C),and pillow (E) on sofa and make sure it's will fitted.



STEP 6: If the fabric has wrinkles,it will basically diappeare after standing for 72 horus.Well done!!You can enjoy your leisure time on the sofa now.

