





Assembly Instruction



A.left armx1pcs




B.right armx1pcs




C.frame#1 x1pcs




D.side board x1pcs




E.front board x1pcs




F.seat cushion x1pcs




G.cushion cover x1pcs



H.seat boardx1pcs




I.pillowx2pcs




J.side bar x2pcs




K.metal legx5pcs




L.mid legx1pcs



M.bracket#1x1pcs



N.bracket#2 x1pcs



O.bracket#3 x1pcs



P.nut x1pcs



Q.M20*8mmx1pcs



R.M20*6mmx14pcs




S.M6*20mmx15pcs




T.M6*60mmx4pcs



U.Hex keyx1pcs




V.mid bar x1pcs




W.socket spanner
x1pcs


Step 1.Insert the right arm(B) to the left arm(A) first.




Step 2.Insert the right arm(B) to the frame#1(C) as following.




Step 3.Install the bracket#3(O) to the side board(D) as following.




Step 4. Connect the side board(D) to the front board(E) by step ①,②,③.




Step 5. Insert the side board(D) to the sofa frame(C) by step ①, and then connect the front board(E) to the left arm(A) by step ② as followig.




Step 6. Install the side bar(J) to part(A) and part(D), then install the mid bar(V).




Step 7. Install the legs(K) as following.




Step 8.Install the mid leg(L) to the seat board(H),then put the seat board above the mid bar as following.



Step 9.Put the seat cushion on the seat board(H).




Finish




How to install the cushions

Step 1. Open the plastic bag and remove the cushion foam wrapped with polyester fiber&Non-woven bag from the plastic bag.



Step 2. Cover the fabric cover to the seat cushion. **PLEASE DON'T REMOVE THE NON-WOVEN BAG & POLYESTER FIBER OF THE SEAT CUSHIONS, PLEASE KEEP IT AS IT IS.** When you get the seat cushion, you will see the RED words which is the **TOP** of the seat cushion foam.



How to tidy sofa seat cushion?



At the beginning all cushions are a little loose which is normal. Please allow at least 72 hours for all cushions foam to recover to its natural state after covering the fabric covers.