

Warranty

Warranty: 3 Years Structural Guarantee

Exclusions: Damage caused by misuse, improper installation, or modifications is not covered.



Gardening
Made Easier.
Anytime,
Anywhere.



Contact Us



+1 (866) 597-1888



Vego Garden Academy



hello@vegogarden.com



vegogarden.com



vego_garden



Houston, TX




User Manual for Flower Cage Round 2-Pack (L)


Models: VPSSFCRLDG-2

Gardening Made Easier. Anytime, Anywhere.

Copyright © 2026 Vego



Parts List



Safety Precautions

This product may contain sharp corners and edges. To prevent injury:

- Handle with care at all times
- Wear gloves, closed-toe shoes & long pants when handling
- Work on a stable, clean surface away from children and pets
- Follow all instructions carefully and use tools only as directed

If you are unsure about any step, pause and seek assistance.









Installation Instructions

- 1 Assemble the Support Rings**
Use F1 screws and F2 Nuts to attach the P3 rings to the P2 Vertical Support Rods as shown in the diagram.

⚠ Important:

When installing the first and second rings, do not fully tighten the screws, tighten each screw about 3-4 turns only. After the third (bottom) ring is installed and all parts are properly aligned, use T1 and a screwdriver to fully tighten all screws.






2 Attach the Ground Stakes

Thread the P1 ground stakes onto the P2 vertical support rods, one by one, and tighten securely, then place it into the soil.

Note: Make sure all rods are evenly tightened and standing straight.



Important

For your safety, please ensure the product is securely fastened. In windy areas, be sure to anchor your Flower Supports firmly to the ground.

Maintenance and Care

- Clean with a soft cloth , use mild soap and water if needed.
- Do not use abrasive cleaners or harsh chemicals.
- Avoid prolonged contact with standing water or constantly wet soil.
- If the surface coating is scratched, touch up promptly with rust-resistant outdoor metal paint.
- Periodically check and retighten fasteners as needed.