


US169



YOU MAY NEED (NOT SUPPLY)



ASSENBLY DIAGRAM



PARTS LIST

PARTS LIST

NO	DESCRIPTION	QTY	NO	DESCRIPTION	QTY
①	Left side panel	1	⑥	Back fixed panel	1
②	Right side panel	1	⑦	Top Decorative Panel	1
③	fixed bottom shelf	1	⑧	Right door panel	1
④	Bottom panel	1	⑨	Bottom Decorative Panel	1
⑤	Front fixed panel	1			

PARTS LIST


HARDWARE LIST

NO	DESCRIPTION	QTY	NO	DESCRIPTION	QTY
A	Three-in-one eccentric wheel	14	F	4*30mm screw	2
B	Three-in-one connecting rod	14	G	4*16mm screw	12
C	Three-in-one sticker	14	H	4*20mm screw	2
D	8*40mm wood dowel pins	8	I	Door hinges	2
E	door handle	1	J	Small adjustable foot	4


CAUTION:


Please confirm the parts list before installation

STEP 1

HARDWARE LIST		
Three-in-one connecting rod B 14PCS	Small adjustable foot J 4PCS	


1.Put the three-in-one connecting rod in the 10mm hole of the following panels and tighten them with a cross screwdriver or an electric tool.






2.Fix the small adjustable feet on the bottom of the left and right side panels

STEP 2







1.Strike the 08*40mm wood dowel pin into the 8mm hole of the above panels with an iron hammer. Please note that the hole of the three-in-one connecting rod should also be 8mm. The hole of the three-in-one connecting rod connects to the hole of 15mm three-in-one eccentric wheel.


HARDWARE LIST	
8*40mm wood dowel pins D 8PCS	

STEP 3






1.Connect No. 4 panel to No.9 panel tightly with the three-in-one eccentric wheel.




2.Cover the mounting hole of the eccentric wheel with a three-in-one sticker.


HARDWARE LIST		
Three-in-one eccentric wheel A 2PCS	Three-in-one sticker C 2PCS	

STEP 4







1.Connect No. 3-4-5-6 panel to No.2 panel tightly with the three-in-one eccentric wheel.




2.Cover the mounting hole of the eccentric wheel with a three-in-one sticker.


HARDWARE LIST		
Three-in-one eccentric wheel A 6PCS	Three-in-one sticker C 6PCS	

STEP 5






1.Connect No. 1 panel to No.3-4-5-6 panel tightly with the three-in-one eccentric wheel.




2.Cover the mounting hole of the eccentric wheel with a three-in-one sticker.

HARDWARE LIST		
Three-in-one eccentric wheel A 6PCS	Three-in-one sticker C 6PCS	


STEP 6




Fasten Panel 7 and Panel 5 with 4*30mm screws.

HARDWARE LIST	
4*30mm screw F 2PCS	


STEP 7




Install the Door handle with 4*20mm screws.




1.Install the hinge cup to the door panel with 4*16mm screws.



2.Install the hinge to the side panel with 4*16mm screws.



4.Adjust the door panel clearance.




3. Install the hinge cup on the door panel to the hinge of the side panel.

HARDWARE LIST				
4*16mm screw	Door hinges	door handle	4*20mm screw	
G 12PCS	I 2PCS	E 1PCS	H 2PCS	

Hinge/Door Adjustment and Realignment

If adjustment or realignment is needed, follow the instructions provided in the following chart.





Choking hazard-Small Parts： This unit contains small parts，not for children under 3 years.

Tip-over hazard： Secure finished unit to wall stud using L-Bracket and wall screw（#10*1.5"W/out provided). If a wall stud is not neccessible , Consault your local hardware store for appropriate mounting hardware . Failure to properly install will result in product collapse or tip-over. Serious injury can occur .