

Assembly&Instruction Manual

SKU:A263

Canopy Installation Guide



Version:20240202

Approximate
assembly time: **30 Minutes**

People
for assembly:



1



Fig 1.1

Step 1:

Place your Gazebo frame in centre of set up area. With your partner on opposite side grip outer legs and lift frame slightly off the ground taking a step backwards until you have extended the frame a full arms length (Fig 1.1) Then place the canopy over the frame (Fig1.2).



Fig 1.2

2

Fig 2.1



Step 2:

Use the velcro strips to attach each corner of the canopy to the corresponding velcro already attached to the frame (Fig2.1).

3

Step3:

With partner on opposite side, grip the top and bottom of the middle frame section that forms a diamond shape. Lift the frame slightly off the ground, pushing top and bottom of diamond shape together while taking small steps backwards until the frame is almost fully extended (Fig3.1 and 3.2). Should you feel resistance when opening Gazebo frame, ensure central square pole is correctly located (Fig3.3).



Fig 3.1



Fig 3.2



Fig 3.3

4

Step 4:
Before locking sliders, partially fold canopy back at corner for better visibility (Fig4.1).



Fig 4.1

5

Step5:
Grip the top of one of the outer legs (Fig5.1) and slightly lift off the ground, with the other hand lift the slider upwards taking small step backwards, push slider upwards until passes over and engages onto locking button, you may find it helps to depress the locking button whilst doing this. Then move to opposite corner and repeat until frame is fully open.



Fig 5.1

6

Step 6:

The legs can be adjusted to three height settings. To adjust, lift up the leg and extend the inner leg out until locking button pops into place (Fig6.1) repeat on other legs (Fig6.2)



Fig 6.1



Fig 6.2

7

Step 7:

From inside of canopy attach all 4 canopy clips and adjust as required (Fig 7.1 and 7.2)

PLEASE NOTE:

You must unclip all of these canopy clips before folding gazebo down.



Fig 7.1




Fig 7.2

8

Each sidewall needs to be attached to outer legs with the short strips of velcro (Fig8.1).



Fig 8.1

There is a long velcro strip on top of side wall that attaches to the canopy. (Fig 8.2)



Fig 8.2

The sides also attach to each other with a full length velcro strip at each corner (Fig8.3).



Fig 8.3

9

Step 9: Ensure guy ropes and pegs are used at all times (Fig 9.1 and 9.2).



Fig 9.1



Fig 9.2

Folding Down Your Gazebo

10

Step 10: To fold Gazebo use the opposite process.

Very Important: To avoid damage please remember to unclip all four canopy clips before folding (Fig10.1 and 10.2).



Fig 10.1



Fig 10.2

11

Step 11. To replace Gazebo into bag, fold frame with canopy on as tight as possible. Stand on ground upside down and place bag over feet of gazebo. Then turn other way round and pull bag over top whilst tucking sides in and zipping up see Fig 11.1 and 11.2



Fig 11.1



Fig 11.2

Please don't hesitate to contact us for any further questions,
your satisfaction is guaranteed.
support@aodorshop.com
<https://aodorshop.com/>