


ASSEMBLY INSTRUCTIONS





















2 people for assembly

This product can be installed by swapping the left and right orientations.


PACKAGE INCLUDE




PACKAGE CONTENT

ϕ5.8X30MM  A 28X+2	ϕ7.8X30MM  B 10X+1	ϕ6X34MM  C 12X+1	ϕ15X9MM  D 12X+1
ϕ4X38MM  E 44X+2	 F 1X	ϕ3.5X12MM  G 2X+1	 H 8X+1
 I 2X	ϕ3X12MM  J 14X+1	ϕ6*50MM  K 4X+1	ϕ4X14MM  L 8X+1
 M 4X	ϕ1/4"*22mm  N 4X+1	 O 1X	 P 1X
 Q 1X			


How to use the cam lock system




1. Screw cam boit into panel




2. Push cam into panel - arrow feature on cam top points to panel edge



3. Aligu cam bolt(s) with cam(s) and insert all the way into cross-bored hole(s)





4. Rotate cam(s) clockwise 190°-230° to lock panels together



5. Panels should be tight against each other and connection should be rigid

Insert the wood dowel (A) at least half way by tapping lightly with a rubber mallet, IF NECESSARY






⚠ WARNING

- Unit must be placed on a level surface or leveled with included hardware (when applicable).
- Do not sit or stand on or allow children to climb, sit or stand on the assembled product.
- For safety reasons,it is imperative that this unit be mounted to the wall.
- Do not use without installing the tip restraint.
- Unit can tip over causing severe injury or death.
- Do not exceed the recommended weight limits.
- Evenly distribute the weight on each level and always keep the heavier loads on the bottom.
- Before cutting, drilling or hammering into any wall or floor surface, verify the location of electrical, plumbing and gas lines.Cutting may cause serious injury.

Now you can assemble the item.



The installation process is divided into three parts:


1.Install the TOP part of the cabinet

2.Install the MIDDLE part of the cabinet


3.Install the BOTTOM part of the cabinet

Tip:
Using an electric screwdriver will make assembly easier.


STEP 1



2 X1
3 X4
A X8
E X8



Philips
Screwdriver
(Not Included)



E
E
E
A
A
A
A
2
3
3
3
3


STEP 2


1
X1



A
X10



E
X12



Philips
Screwdriver
(Not Included)


1
2
3
A
A
A
A
E
E
E
E
E


STEP 3








Select the left-hand or right-hand orientation prior to installing this assembly.




Note: During this step, ensure the screws are aligned with the holes on both the side panel and the base panel to avoid damaging the side panel.


STEP 4




Start installing the lower cabinet.
It is recommended that the upper plate rack be put down for installation.



STEP 5










The Part 10 facing front side

STEP 6







STEP 7



L X8
M X4
N X4
P X1


Philips
Screwdriver
(Not Included)



11
11
11
M
L


11
11
P
N


STEP 8









STEP 9







Before attaching the back panel be sure that the unit is at 90°.




Philips Screwdriver (Not Included)




2 people for assembly



STEP 10









NOTE: Pass the plug through the wire hole.


STEP 11







Start installing the lower drawer.
The corresponding wooden parts are #16, #17, #18,#19, #20.












STEP 12







Philips Screwdriver (Not Included)


Start installing the upper drawer.
The corresponding wooden parts are #12,#13,#14,#15,#16.









STEP 13






1





NOTE: Pull the inner ball bearing slides on each side all the way out till it stops.(may be slightly greasy).

2




STEP 14






STEP 15



STEP 16



SPECIFICATIONS

ASSEMBLED DIMENSIONS(W x D x H)

11.81" x 15.75 " x70"

30 x 40 x 169 cm

MAXIMUM WEIGHT CAPACITY