

DTV Prompt® | K-527

Digital shower interface, portrait setting

Features

- Digitally controlled
- High-temperature limit setting for added safety
- One touch control of two valve outlets
- Low-profile design
- Selectable water-saving functionality
- Selectable Fahrenheit or Celsius
- Selectable outlet delivery
- Easy-to-read LCD display and raised one-touch buttons
- Use for single- or dual-outlet applications, including bath and shower, shower-only, or bath-only experiences
- Integrated diverter with touch-button operation toggles between water outlets, running them separately or simultaneously
- Allows user to add a second control for convenience and flexibility
- Warm-up mode pauses the shower flow when the water is brought up to the preferred temperature, and then notifies you that the shower is ready to enter, thus conserving water
- Pause feature temporarily pauses water flow to conserve water while you lather, shave, or shampoo
- Countdown mode allows you to set the duration of the shower to easily manage both time and water use



Codes/Standards

ADA compliant when installed to the specific requirements of these regulations.

ADA

CSA C22.2 No. 14

CSA C22.2 No. 68

ADA

ICC/ANSI A117.1

cUL Listed

UL Listed

Recommended Products/Accessories

K-23723 Faucet cleaner

Warranty

See website for detailed warranty information.

KOHLER® Electronic Faucets, Valves, and Controls Five-Year Limited Warranty




1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

7-30-2026 01:21 - US-CA



Installation

- Mounts on finished wall surface

Installation Notes

Install this product according to the installation instructions.

Recommended installation height 58" (1473 mm) from floor to center of interface.

ADA compliant when installed to the specific requirements of these regulations.

