


Store
Your
Patio Well

ASSEMBLY INSTRUCTIONS

METAL GARDEN SHED

SKU: T-PS25-0952



E-mail:
saleservice@madepot.com




Please read the instruction manual carefully,
Please assemble the resin garden shed in
the following steps.

SITE PREPARATION

Level the ground surface.



Recommendation: Construct a wooden or concrete base as a foundation.








BEFORE STARTING ASSEMBLY

Remove all of the pieces from the package and spread them out on the ground. Before installation, please check the type and quantity of parts first. It is recommended to use a clean work surface to spread the parts out and for pre-assembly steps. Review all instructions before you begin, continue to refer to instructions during assembly.

Be sure to follow all steps thoroughly.

Please prepare these components in advance at the beginning of each stage.

REQUIRED TOOLS



CAUTION








Some parts have steel edges. Please be careful when handling components. Always wear work gloves, eye protection and long sleeves when assembling or performing any maintenance on your shed. Do not attempt assembly on days with strong winds or low temperatures.




Requires two people and takes 2-3 hours for Installation. Recommended to wear gloves to avoid scratches. Please read the manual carefully before installation.

DO NOT RETURN YOUR UNIT
TO THE STORE
Contact us first
saleservice@madepot.com


ROOF PARTS

 P1S x 2	 P9S x 1	 P3S x 1
 A1L X1	 A1R X1	
 S10 X1	 L2S X2	 L1S X2
 GC X4		

WALL PARTS



W1A X4




WS2A X4




ULB X1




UR2 X1




U6S X1




U5S X1




U7L X1




U7R X1




C2 X 4



B3S X2




B2S X1



B1S X1




V1 X16




V2 X124


DOOR PARTS

 DD1 X1	 DLA X1	 DR1 X1	 20 X2	 DM X1
			 DX2 X2	 DN X1
			 DK X1	 DJ X2

SCREW


 F1(X153) M4*10	 F2(X37) M4*10
 For GC F5(X4) M4*16	






Bottom frame

09-10
(page)




Wall

11-17
(page)



Roof



18-20
(page)





Door

21-25
(page)


STEP 1



STEP 2




STEP 3



STEP 4


Tips: Align the gasket with the hole,
and then use the electric drill to
drill the F1 into the hole.




STEP 5




Please align the screws with the screw holes for installation.




STEP 6






STEP 7






STEP 8




STEP 9




STEP 10





STEP 11





STEP 12




STEP 13




STEP 14





STEP 15





STEP 16




STEP 17





STEP 18




x 4







STEP 19



Tips: Internal setup.



STEP 20




F1 X4


F2 X1

V2 X1



STEP 21





STEP 22




STEP 23




STEP 24




STEP 25



STEP 26





STEP 27





F1 X8 V2 X8

STEP 28





F2 X8 V2 X8



STEP 29





STEP 30




STEP 31




STEP 32




STEP 33



Put it on the screw tip to prevent injury.



FINISH



CARE & SAFETY

- Unsuitable for storage of flammable or corrosive substances.
- It is of utmost importance to assemble all of the parts according to the directions. Do not skip any step.
- Please consult your local authorities if any permits are required to erect shed.
- Periodically check shed to assure that it remains stable and that the site remains level.
- It is highly recommended to secure the shed to an immovable object or to the ground by drilling holes in the floor at the pre-marked locations and inserting proper screws into the ground (screws are not included).
- Wear safety-goggles and always follow the manufacturer's instructions when using power tools.
- Wash shed with garden hose or a mild detergent solution. Using a stiff brush or abrasive cleaner could damage shed.
- Hot items such as recently used grills, blowtorches, etc. Must not be stored in the shed.
- Heavy articles should not be leaned against the walls, as this may cause distortion.
- Keep roof clean of snow and leaves. Heavy amounts of snow on roof can damage the shed making it unsafe to enter.
- Although wind direction varies, it is an important factor when taking into account where to place your shed. Therefore, it is recommended to reduce wind exposure of the shed in general, and the door side in particular.
- Keep doors closed and locked to prevent wind damage.
- Do not stand on the roof.