


# ASSEMBLY INSTRUCTIONS

## PARTS AND HARDWARE

Have the item assembled located where it will later be used. Make sure no sharp objects such as screws are scattered beneath the assembly area. Lay all parts ready to be used and make sure that all parts are there. It is important to follow every instruction in order to assemble this product in the most efficient way .


**A : CHAISE 1 PC**




**B : LOVESEAT 1 PC**




**C : BACKREST 2 PCS**




**D : ARM 2 PCS**




**E : PILLOW 2 PCS**



**F : BACK CUSHION 3 PCS**




**G : LEG 4 PCS**



# TO HAVE THE CHAISE ON THE RIGHT SIDE FOLLOW THIS PAGE


## Step 1.

Take all the parts out of the storage and chaise as you are opening the boxes. Have the chaise upside down making sure there is nothing underneath and screw on the legs as shown in the photo. Make sure all legs are screwed on tightly before turning it over.




## Step 2.

Place one arm assembling it on the right side, the chaise will have to be lifted up and aligned with all the slots in with the arm as shown in the photo.




## Step 3.

Have the Chaise on the right side and align the metal slots in front of each other, then lift the chaise up for the metal slots to go onto the ones on the love.





## Step 4.

The backrests have metal slots on the bottom that will align the holes that can be found on the back. Once aligned slot in the back piece until it is in all the way.



## Step 5.


Place the remaining arm and then attach the back pillows to the back rest. Once completed your sofa is now ready to be used. To pull out the bed component, carefully pull out the bottom part from the love side and the cushion will come up, to put it down, lift up the handles at a 45 degree angle and drop it in gently.



# TO HAVE THE CHAISE ON THE LEFT SIDE FOLLOW THIS PAGE


## Step 1.

Take all the parts out of the storage and chaise as you are opening the boxes. Have the chaise upside down making sure there is nothing underneath and screw on the legs as shown in the photo. Make sure all legs are screwed on tightly before turning it over.




## Step 2.

Place one arm assembling it on the left side, the chaise will have to be lifted up and aligned with all the slots in with the arm as shown in the photo.




## Step 3.

Have the Chaise on the left side and align the metal slots in front of each other, then lift the chaise up for the metal slots to go onto the ones on the love.



## Step 4.

The backrests have metal slots on the bottom that will align the holes that can be found on the back. Once aligned slot in the back piece until it is in all the way.



## Step 5.

Place the remaining arm and then attach the back pillows to the back rest. Once completed your sofa is now ready to be used. To pull out the bed component, carefully pull out the bottom part from the love side and the cushion will come up, to put it down, lift up the handles at a 45 degree angle and drop it in gently.

