




Assembly Instruction




PARTS




PARTS LIST - BOX A




Double Seat Frame X 1 PC



Double Back Frame X 1 PC




Seat Cushion X 2 PCS




Back Cushion X 2 PCS


PARTS LIST - BOX B




Double Seat Frame X 1 PC



Double Back Frame X 1 PC




Seat Cushion X 2 PCS




Back Cushion X 2 PCS


PARTS LIST - BOX C




Single Seat Frame X 1 PC




Single Back Frame X 1 PC




Corner X 1 PC




Seat Cushion X 1 PC




Corner's Seat Cushion X 1 PC



Back Cushion X 1 PC




Corner's Back Cushion X 1 PC




Corner's Back Cushion X 1 PC


PARTS LIST - BOX D




Tea Table X 1 PC




Tea Table's Back X 1 PC




Ottoman X 1 PC




Left Armrest X 1 PC




Right Armrest X 1 PC




Ottoman's Seat Cushion X 1 PC



Pillow X 2 PCS




Leg X 24 PCS




Adapter X 1 PC


HARDWARE 1 (in BOX D)




Stud 5/16" X 70mm
X 4




Washer
X 4



Spring Washer
X 4




Nut
X 4




Wrench
X 1


HARDWARE 2 (in BOX D)




Stud 5/16" X 70mm
X 12




Washer
X 12



Spring Washer
X 12




Nut
X 12




Wrench
X 1


HARDWARE 3 (in BOX D)




Stud 5/16" X 70mm
X 8




Washer
X 8



Spring Washer
X 8







Nut
X 8



Wrench
X 1


STEP 1:

Something will be found in the compartment under the seat, as shown.




STEP 2:

Hand tighten studs **1** into Double Back Frame **B** x 2, as shown.




STEP 3:

Attach Double Seat Frame **A** x 2 to Double Back Frame **B** x 2 with Flat Washers **2**, Spring Washers **3** and Nuts **4**, as shown.




STEP 4:

Hand tighten studs **1** into Armrest **I** & **J**, as shown.


**STEP 5:**

Attach Right Armrest **J** to Double Seat Frame **A** with Flat Washers **2**, Spring Washers **3** and Nuts **4**, as shown.




STEP 6:

Manually screw leg **R** x 4 to Double Seat Frame **A**, Double Back Frame **B** and Right Armrest **J**, as shown.



STEP 7:


Manually screw leg **R** x 4 to Double Seat Frame **A** and Double Back Frame **B**, as shown.





STEP 8:

Remove the seat cushions from their vacuum sealed package.

Place Seat Cushion **K** x 4, Back Cushion **N** x 4 and Pillow **Q** onto sofa, as shown.




⚠ Note: The seat cushions have been vacuum packed for transportation purposes. After unpacking, please allow up to 72 hours so that they can return to their original shape.




STEP 9:

Hand tighten studs **1** into Single Back Frame **D**, as shown.


**STEP 10:**

Attach Single Seat Frame **C** to Single Back Frame **D** with Flat Washers **2**, Spring Washers **3** and Nuts **4**, as shown.




STEP 11:

Attach Left Armrest **I** to Single Seat Frame **C** with Flat Washers **2**, Spring Washers **3** and Nuts **4**, as shown.



**STEP 12:**

Manually screw leg **R** x 4 to Single Seat Frame **C**, Single Back Frame **D** and Left Armrest **I**, as shown.




⚠ Please remove the protective cap on the tip of thread before assembling.

⚠ **Note:** DO NOT screw in these two holes.



STEP 13:


Remove the seat cushion from its vacuum sealed package.
Place Seat Cushion **K** , Back Cushion **N** and Pillow **Q** onto sofa, as shown.



⚠ Note: The seat cushions have been vacuum packed for transportation purposes. After unpacking, please allow up to 72 hours so that they can return to their original shape.


STEP 14:

Manually screw leg **R** x 4 to Corner **E**, as shown.



STEP 15:


Remove the seat cushion from its vacuum sealed package.
Place Seat Cushion **L** , Back Cushion **O** & **P** onto sofa, as shown.



Note: The seat cushions have been vacuum packed for transportation purposes. After unpacking, please allow up to 72 hours so that they can return to their original shape.


STEP 16:

Manually screw leg **R** x 4 to Ottoman **H**, as shown.



STEP 17:


Remove the seat cushion from its vacuum sealed package.
Place Seat Cushion **M** onto Ottoman **H**, as shown.



Note: The seat cushions have been vacuum packed for transportation purposes. After unpacking, please allow up to 72 hours so that they can return to their original shape.


STEP 18:

Hand tighten studs **1** into Tea Table's Back **G**, as shown.




STEP 19:

Attach Tea Table's Back **G** to Tea Table **F** with Flat Washers **2** , Spring Washers **3** and Nuts **4** , as shown.


**STEP 20:**

Manually screw leg **R** x 4 to Tea Table **F**, as shown.




STEP 21:

Stick fabric cover on Tea Table's Back **G** to Tea Table **F** with the velcro strips.


**STEP 22:**

Attach adapter **S** to Tea Table **F**, as shown.





STEP 23:

The Tea Table's Cap can be opened.

**STEP 24:**

Put the parts together using the metal glides, as shown.



Helpful Hints

- Move your new furniture carefully, with two people lifting and carrying the unit to its new location.
- Your furniture can be disassembled and reassembled to move.
- Clean the product with a soft damp cloth. DO NOT use harsh chemicals or abrasive cleaners.
- For further information please contact at sales4@jsanyee.com

