

Model EZWS-EDFP217K

PRODUCT SPECIFICATIONS

Elkay ezH2O® Bottle Filling Station & Integral Soft Sides® Fountain, Non-Filtered Non-Refrigerated Stainless. Features shall include Antimicrobial, Green Ticker™, Hands Free, Laminar Flow, Real Drain. Furnished with Flexi-Guard ® Safety Bubbler. Electronic Bottle Filler Sensor with Mechanical Front Bubbler Button activation. Product shall be Wall Mount (Inwall Frame/Plate), for Indoor applications, serving 2 station(s). Unit shall be certified to UL 399 and CAN/CSA C22.2 No. 120. Unit shall be lead-free design which is certified to NSF/ANSI 61 & 372 (lead free) and meets Federal and State low-lead requirements.

| Special Features: | Antimicrobial, Green Ticker™, Hands Free, Laminar Flow, Real Drain | | |
|--------------------------|---|--|--|
| Finish: | Stainless Steel | | |
| Power: | 115V/60Hz | | |
| Bubbler Style: | Flexi-Guard ® Safety Bubbler | | |
| Activation by: | Electronic Bottle Filler Sensor with Mechanical Front Bubbler Button | | |
| Mounting Type: | Wall Mount (Inwall Frame/Plate) | | |
| Chilling Capacity: | Non-refrigerated | | |
| Full Load Amps | 1 | | |
| Rated Watts: | 15 | | |
| Dimensions (L x W x H): | 38-1/2" x 19-3/8" x 34-5/8" | | |
| Approx. Shipping Weight: | 118 lbs. | | |
| Installation Location: | Indoor | | |
| No. of Stations Served: | 2 | | |

Special Note: Non-filtered model

- Mechanically-Activated bubbler continues to supply water in event of service disruptions.
- Green Ticker: Informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real Drain System eliminates standing water.

| PART: | QTY: |
|-----------|------|
| PROJECT: | |
| CONTACT: | |
| DATE: | |
| NOTES: | |
| APPROVAL: | |



Included with Product: Fountain (EDFP217WS),
Mounting Frame (MFWS200)

▼ Ships in multiple boxes.

AMERICAN PRIDE. A LIFETIME TRADITION. Like your family, the Elkay family has values and traditions that endure. For almost a century, Elkay has been a family-owned and operated company, providing thousands of jobs that support our families and communities.



PRODUCT COMPLIANCE

ADA & ICC A117.1
ASME A112.19.3/CSA B45.4
Buy American Act
CAN/CSA C22.2 No. 120
GreenSpec®
NSF/ANSI 61 & 372 (lead free)
UL 399









Complies with ADA & ICC A117.1 accessibility requirements when installed according to the requirements outlined in these standards. Installation may require additional components and/or construction features to be fully compliant. Consult the local Authority Having Jurisdiction if necessary.

Installation Instructions (PDF) - 0000001028 Installation Instructions (PDF) - 0000000755

Electrical components and water system are warranted for 12 months from date of installation. Warranty pertains to drinking water applications only. Non-drinking water applications are not covered under warranty.

Warranty (PDF)



Model EZWS-EDFP217K

| Optional Accessories | | |
|----------------------|---|---|
| <u>EWF3000</u> | Elkay WaterSentry Plus Filter System Kit (Bottle Fillers) Spec Sheet (PDF) | |
| <u>97258C</u> | Accessory - Cane Apron for Contour & Soft Sides Models Black Spec Sheet (PDF) | V |
| ACCESS12X38-5 | Accessory - Stainless Steel Access Panel for Bi-Level Architectural Fountains Spec Sheet (PDF) | |

Model EZWS-EDFP217K

IMPORTANT! INSTALLER PLEASE NOTE:


The grounding of electrical equipment such as telephone, computers, etc., to water lines is a common procedure. This grounding may be in the building or may occur away from the building. This grounding can cause electrical feedback into a water cooler, creating an electrolysis which causes a metallic taste or causes an increase in the metal content of the water. This condition is avoidable by using the proper materials as indicated below. The drain fittings which are provided by the installer should also be plastic to electrically isolate the cooler from the building plumbing system.

These products are designed to operate on 20 psi to 105 psi supply line pressure. Simultaneous operation of both bubblers on a bi-level unit may not be possible depending on water supply pressure. If simultaneous operation is desired, please ensure a minimum of 50 psi supply.

Simply push in |Tube is secured |Push in collet to tube to attach in position release tube Pushing tube in before pulling it out helps to release tube 1/4" O.D. tube 3/8" O.D. Tube connect Building water water inlet to cold water supply inlet cooler Servicé stop NOTE: Waterflow (Not furnished) direction

OPERATION OF QUICK CONNECT FITTINGS

BOTTLE FILLER SPECIFICATIONS



NOTE: New Installations Must Use Ground Fault Circuit Interrupter (GFCI). It is highly recommended that the circuit be dedicated and the load protection be sized for 20 amps.



Model EZWS-EDFP217K

WALL OPENING

IMPORTANT: It is necessary to create a wall opening 37-1/2" W x 31-3/4" H and 25" above the floor line. ELECTRICAL DATA

Electical outlet, three (3) conductor grounded. Locate withing safe reach of power cord.

MOUNTING INSTRUCTIONS

Refer to rough-in for location of plumbing and electrical sources. The support frame is to be installed first. Hang upper panel to hanger on frame. Fountains are to be attached to panel and wall frame. Water service lines, waste lines and electrical are assembled as required. Perform a final check for leaks and correct functions of fountains and chiller. (For details see the installation instructions.)

MOUNTING FRAME MFWS200

INSTALLER NOTE

This drinking fountain is furnished with a bubbler and valve including all connecting fittings which are manufactured of completely lead free material. Shut off valve (not furnished) to accept 3/8" O.D. unplated copper tube.

