VEVOR®

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support

OUTDOOR STRING LIGHTS USER MANUAL

MODEL:GT-RHWDC-02/GT-RHWDC-01

We continue to be committed to provide you tools with competitive price.
"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®
TOUGH TOOLS, HALF PRICE

Outdoor String Lights



GT-RHWDC-02



GT-RHWDC-01

(The picture is for reference only, please refer to the actual object)

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

INSTRUCTIONS

	Warning-To reduce the risk of injury, user must read instructions manual carefully.
	This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:(1)This device may not cause harmful interference, and (2)this device must accept any interference received, including interference that may cause undesired operation.

NOTICE:

CAUTION: To prevent the risk of fire and electric shock, please be sure to read all instructions before installing or using this unit.

WARNING:

1.Before use, ensure that all light bulbs are properly secured in their sockets and tighten them one by one.

2.Plug the string light into the power outlet which is into the waterproof box.

3.Hang your string lights in the desired location,ensure all bulbs are facing downwards, which could make the sockets are IP65.

PERFORMANCE PARAMETER

Model	GT-RHWDC-02	GT-RHWDC-01
Rating	AC120V 60Hz	AC120V 60Hz
Bulb Type	LED S14 RGB	LED S14 RGB
Length	50 FT	100 FT

INSTALLATION,SAFETY AND CARE INSTRUCTIONS

When using electrical products, basic precautions should always be followed including the follow:

Installation:

1.Hang your streetlights in the desired location, commensurable are facing downwards, which could make the socket ip65.

2.Plug the string light into the power outlet which is into the Waterproof box





3. Turn on the Bluetooth function on your phone or pad

4. Download and install the app

Scan the QR code on the back of the controller with the mobile phone or pad, select apple or android according to the mobile phone type, download the application "FO Remote ", and then install it. Open the application and open the app controller select “Color World”.





NOTE: When the app interface appears “shiny-shiny”, please slide the screen and select “color world”









5. **Function description about this app**

The multi color light could be set to 15 unique colors, more than ten dynamic modes eth 4 levels of speed, and four timer mode.



ON:

turn on the multicolor light to the mode when turned off.

OFF(UP):

turn off the multicolor light, and turn off the timer.

TIME OFF:

turn off the timer. When "TIME OFF" key is pressed at timer on mode, the timer will be turned off with white color flash two times.

15 SINGLE COLOR:

Each color block represents a single color like white、red、blue、green、Purple、pink....

JUMP:

the multicolor light is jumping in synchronous mode.

SMOOTH:

the multicolor light is strobing in Smooth mode.

25%-50-75-100%:

Adjust the brightness of a single color from 25% to 100%.

4-6-8-16 H:

when 6H key is pressed at timer off mode, the timer will be set to light up for 4-6-8 hours and off for 20-18-16 hours and flash white once.

SPEED 1-4:

set the speed of FADE, JUMP, FLASH, IN WAVES, SMOOTH, TWINKLE, or ASYN JUMP. The speed of the multicolor light could be set from 1 to 4 level, from slow to fast.

MODE+ MODE-:

Change from one mode to next mode include

（FADE: the multicolor light is fading in synchronous mode.

Twinkle: the multicolor light is strobing in twinkle mode.

Flash: the multicolor is fading in flash mode.there are several modes.

ASYN JUMP: the multicolor is jumping in asynchronous mode. IN

WAVES: the multicolor is breathing in synchronous mode. CHASE

FLASH: the multicolor light is twinkling at different speed in synchronous mode.

ACCESSORIES LIST

GT-RHWDC-02/GT-

RHWDC-01:1.

User Manual *1

Sanven Technology Ltd.
Address: Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

VEVOR®

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support

VEVOR®

TOUGH TOOLS, HALF PRICE

Technique Certificat d'assistance et de garantie électronique

www.vevor.com/support

GUIRLANDES LUMINEUSES D'EXTÉRIEUR MANUEL D'UTILISATION

MODÈLE : GT-RHWDC-02/ GT-RHWDC-01

We continue to be committed to provide you tools with competitive price.
"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®
TOUGH TOOLS, HALF PRICE

Outdoor String Lights



GT-RHWDC-02



GT-RHWDC-01

(L'image est à titre de référence uniquement, veuillez vous référer à l'objet réel)

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

INSTRUCTIONS

	Avertissement - Pour réduire le risque de blessure, l'utilisateur doit lire attentivement le manuel d'instructions.
	Cet appareil est conforme à la partie 15 des règles de la FCC. Son fonctionnement est soumis aux deux conditions suivantes : (1) Cet appareil ne doit pas provoquer d'interférences nuisibles et (2) Cet appareil doit accepter toute interférence reçue, y compris les interférences pouvant entraîner un fonctionnement indésirable.

AVIS:

ATTENTION : Pour éviter tout risque d'incendie et de choc électrique, assurez-vous de lire toutes les instructions avant d'installer ou d'utiliser cet appareil.

AVERTISSEMENT:

1.Avant utilisation, assurez-vous que toutes les ampoules sont correctement fixées dans leur douilles et serrez-les une par une.

2.Branchez la guirlande lumineuse sur la prise de courant qui se trouve dans le boîtier étanche.

3. Accrochez votre guirlande lumineuse à l'emplacement souhaité, assurez-vous que toutes les ampoules sont orientées vers le bas, ce qui pourrait rendre les douilles IP65.

Modèle	GT-RHWDC-02	GT-RHWDC-01
Notation	CA 120 V 60 Hz	CA 120 V 60 Hz
Type d'ampoule	DIRIGÉ S14 RVB	DIRIGÉ S14 RVB

Longueur	50 pieds	100 pieds

PERFORMANCE PARAMETER

INSTALLATION,SAFETY AND CARE INSTRUCTIONS

Lors de l'utilisation de produits électriques, des précautions de base doivent toujours être respectées, notamment les suivantes :

Installation:

1. Accrochez vos lampadaires à l'emplacement souhaité, en proportions orientées vers le bas, ce qui pourrait rendre la douille IP65.

2.Branchez la guirlande lumineuse dans la prise de courant qui se trouve dans le

Boite étanche





3. Activez la fonction Bluetooth sur votre téléphone ou tablette

4. Téléchargez et installez l'application

Scannez le code QR au dos du contrôleur avec le téléphone portable ou la tablette, sélectionnez Apple ou Android selon le type de téléphone portable, téléchargez l'application « FO Remote », puis installez-la. Ouvrez l'application et ouvrez le contrôleur d'application sélectionnez « Color World » .



REMARQUE : lorsque l'interface de l'application apparaît « brillante-brillante », faites glisser l'écran et sélectionnez « Monde des couleurs »









5. **Description des fonctions de cette application**
La lumière multicolore peut être réglée sur 15 couleurs uniques, plus de dix modes dynamiques, 4 niveaux de vitesse et quatre modes de minuterie.

ON:
turn on the multicolor light to the mode when turned off.

OFF(UP):
turn off the multicolor light, and turn off the timer.

TIME OFF:
turn off the timer. When "TIME OFF" key is pressed at timer on mode, the timer will be turned off with white color flash two times.

15 SINGLE COLOR:
Each color block represents a single color like white、red、blue、green、Purple、pink....

JUMP:
the multicolor light is jumping in synchronous mode.

SMOOTH:
the multicolor light is strobing in Smooth mode.



25%-50-75-100%:
Adjust the brightness of a single color from 25% to 100%.

4-6-8-16 H:
when 6H key is pressed at timer off mode, the timer will be set to light up for 4-6-8 hours and off for 20-18-16 hours and flash white once.

SPEED 1-4:
set the speed of FADE, JUMP, FLASH, IN WAVES, SMOOTH, TWINKLE, or ASYN JUMP. The speed of the multicolor light could be set from 1 to 4 level, from slow to fast.

MODE+ MODE-:
Change from one mode to next mode include
（FADE: the multicolor light is fading in synchronous mode.
Twinkle: the multicolor light is strobing in twinkle mode.
Flash: the multicolor is fading in flash mode.there are several modes.
ASYN JUMP: the multicolor is jumping in asynchronous mode. IN
WAVES: the multicolor is breathing in synchronous mode.
CHASE
FLASH: the multicolor light is twinkling at different speed in synchronous mode.

ACCESSORIES LIST

GT-RHWDC-02/ GT-RHWDC-01:1.Manuel d' utilisation *1

Sanven Technologie Ltée.
Adresse : Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

VEVOR®

TOUGH TOOLS, HALF PRICE

Technique Certificat d'assistance et de garantie électronique

www.vevor.com/support

VEVOR®

TOUGH TOOLS, HALF PRICE

Technisch Support und E-Garantie-Zertifikat

www.vevor.com/support

LICHTERKETTEN FÜR DRAUßEN BENUTZERHANDBUCH

MODELL: GT-RHWDC-02/GT-RHWDC-01

We continue to be committed to provide you tools with competitive price.
"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®
TOUGH TOOLS, HALF PRICE

Outdoor String Lights



GT-RHWDC-02



GT-RHWDC-01

(Das Bild dient nur als Referenz, bitte beziehen Sie sich auf das tatsächliche Objekt)

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

INSTRUCTIONS

	Warnung: Um das Verletzungsrisiko zu verringern, muss der Benutzer die Bedienungsanleitung sorgfältig lesen.
	Dieses Gerät entspricht Teil 15 der FCC-Bestimmungen. Der Betrieb unterliegt den folgenden beiden Bedingungen: (1) Dieses Gerät darf keine schädlichen Störungen verursachen und (2) dieses Gerät muss alle empfangenen Störungen akzeptieren, einschließlich Störungen, die einen unerwünschten Betrieb verursachen können.

BEACHTEN:

ACHTUNG: Um Brand- und Stromschlaggefahr zu vermeiden, lesen Sie bitte unbedingt alle Anweisungen bevor Sie dieses Gerät installieren oder verwenden.

WARNUNG:

1. Stellen Sie vor dem Gebrauch sicher, dass alle Glühbirnen richtig in ihren Stecknüsse und ziehen Sie diese nacheinander fest.

2. Stecken Sie die Lichterkette in die Steckdose in der wasserdichten Box.

3. Hängen Sie Ihre Lichterkette an der gewünschten Stelle auf und achten Sie darauf, dass alle Glühbirnen nach unten zeigen, damit die Fassungen IP65 entsprechen.

Modell	GT-RHWDC-02	GT-RHWDC-01
Bewertungen	Wechselstrom 120 V, 60 Hz	Wechselstrom 120 V, 60 Hz

Lampentyp	LED S14 RGB	LED S14 RGB
Länge	50 Fuß	100 Fuß

PERFORMANCE PARAMETER

INSTALLATION,SAFETY AND CARE INSTRUCTIONS

Bei der Verwendung elektrischer Produkte sollten immer grundlegende Vorsichtsmaßnahmen beachtet werden, darunter die folgenden:

Installation:

1. Hängen Sie Ihre Straßenlaternen an der gewünschten Stelle auf, wobei die Laternen möglichst nach unten zeigen sollten, damit die Fassung IP65 entspricht.

2.Stecken Sie die Lichterkette in die Steckdose, die in die Wasserdichte Box





3. Schalten Sie die Bluetooth-Funktion auf Ihrem Telefon oder Pad ein

4. Laden Sie die App herunter und installieren Sie sie

Scannen Sie den QR-Code auf der Rückseite des Controllers mit dem Mobiltelefon oder Pad, wählen Sie je nach Mobiltelefontyp Apple oder Android aus, laden Sie die Anwendung „FO Remote “ herunter und installieren Sie sie. Öffnen Sie die Anwendung, öffnen Sie den

App-Controller und wählen Sie „ Color World “ .



HINWEIS: Wenn die App-Oberfläche „glänzend-glänzend“ erscheint, wischen Sie bitte über den Bildschirm und wählen Sie „Farbwelt“









5. **Funktionsbeschreibung dieser App**
Das mehrfarbige Licht kann auf 15 einzigartige Farben, mehr als zehn dynamische Modi, vier Geschwindigkeitsstufen und vier Timermodi eingestellt werden.

ON:
turn on the multicolor light to the mode when turned off.

OFF(UP):
turn off the multicolor light, and turn off the timer.

TIME OFF:
turn off the timer. When "TIME OFF" key is pressed at timer on mode, the timer will be turned off with white color flash two times.

15 SINGLE COLOR:
Each color block represents a single color like white、red、blue、green、Purple、pink....

JUMP:
the multicolor light is jumping in synchronous mode.

SMOOTH:
the multicolor light is strobing in Smooth mode.



25%-50-75-100%:
Adjust the brightness of a single color from 25% to 100%.

4-6-8-16 H:
when 6H key is pressed at timer off mode, the timer will be set to light up for 4-6-8 hours and off for 20-18-16 hours and flash white once.

SPEED 1-4:
set the speed of FADE, JUMP, FLASH, IN WAVES, SMOOTH, TWINKLE, or ASYN JUMP. The speed of the multicolor light could be set from 1 to 4 level, from slow to fast.

MODE+ MODE-:
Change from one mode to next mode include
（FADE: the multicolor light is fading in synchronous mode.
Twinkle: the multicolor light is strobing in twinkle mode.
Flash: the multicolor is fading in flash mode.there are several modes.
ASYN JUMP: the multicolor is jumping in asynchronous mode. IN
WAVES: the multicolor is breathing in synchronous mode.
CHASE
FLASH: the multicolor light is twinkling at different speed in synchronous mode.

ACCESSORIES LIST

GT-RHWDC-02/GT-RHWDC-01:1.

Benutzerhandbuch *1

Sanven Technology Ltd.
Adresse: Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

VEVOR®

TOUGH TOOLS, HALF PRICE

Technisch Support und E-Garantie-Zertifikat

www.vevor.com/support

VEVOR®

TOUGH TOOLS, HALF PRICE

Tecnico Supporto e certificato di garanzia elettronica

www.vevor.com/support

LUCI A CORDA PER ESTERNI
MANUALE D'USO

MODELLO: GT-RHWDC-02/GT-RHWDC-01

We continue to be committed to provide you tools with competitive price.
"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®
TOUGH TOOLS, HALF PRICE

Outdoor String Lights



GT-RHWDC-02



GT-RHWDC-01

(L'immagine è solo di riferimento, fare riferimento all'oggetto reale)

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

INSTRUCTIONS

	Attenzione: per ridurre il rischio di lesioni, l'utente deve leggere attentamente il manuale di istruzioni.
	Questo dispositivo è conforme alla Parte 15 delle Norme FCC. Il funzionamento è soggetto alle due condizioni seguenti: (1) Questo dispositivo non può causare interferenze dannose e (2) Questo dispositivo deve accettare qualsiasi interferenza ricevuta, comprese le interferenze che possono causare un funzionamento indesiderato.

AVVISO:

ATTENZIONE: per prevenire il rischio di incendi e scosse elettriche, assicurarsi di leggere tutte le istruzioni prima di installare o utilizzare questa unità.

AVVERTIMENTO:

1. Prima dell'uso, assicurarsi che tutte le lampadine siano correttamente fissate nelle loro sedi. prese e serrarle una alla volta.

2. Collegare la catena luminosa alla presa di corrente che si trova nella scatola impermeabile.

3. Appendere la catena luminosa nel punto desiderato, assicurandosi che tutte le lampadine siano rivolte verso il basso, in modo che le prese siano IP65.

Modello	GT-RHWDC-02	GT-RHWDC-01
Valutazione	AC120V 60Hz	AC120V 60Hz
Tipo di lampadina	GUIDATO S14 RGB	GUIDATO S14 RGB

Lunghezza	50 PIEDI	100 PIEDI

PERFORMANCE PARAMETER

INSTALLATION,SAFETY AND CARE INSTRUCTIONS

Quando si utilizzano prodotti elettrici, è necessario seguire sempre le precauzioni di base, tra cui:

Installazione:

1. Appendere i lampioni nella posizione desiderata, commisurati e rivolti verso il basso, il che potrebbe rendere la presa IP65.
2. Collegare la luce della stringa alla presa di corrente che si trova nella Scatola impermeabile





3. Attiva la funzione Bluetooth sul tuo telefono o tablet

4. Scarica e installa l'app

Scansiona il codice QR sul retro del controller con il telefono cellulare o il pad, seleziona Apple o Android in base al tipo di telefono cellulare, scarica l'applicazione "FO Remote" e quindi installala. Apri l'applicazione e apri l'app controller seleziona " Color World " .



NOTA: quando l'interfaccia dell'app appare "lucida-lucida", fai scorrere lo schermo e seleziona "mondo colorato"









5. **Descrizione delle funzioni di questa app**
La luce multicolore può essere impostata su 15 colori unici, più di dieci modalità dinamiche, 4 livelli di velocità e quattro modalità timer.

ON:
turn on the multicolor light to the mode when turned off.

OFF(UP):
turn off the multicolor light, and turn off the timer.

TIME OFF:
turn off the timer. When "TIME OFF" key is pressed at timer on mode, the timer will be turned off with white color flash two times.

15 SINGLE COLOR:
Each color block represents a single color like white、red、blue、green、Purple、pink....

JUMP:
the multicolor light is jumping in synchronous mode.

SMOOTH:
the multicolor light is strobing in Smooth mode.



25%-50-75-100%:
Adjust the brightness of a single color from 25% to 100%.

4-6-8-16 H:
when 6H key is pressed at timer off mode, the timer will be set to light up for 4-6-8 hours and off for 20-18-16 hours and flash white once.

SPEED 1-4:
set the speed of FADE, JUMP, FLASH, IN WAVES, SMOOTH, TWINKLE, or ASYN JUMP. The speed of the multicolor light could be set from 1 to 4 level, from slow to fast.

MODE+ MODE-:
Change from one mode to next mode include
（FADE: the multicolor light is fading in synchronous mode.
Twinkle: the multicolor light is strobing in twinkle mode.
Flash: the multicolor is fading in flash mode.there are several modes.
ASYN JUMP: the multicolor is jumping in asynchronous mode. IN
WAVES: the multicolor is breathing in synchronous mode.
CHASE
FLASH: the multicolor light is twinkling at different speed in synchronous mode.

ACCESSORIES LIST

ITALIANO:

1.Manuale utente *1

Azienda

Indirizzo: Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

VEVOR®

TOUGH TOOLS, HALF PRICE

Tecnico Supporto e certificato di garanzia elettronica

www.vevor.com/support

VEVOR®

TOUGH TOOLS, HALF PRICE

Técnico Certificado de soporte y garantía electrónica

www.vevor.com/support

LUCES DE CADENA PARA EXTERIORES
MANUAL DEL USUARIO

MODELO: GT-RHWDC-02/GT-RHWDC-01

We continue to be committed to provide you tools with competitive price.
"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®
TOUGH TOOLS, HALF PRICE

Outdoor String Lights



GT-RHWDC-02



GT-RHWDC-01

(La imagen es solo de referencia, consulte el objeto real)

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

INSTRUCTIONS

	Advertencia: Para reducir el riesgo de lesiones, el usuario debe leer atentamente el manual de instrucciones.
	Este dispositivo cumple con la Parte 15 de las Normas de la FCC. Su funcionamiento está sujeto a las dos condiciones siguientes: (1) Este dispositivo no puede causar interferencias perjudiciales y (2) Este dispositivo debe aceptar cualquier interferencia que reciba, incluidas las interferencias que puedan causar un funcionamiento no deseado.

AVISO:

PRECAUCIÓN: Para evitar el riesgo de incendio y descarga eléctrica, asegúrese de leer todas las instrucciones. antes de instalar o utilizar esta unidad.

ADVERTENCIA:

1. Antes de usar, asegúrese de que todas las bombillas estén correctamente fijadas en sus enchufes y apriételos uno por uno.

2. Conecte la cadena de luces a la toma de corriente que se encuentra en la caja impermeable.

3. Cuelgue las luces de cadena en la ubicación deseada, asegúrese de que todas las bombillas estén orientadas hacia abajo, lo que podría hacer que los casquillos sean IP65.

Modelo	GT-RHWDC-02	GT-RHWDC-01
Clasificación	CA 120 V 60 Hz	CA 120 V 60 Hz
Tipo de bombilla	CONDUJO S14 RGB	CONDUJO S14 RGB

Longitud	50 pies	100 pies

PERFORMANCE PARAMETER

INSTALLATION,SAFETY AND CARE INSTRUCTIONS

Al utilizar productos eléctricos, siempre se deben seguir precauciones básicas, incluidas las siguientes:

Instalación:

1.Cuelgue sus farolas en la ubicación deseada, siempre que estén orientadas hacia abajo, lo que podría hacer que el enchufe sea IP65.

2. Conecte la cadena de luces a la toma de corriente que se encuentra en el

Caja impermeable





3. Encienda la función Bluetooth en su teléfono o tableta.

4. Descargue e instale la aplicación

Escanee el código QR en la parte posterior del controlador con el teléfono móvil o el pad, seleccione Apple o Android según el tipo de teléfono móvil, descargue la aplicación "FO Remote" y luego instálela. Abra la aplicación y abra el controlador de aplicaciones, seleccione " Color World " .



NOTA: Cuando la interfaz de la aplicación parezca “brillante-brillante”, deslice la pantalla y seleccione “mundo de colores”









5. **Descripción de funciones de esta aplicación**
La luz multicolor se puede configurar en 15 colores únicos, más de diez modos dinámicos, 4 niveles de velocidad y cuatro modos de temporizador.

ON:
turn on the multicolor light to the mode when turned off.

OFF(UP):
turn off the multicolor light, and turn off the timer.

TIME OFF:
turn off the timer. When "TIME OFF" key is pressed at timer on mode, the timer will be turned off with white color flash two times.

15 SINGLE COLOR:
Each color block represents a single color like white、red、blue、green、Purple、pink....

JUMP:
the multicolor light is jumping in synchronous mode.

SMOOTH:
the multicolor light is strobing in Smooth mode.



25%-50-75-100%:
Adjust the brightness of a single color from 25% to 100%.

4-6-8-16 H:
when 6H key is pressed at timer off mode, the timer will be set to light up for 4-6-8 hours and off for 20-18-16 hours and flash white once.

SPEED 1-4:
set the speed of FADE, JUMP, FLASH, IN WAVES, SMOOTH, TWINKLE, or ASYN JUMP. The speed of the multicolor light could be set from 1 to 4 level, from slow to fast.

MODE+ MODE-:
Change from one mode to next mode include
（FADE: the multicolor light is fading in synchronous mode.
Twinkle: the multicolor light is strobing in twinkle mode.
Flash: the multicolor is fading in flash mode.there are several modes.
ASYN JUMP: the multicolor is jumping in asynchronous mode. IN
WAVES: the multicolor is breathing in synchronous mode.
CHASE
FLASH: the multicolor light is twinkling at different speed in synchronous mode.

ACCESSORIES LIST

GT-RHWDC-02/GT-

RHWDC-01:1.

Manual del usuario *1

Tecnología Sanven Ltd.
Dirección: Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

VEVOR®

TOUGH TOOLS, HALF PRICE

Técnico Certificado de soporte y garantía electrónica

www.vevor.com/support

VEVOR®

TOUGH TOOLS, HALF PRICE

Techniczny Wsparcie i certyfikat e-gwarancji

www.vevor.com/support

ŚWIATŁA ZEWNĘTRZNE
INSTRUKCJA OBSŁUGI

MODELE: GT-RHWDC-02/GT-RHWDC-01

We continue to be committed to provide you tools with competitive price.
"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®
TOUGH TOOLS, HALF PRICE

Outdoor String Lights



GT-RHWDC-02



GT-RHWDC-01

(Zdjęcie ma charakter poglądowy, proszę odnosić się do rzeczywistego obiektu)

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

INSTRUCTIONS

	Ostrzeżenie: Aby zminimalizować ryzyko obrażeń, użytkownik powinien uważnie przeczytać instrukcję obsługi.
	To urządzenie jest zgodne z częścią 15 przepisów FCC. Jego działanie podlega następującym dwóm warunkom: (1) To urządzenie nie może powodować szkodliwych zakłóceń i (2) to urządzenie musi akceptować wszelkie odbierane zakłócenia, w tym zakłócenia, które mogą powodować niepożądane działanie.

OGŁOSZENIE:

UWAGA: Aby uniknąć ryzyka pożaru i porażenia prądem, należy dokładnie przeczytać wszystkie instrukcje. przed zainstalowaniem lub użyciem tego urządzenia.

OSTRZEŻENIE:

1. Przed użyciem należy upewnić się, że wszystkie żarówki są prawidłowo zamocowane w swoich gniazdach. gniazda i dokręcaj je po kolei.

2. Podłącz lampkę do gniazdka elektrycznego znajdującego się w wodoodpornej obudowie.

3. Zawieś lampki choinkowe w wybranym miejscu, upewniając się, że wszystkie żarówki są skierowane w dół, dzięki czemu oprawki będą miały klasę ochrony IP65.

Model	GT-RHWDC-02	GT-RHWDC-01
Ocena	Prąd zmienny 120 V 60 Hz	Prąd zmienny 120 V 60 Hz

Typ żarówki	PROWADZONY S14RGB	PROWADZONY S14RGB
Długość	50 stóp	100 stóp

PERFORMANCE PARAMETER

INSTALLATION,SAFETY AND CARE INSTRUCTIONS

Podczas korzystania z produktów elektrycznych należy zawsze przestrzegać podstawowych środków ostrożności, w tym:

Instalacja:

1. Zawieś latarnie uliczne w wybranym miejscu, tak aby były skierowane w dół, co sprawi, że gniazdo będzie miało stopień ochrony IP65.

2. Podłącz lampkę do gniazdka elektrycznego znajdującego się w Wodoodporne pudełko





3. Włącz funkcję Bluetooth w telefonie lub tablecie

4. Pobierz i zainstaluj aplikację

Zeskanuj kod QR z tyłu kontrolera za pomocą telefonu komórkowego lub tabletu, wybierz Apple lub Android zgodnie z typem telefonu komórkowego, pobierz aplikację „FO Remote”, a następnie zainstaluj ją. Otwórz aplikację i otwórz kontroler aplikacji, wybierz „ Color World ” .



UWAGA: Gdy interfejs aplikacji będzie wyglądał na „błyszczący-błyszczący”, przesuń ekran i wybierz „świat kolorów”









5. **Opis funkcji tej aplikacji**
Wielokolorowe światło można ustawić na 15 unikalnych kolorów, ponad dziesięć trybów dynamicznych, 4 poziomy prędkości i cztery tryby timera.

ON:
turn on the multicolor light to the mode when turned off.

OFF(UP):
turn off the multicolor light, and turn off the timer.

TIME OFF:
turn off the timer. When "TIME OFF" key is pressed at timer on mode, the timer will be turned off with white color flash two times.

15 SINGLE COLOR:
Each color block represents a single color like white、red、blue、green、Purple、pink....

JUMP:
the multicolor light is jumping in synchronous mode.

SMOOTH:
the multicolor light is strobing in Smooth mode.



25%-50-75-100%:
Adjust the brightness of a single color from 25% to 100%.

4-6-8-16 H:
when 6H key is pressed at timer off mode, the timer will be set to light up for 4-6-8 hours and off for 20-18-16 hours and flash white once.

SPEED 1-4:
set the speed of FADE, JUMP, FLASH, IN WAVES, SMOOTH, TWINKLE, or ASYN JUMP. The speed of the multicolor light could be set from 1 to 4 level, from slow to fast.

MODE+ MODE-:
Change from one mode to next mode include
（FADE: the multicolor light is fading in synchronous mode.
Twinkle: the multicolor light is strobing in twinkle mode.
Flash: the multicolor is fading in flash mode.there are several modes.
ASYN JUMP: the multicolor is jumping in asynchronous mode. IN
WAVES: the multicolor is breathing in synchronous mode.
CHASE
FLASH: the multicolor light is twinkling at different speed in synchronous mode.

ACCESSORIES LIST

GT-RHWDC-02/GT-

RHWDC-01:1.

Instrukcja obsługi *1

Sanven Technology Ltd.
Adres: Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

VEVOR®

TOUGH TOOLS, HALF PRICE

Techniczny Wsparcie i certyfikat e-gwarancji

www.vevor.com/support

VEVOR®

TOUGH TOOLS, HALF PRICE

Technisch Ondersteuning en E-garantiecertificaat

www.vevor.com/support

BUITENVERLICHTING GEBRUIKERSHANDLEIDING

MODEL: GT-RHWDC-02/GT-RHWDC-01

We continue to be committed to provide you tools with competitive price.
"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®
TOUGH TOOLS, HALF PRICE

Outdoor String Lights



GT-RHWDC-02



GT-RHWDC-01

(De afbeelding is alleen ter referentie, kijk naar het daadwerkelijke object)

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

INSTRUCTIONS

	Waarschuwing: om het risico op letsel te verkleinen, moet de gebruiker de gebruiksaanwijzing zorgvuldig lezen.
	Dit apparaat voldoet aan Deel 15 van de FCC-regels. De werking is onderworpen aan de volgende twee voorwaarden: (1) Dit apparaat mag geen schadelijke interferentie veroorzaken, en (2) dit apparaat moet alle ontvangen interferentie accepteren, inclusief interferentie die ongewenste werking kan veroorzaken.

KENNISGEVING:

LET OP: Om het risico op brand en elektrische schokken te voorkomen, dient u alle instructies zorgvuldig door te lezen. voordat u dit apparaat installeert of gebruikt.

WAARSCHUWING:

1. Controleer voor gebruik of alle lampen goed vastzitten. doppen en draai ze één voor één vast.

2. Steek de stekker van de lichtslinger in het stopcontact dat zich in de waterdichte doos bevindt.

3. Hang de lichtsnoeren op de gewenste locatie en zorg ervoor dat alle lampen naar beneden wijzen. Zo kunnen de fittingen IP65 zijn.

Model	GT-RHWDC-02	GT-RHWDC-01
Beoordeling	AC120V 60Hz	AC120V 60Hz
Lamptype	LED S14 RGB	LED S14 RGB

Lengte t h	50 voet	100 voet

PERFORMANCE PARAMETER

INSTALLATION,SAFETY AND CARE INSTRUCTIONS

Bij het gebruik van elektrische producten dienen altijd de volgende basisvoorzorgsmaatregelen in acht te worden genomen:

Installatie:

1. Hang uw straatlantaarns op de gewenste locatie, zorg ervoor dat ze naar beneden gericht zijn, zodat de fitting IP65 is.
2. Steek de lichtslinger in het stopcontact dat zich in de Waterdichte doos





3. Schakel de Bluetooth-functie op uw telefoon of pad in

4. Download en installeer de app

Scan de QR-code op de achterkant van de controller met de mobiele telefoon of pad, selecteer Apple of Android volgens het type mobiele telefoon, download de applicatie "FO Remote" en installeer deze vervolgens. Open de applicatie en open de app controller selecteer " Color World " .



OPMERKING: Wanneer de app-interface "glanzend-glanzend" lijkt, schuift u het scherm en selecteert u "kleurenwereld"









5. **Functiebeschrijving over deze app**
Het meerkleurige licht kan worden ingesteld op 15 unieke kleuren, meer dan tien dynamische modi, 4 snelheidsniveaus en vier timermodi.

ON:
turn on the multicolor light to the mode when turned off.

OFF(UP):
turn off the multicolor light, and turn off the timer.

TIME OFF:
turn off the timer. When "TIME OFF" key is pressed at timer on mode, the timer will be turned off with white color flash two times.

15 SINGLE COLOR:
Each color block represents a single color like white、red、blue、green、Purple、pink....

JUMP:
the multicolor light is jumping in synchronous mode.

SMOOTH:
the multicolor light is strobing in Smooth mode.



25%-50-75-100%:
Adjust the brightness of a single color from 25% to 100%.

4-6-8-16 H:
when 6H key is pressed at timer off mode, the timer will be set to light up for 4-6-8 hours and off for 20-18-16 hours and flash white once.

SPEED 1-4:
set the speed of FADE, JUMP, FLASH, IN WAVES, SMOOTH, TWINKLE, or ASYN JUMP. The speed of the multicolor light could be set from 1 to 4 level, from slow to fast.

MODE+ MODE-:
Change from one mode to next mode include
（FADE: the multicolor light is fading in synchronous mode.
Twinkle: the multicolor light is strobing in twinkle mode.
Flash: the multicolor is fading in flash mode.there are several modes.
ASYN JUMP: the multicolor is jumping in asynchronous mode. IN
WAVES: the multicolor is breathing in synchronous mode.
CHASE
FLASH: the multicolor light is twinkling at different speed in synchronous mode.

ACCESSORIES LIST

GT-RHWDC-02/GT-RHWDC-01:1.

Gebruiksaanwijzing *1

Sanven Technologie Ltd.
Adres: Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

VEVOR®

TOUGH TOOLS, HALF PRICE

Technisch Ondersteuning en E-garantiecertificaat

www.vevor.com/support

VEVOR®

TOUGH TOOLS, HALF PRICE

Teknisk Support och e-garanticertifikat

www.vevor.com/support

STRÄNGLJUS UTOMHUS ANVÄNDARMANUAL

MODELL: GT-RHWDC-02/GT-RHWDC-01

We continue to be committed to provide you tools with competitive price.
"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®
TOUGH TOOLS, HALF PRICE

Outdoor String Lights



GT-RHWDC-02



GT-RHWDC-01

(Bilden är endast för referens, se det faktiska objektet)

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

INSTRUCTIONS

	Varning - För att minska risken för skada måste användaren läsa instruktionerna noggrant.
	Denna enhet uppfyller del 15 av FCC-reglerna. Driften är föremål för följande två villkor: (1) Den här enheten får inte orsaka skadliga störningar och (2) den här enheten måste acceptera alla mottagna störningar, inklusive störningar som kan orsaka oönskad funktion.

VARSEL:

FÖRSIKTIGHET: För att förhindra risken för brand och elektriska stötar, var noga med att läsa alla instruktioner innan du installerar eller använder denna enhet.

VARNING:

1. Före användning, se till att alla glödlampor är ordentligt säkrade i deras hylsor och dra åt dem en efter en.

2. Anslut ljusslingan till eluttaget som sitter i den vattentäta lådan.

3. Häng dina ljusslingor på önskad plats, se till att alla glödlampor är vända nedåt, vilket kan göra att sockeln är IP65.

PERFORMANCE PARAMETER

Modell	GT-RHWDC-02	GT-RHWDC-01
Gradering	AC120V 60Hz	AC120V 60Hz
Typ av glödlampa	LED S14 RGB	LED S14 RGB
Längd t h	50 FT	100 FT

INSTALLATION,SAFETY AND CARE INSTRUCTIONS

När du använder elektriska produkter bör grundläggande försiktighetsåtgärder alltid följas, inklusive följande:

Installation:

1.Häng dina gatubelysningar på önskad plats, jämförbara är vända nedåt, vilket kan göra sockeln ip65.

2. Anslut ljusslingan till eluttaget som är i
Vattentät låda





3. Slå på Bluetooth-funktionen på din telefon eller pad

4. Ladda ner och installera appen

Skanna QR-koden på baksidan av handkontrollen med mobiltelefonen eller pad, välj apple eller android enligt mobiltelefontyp, ladda ner applikationen "FO Remote " och installera den sedan. Öppna applikationen och öppna appkontrollen och välj " Color World " .



OBS: När appens gränssnitt visas som "glänsande", skjut på skärmen och välj "färgvärld"









5. **Funktionsbeskrivning om denna app**
Flerfärgsljuset kunde ställas in på 15 unika färger, mer än tio dynamiska lägen med 4 hastighetsnivåer och fyra timerlägen.

ON:
turn on the multicolor light to the mode when turned off.

OFF(UP):
turn off the multicolor light, and turn off the timer.

TIME OFF:
turn off the timer. When "TIME OFF" key is pressed at timer on mode, the timer will be turned off with white color flash two times.

15 SINGLE COLOR:
Each color block represents a single color like white、red、blue、green、Purple、pink....

JUMP:
the multicolor light is jumping in synchronous mode.

SMOOTH:
the multicolor light is strobing in Smooth mode.



25%-50-75-100%:
Adjust the brightness of a single color from 25% to 100%.

4-6-8-16 H:
when 6H key is pressed at timer off mode, the timer will be set to light up for 4-6-8 hours and off for 20-18-16 hours and flash white once.

SPEED 1-4:
set the speed of FADE, JUMP, FLASH, IN WAVES, SMOOTH, TWINKLE, or ASYN JUMP. The speed of the multicolor light could be set from 1 to 4 level, from slow to fast.

MODE+ MODE-:
Change from one mode to next mode include
（FADE: the multicolor light is fading in synchronous mode.
Twinkle: the multicolor light is strobing in twinkle mode.
Flash: the multicolor is fading in flash mode.there are several modes.
ASYN JUMP: the multicolor is jumping in asynchronous mode. IN
WAVES: the multicolor is breathing in synchronous mode.
CHASE
FLASH: the multicolor light is twinkling at different speed in synchronous mode.

ACCESSORIES LIST

GT-RHWDC-02/GT-RHWDC-01:1.

Användarmanual *1

Sanven Technology Ltd.
Adress: Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

VEVOR®

TOUGH TOOLS, HALF PRICE

Teknisk Support och e-garanticertifikat

www.vevor.com/support