




ASSEMBLY INSTRUCTIONS
VELENTINA DINING CHAIR ITEM # 92418

ASSEMBLY REQUIREMENTS:	2-Person Assembly	30 minutes Assembly Time Per Chair (Approximate)	Tools Required: (Not Provided)	 Flat Screwdriver	 Phillips Screwdriver	 Mallet
---------------------------	----------------------	---	-----------------------------------	--	---	---

Thank you for purchasing our product!

Please refer and use this assembly instruction to assemble the product.
Contact our customer service department in case there are any missing or
damage parts or hardware. Replacement parts are normally shipped
within 2 or 3 days.

Email: replacementparts@buylateral.com
Within 30 days from delivery date



PRODUCTS PURCHASED THROUGH OUR AUTHORIZED
VENDORS ONLY ARE ELIGIBLE FOR REPLACEMENT PARTS.

We appreciate your business!

THIS PRODUCT IS FOR INDOOR AND HOUSEHOLD USE ONLY - NOT FOR
COMMERCIAL USE.

ASSEMBLY PREPARATION

1. Remove all packaging materials, staples and packing straps from the carton.
2. Refer to Parts List and Hardware List and ensure they are complete before assembly.
3. Place all wooden parts on a clean, flat and soft surface (e.g. carpet or rug) to prevent parts from getting scratched.

SAFETY PRECAUTION

1. KEEP ALL HARDWARE PARTS OUT OF REACH OF CHILDREN.
2. DISPOSE PLASTIC PACKAGING MATERIAL IMMEDIATELY TO AVOID ANY RISK OF SUFFOCATION TO CHILDREN AND ANIMALS.

TIPS FOR ASSEMBLY

1. Allow ample room for assembly and in close proximity to where product will be placed.
2. Assemble the product on a surface that does not scratch or damage the exterior gloss and finish of the furniture.
3. Identify all of the parts, hardware and quantities required for each step.
4. During assembly, do not over-tighten any fittings as this may cause damage.
5. DO NOT USE POWER TOOLS TO ASSEMBLE THIS PRODUCT.
6. Always place the product on a flat surface.
7. Do not sit or stand on the partially assembled product; only use the product for which it is intended.

CARE AND MAINTENANCE

- Wipe clean with a soft, dry cloth; avoid the use of harsh chemicals or household cleaners as they may damage the exterior finish of the furniture.
- Hardware may loosen over time. Periodically, check that all connections are tight; re-tighten as necessary.
- Solid wood is impacted by heat and humidity fluctuations and may result in small joint separations or hairline cracks; place the furniture away from direct sunlight and air conditioning vents, heating vents or units to protect the furniture.


ASSEMBLY INSTRUCTIONS

VELENTINA DINING CHAIR ITEM # 92418





PARTS LIST

Part#	Description	Qty
1	Chair Back	2pcs
2A	Left Leg	2pcs
2B	Right Leg	2pcs
3	Seat	2pcs
4	Long Rail	2pcs
5	Short Rail	2pcs

PARTS ASSEMBLY OVERVIEW




Hardware List

DESCRIPTION	QTY	EXTRA	DESCRIPTION	QTY	EXTRA	DESCRIPTION	QTY	EXTRA
A  M6 x 35mm Bolt	12	2	E  5/16" Spring Washer	8	2	I  Allen Key	1	-
B  M6 x 50mm Bolt	8	2	F  M6 x 13mm Flat Washer	12	2	J  Allen Key	1	-
C  M8 x 100mm Bolt	8	2	G  M8 x 30mm Wood Dowel	16	-	K  Leg Stud	8	2
D  M8 x 55mm 2-Hole Barrel Nut	4	2	H  Ø13.5 x 9 Wood Plug	4	-			


* Extra hardware for spare use

STEP 1



a) Lay Long and Short Rail (4 &5) on a material that does not scratch or damage the parts and insert Wood Dowel (G) to the top and bottom hole at each end of (4 & 5). Use a mallet to lightly tap in (G) as needed.

STEP 2



a) With assistance, position Chair Back (1) and Chair Seat (3) as shown on a material that does not scratch or damage the parts.

b) Insert 2-Hole Barrel Nut (D) into the designated hole on (1). Be sure that the bolt holes on (3) are facing and aligned to the bolt holes on (1).


c) Insert Bolt (C) through the bolt holes on (3) to thread into the bolt hole on (D).

Tips: (1) Use a Flat Screwdriver to hold (D) in place.

(2) Use hand to screw (C) to thread into bolt hole on (D) first before using Allen Key (J).


d) Use Allen Key (J) to tighten (C). Do not tighten (C) completely until all 4 bolts are in place.

STEP 3




- Lay Left Leg (2A) on Chair Seat (3) as shown and align the bolt holes on the each part.
- Use Bolt (A) fitted with Flat Washer (F) to fasten (2A) to (3). Use Allen Key (I) to drive (A). Do not tighten (A) completely at this time.

STEP 4





- Attach Long and Short Rail (4 & 5) from STEP 1 to Left Leg (2A) exactly as shown. Note the orientation of (4 & 5) with the arrow pointing towards the seat.
- Use Bolt (B) fitted with Spring Washer (E) to fasten (4 & 5) to (2A). Use Allen Key (I) to tighten (B). Do not tighten (B) completely at this time.

STEP 5




a) Attach Right Leg (2B) to Long and Short Rail (4 & 5) via wood dowels on (4 & 5).

STEP 6




DO NOT FULLY TIGHTEN



DO NOT FULLY TIGHTEN


- Set Right Leg (2B) as shown and align the bolt holes on (2B) to the bolt holes on the chair seat.
- Use Bolt (A) fitted with Flat Washer (F) to fasten (2B) to chair seat. Use Allen Key (I) to drive (A). Do not tighten (A) completely at this time.
- Use Bolt (B) fitted with Spring Washer (E) to fasten Long and Short Rail (4 & 5) to (2B). Use Allen Key (I) to drive (B). Do not tighten (B) completely at this time.
- Set the chair right-side up and make sure all the legs are stable and contact with the floor, then **FULLY TIGHTEN ALL BOLTS (A & B) IN STEP 3, 4 & 6.**
DO NOT OVER TIGHTEN.

STEP 7




a) Set the chair on an elevated surface (e.g. a table top) and use a mallet to gently tap Leg Stud (K) to the bottom of each leg.

STEP 8



Use Wood Plug (H) to conceal the bolt holes as shown.

STEP 9



The assembly of the chair is complete.