


ASSEMBLY INSTRUCTIONS

SKU:LINO01


Thank you for purchasing our product.

We appreciate your trust and hope you enjoy your new furniture.




Notice:

- 1.Place a protective mat or cloth on the floor to prevent scratches.
- 2.Follow these assembly instructions. Make sure all parts and hardware are included before starting.
- 3.Do not fully tighten the bolts during assembly.Tighten them only after all parts are properly aligned.
- 4.If you have any questions, please contact our customer support team or call us directly at (909) 543-8491.



Recommended Assembly: 2 people



Estimate installation time

Assembly Explosion Diagram

Assembly Explosion Diagram


Parts shown:

- 1: Backrest cushion
- 2: Seat cushion
- 3: Square pillow
- 4: L-shaped bracket
- 5: Long, curved backrest cushion
- 6: Square pillow
- 7: Long, curved seat cushion
- 8: Large, curved backrest cushion








Assembly instructions:

1. Insert the L-shaped bracket (4) into the backrest cushion (1) and the seat cushion (2).
2. Attach the long, curved backrest cushion (5) to the backrest cushion (1) and the seat cushion (2).
3. Attach the long, curved seat cushion (7) to the seat cushion (2).
4. Attach the large, curved backrest cushion (8) to the backrest cushion (1) and the seat cushion (2).
5. Attach the square pillow (3) to the seat cushion (2).
6. Attach the square pillow (6) to the backrest cushion (1).

ASSEMBLY INSTRUCTIONS



PARTS LIST

ID	PARTS IDENTIFICATION	QTY	ID	PARTS IDENTIFICATION	QTY
1	 RIGHT BACK FRAME	1 PCS	5	 RIGHT SEAT	1 PCS
2	 LEFT BACK FRAME	1 PCS	6	 RIGHT ARM	1 PCS
3	 PILLOW	2 PCS	7	 LEFT SEAT	1 PCS
4	 LEG	4 PCS	8	 LEFT ARM	1 PCS


HARDWARE LIST

ID	HARDWARE PACKING	QTY	ID	HARDWARE PACKING	QTY
A	 ø5/16**60mm	9 PCS	G	 ø5/16* NUT	9 PCS
B	 ø5/16**19mm	17 PCS	H	 MIDDLE LEG	2 PCS
C	 ø5/16*	17 PCS	I	 BUSHING	2 PCS
D	 ø5/16**90mm	9 PCS	J	 ø1/4**20mm	9 PCS
E	 ALLEN KEY	1 PCS			
F	 ALLEN KEY	1 PCS			

Step 1

D		8 PCS
	ø5/16"×90mm	


locating the bolts positions, secure fully tighten all bolts.



Step 2


B		8 PCS
	ø5/16"×19mm	
C		8 PCS
	ø5/16"	
G		8 PCS
	ø5/16" NUT	

When assembling the screws, fix the two diagonal ones first. This will help align the parts more easily. Fasten the four screws to the seat base using bolts and an Allen key. Partially tighten them first to ensure alignment with the nuts, and then fully tighten.




Step 3

Assemble the backrest on a soft, scratch-free surface (e.g., a carpet), then tack the pillows and legs out from the bottom of the backrest before assembly.



Step 4


Align and slide the metal bracket on the arm to the metal bracket on the seater.
Please make sure the brackets are inserted steadily and secured.



Step 5

I		2 PCS
---	---	-------


Screw the bolts I as picture below to assembling LAF sofa and RAF sofa. Please sure the bolts screws tight.



Step 6

H	 MIDDLE LEG	2 PCS
J	 ø14**20mm	8 PCS


Pre-assemble the center leg bolts, but do not tighten them yet.



Step 7

A		4 PCS
B		4 PCS
C		4 PCS


Insert the bracket halfway and leave some space. After locating the screw positions, secure the bracket and fully tighten all bolts.



Step 8

A		4 PCS
B		4 PCS
C		4 PCS

Turn the sofa over to the back side, insert the bracket halfway and leave some space. After locating the screw positions, secure the bracket and fully tighten all bolts.



Step 9

Completed

