# **WARNING!!**

Children have died from furniture tipover. Tip restraints have been included with this product; you must install the tip restraints according to these instructions in order to minimize the risk of furniture tipping. If you have any questions about this product or the tip restraint, please send us an email.

NEVER allow children to climb or hang on furniture, including drawers or cabinet doors.

In addition to installing the restrains, to help prevent tip-over


- 1. NEVER put a TV or other heavy objects on top of this product.
- 2. Do not stand on the product



# **Assembly Instructions**

Caution: You must read this before you proceed

# SHOE CABINET



# Parts List Label Picture Description QTY A Top Panel 1 B Left Side Panel 1 C Right Side Panel 1


D	Center Panel	1
E	Left Door Panel	1
F	Right Door Panel	2
G	Long Shelf Panel	2
н	Short Shelf Panel	2
I	Back Panel	2
J	Bottom Panel	1
К	Handle	3
L	Leg	5

<u>Hardware</u>					
Label	Picture	Description	QTY		
1		Cam Lock	7		
2		Cam Bolt	7		
3		Cam Cap	7		
4		Positioning Dowel (φ 8*30mm)	23		
(5)		Cap Wood Screw (M6*50mm)	7		
6		Screw (M3.5*16mm)	45		
7		Screw (M4*32mm)	7		
8		Cap Wood Screw (M6*60mm)	5		
9		Allen Key	1		
100		Connector	6		
11)		Metal Shelf Support	17		
(12)		Stopper	2		
13)		Screwdriver (not provided)	1		
14)		Hammer (not provided)	1		
15)		Power Drill (not provided)	1		

Cabinet Restraint Device Hardware					
16		Metal Bracket	4		
17)		Wall Plug	2		
18		Wall Plug Screw	2		
19		Pan Head Screw	2		
20		Cabinet Restraint Strap	2		

# **Assembly Preparation**







Read instructions, cover to cover-



• Have 2 adults on hand for assembly-



• Do not assemble on flooring or carpet-




• Assemble on a clean non-marring surface (packing foam)-




Save all packaging until finished-

# Assembly Steps



This Shoe Cabinet has multiple parts and may require up to 60 minutes to assemble. To give you an overview of the Shoe Cabinet parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.






Unpack and place all parts on a clean, non-marring surface.


- **1.1)** Insert Cam Bolts(②) into mounting positions on Top Panel(A) with Screwdriver(③).
- **1.2)** Attach Stopper(12) to Top Panel(A) with Hammer(14).

### 

- **2.1)** Insert Cam Locks(①) into mounting positions on Left Side Panel(B) by hand.
- **2.2)** Insert Positioning Dowels(④) into mounting positions on Left Side Panel(B) by hand.




- **3.1)** Insert Cam Locks(①) into mounting positions on Right Side Panel(C) by hand.
- **3.2)** Insert Positioning Dowels(④) into mounting positions on Right Side Panel(C) by hand.




- **4.1)** Insert Cam Locks(①) into mounting positions on Center Panel(D) by hand.
- **4.2)** Insert Positioning Dowels(④) into mounting positions on Center Panel(D) by hand.

# Step 5



Insert Positioning Dowels(4) into mounting positions on Back Panel(G) by hand.

# Step 6




Attach Handle(K) to Left Door Panel(E) using Screws(⑦) with Screwdriver(③).

Tighten the Screws fully in a sequential manner.

Note: There are pre-existing mounting positions on the Left Door Panel(E) to attach the Handle.

# Step 7




Attach Handles(K) to Right Door Panels(F) using Screws(⑦) with Screwdriver(⑥).

Tighten the Screws fully in a sequential manner.

Note: There are pre-existing mounting positions on the Right Door Panels(F) to attach the Handles.

# Step 8




Attach Connectors(⑩) to Left Door Panel(E) using Screws(⑥) with Screwdriver(⑴).

Tighten the Screws fully in a sequential manner.

Note: There are pre-existing mounting positions on the Left Door Panel(E) to attach the Handle.

### Step 9




Attach Connectors(®) to Right Door Panels(F) using Screws(6) with Screwdriver(®).

Tighten the Screws fully in a sequential manner.


Note: There are pre-existing mounting positions on the Right Door Panels(F) to attach the Handles.

# <u>Step 10</u>




Attach Positioning Dowels(4) from Back Panel(I) into mounting positions on the other Back Panel(I).

# <u>Step 11</u>




Insert Positioning Dowels(④) from Back Panel(I) into mounting positions on Left Side Panel(B) and Right Side Panel(C).

# <u>Step 12</u>




Attach Back Panel(I) to Shoe Cabinet Assembly using Cap Wood Screws(8) with Allen Key(9).



**13.1)** Insert Positioning Dowels(④) from Left Side Panel(B), Right Side Panel(C) and Center Panel(D) into mounting positions on Top Panel(A).


Note: Ensure the arrows on Cam Locks head points towards the Cam Bolt mounting positions.

- **13.2)** Insert the mounting positions on side of Left Side Panel(B), Right Side Panel(C) and Center Panel(D) onto Cam Bolts(②) on Top Panel(A).
- **13.3)** Turn the Cam Locks(①) clockwise with the Screwdriver(③) until they all lock into place.



- **14.1)** Insert Positioning Dowels(④) from Left Side Panel(B), Right Side Panel(C) and Center Panel(D) into mounting positions on Bottom Panel(J).
- **14.2)** Attach Bottom Panel(J) to Shoe Cabinet Assembly using Cap Wood Screws(5) with Allen Key(9).


# Step 15



Attach Legs(L) to Bottom Panel(J) using Screws(6) with Screwdriver(3).


Note: There are pre-existing mounting positions on the Bottom Panel(J) to attach the Legs(L).

## Step 16




Attach Cam Caps(3) to all Cam Locks(1) by hand.

# <u>Step 17</u>




Insert Metal Shelf Supports(11) into mounting positions on Left Side Panel(B), Right Side Panel(C) and Center Panel(D) by hand.

# <u>Step 18</u>



Put Long Shelf Panels(G) and Short Shelf Panels(H) in place on Metal Shelf Supports(11).

Note: There are lead mounting positions on Long Shelf Panels(G) and Short Shelf Panels(H) to fit Metal Shelf Supports(11).



**19.1)** Attach Connectors(⑩) to Left Side Panel(B), Right Side Panel(C) and Center Panel(D) with Screws(⑥) using Screwdriver(③).

Tighten the Screws fully in a sequential manner.

- **19.2)** Rotate first screw on Connectors(⑩) to adjust left-right position of Left Door Panel(E) and Right Door Panels(F) when necessary.
- **19.3)** Rotate second screw on Connectors(⑩) to adjust in-out position of Left Door Panel(E) and Right Door Panels(F) when necessary.

Note: There are pre-existing mounting positions on the Left Side Panel(B), Right Side Panel(C) and Center Panel(D) to attach the Connectors(100).


#### **Cabinet Restraint Device Installation Instructions**

#### / WARNING

Serious or fatal crushing injuries can occur from tipping furniture.

To help prevent tip-over: ALWAYS secure this furniture to the wall using Cabinet Restraint Device.

See product instructions for more ways to help prevent furniture tip-over.




#### **Usage For Cabinet Restraint Device:**


To secure Shoe Cabinet against wall, attach two Metal Brackets(16) on wall and product, use Cabinet Restraint Strap(20) to connect the Metal Brackets(16).

#### **Instructions:**

# Step 20



- **20.1)** Turn the Shoe Cabinet so the back side faces you.
- **20.2)** Attach Metal Brackets(16) to Back Panel(I), where labeled, using Pan Head Screws(19) with Screwdriver(13).




**21.1)** Drill two holes on wall at same height as Metal Brackets(16) on Shoe Cabinet with Power Drill(15).

#### You can mark these points in two ways as below:


1) Move the Shoe Cabinet back to the wall. Mark two points same height as Shoe Cabinet on the wall.

Note: The Metal Brackets need to be secured to solid, load bearing surface. Please use a Stud Finder(not supplied) if needed to locate the Wall Frame.

- 2) Measure the height of the Metal Brackets(16) with ruler/measuring tape and mark on wall to keep them accurate and same height.
- **21.2)** Insert Wall Plugs((17)) into drilled holes on wall with Hammer((14)).




Attach Metal Brackets(16) to Wall Plugs(17) using Wall Plug Screws(18) with Screwdriver(13).



Move Shoe Cabinet to the wall.

Pull the Restraint Straps(20) through the Metal Brackets(16) on the wall and Shoe Cabinet one by one, and pull the Restraint Straps(20) tight.



Your Shoe Cabinet is ready for use.

This Shoe Cabinet can only be used on a flat, level surface.

#### Care & Maintenance



 Furniture may scratch floors. We recommend using furniture pads to protect your floors.



Do not put hot items directly on furniture surface.



• Do not clean furniture with harsh cleansers or polish.



Do not place furniture under direct sunlight.



• Do not place furniture near heating or cooling vents.



 Do not write on furniture without a padded barrier to protect the surface.



Do not place furniture outside . For indoor use only.



Not for commercial use. For residential use only.



 Stains may be removed with mild soap solution and damp cloth.



Children should not climb or jump on the furniture.



 Dust and pick-up spills using a clean, non-colored, lint-free cloth.