Assembly Manual

Model: AGSF009

Table of Contents

1. Shipping & Delivery Information P2

2. Shipping Box Contents P3

3. Parts & Hardware List P3-5

4. Step-by-Step Assembly Instructions P6-10

5. Frequently Asked Questions (FAQs) P11

6. Maintenance & Safety Guidelines P12

Activate Your Warranty!

We stand behind our products with a **1-year limited warranty**—valid from the date you receive your sofa.

How to Activate:
Email us at **HexionHM@outlook.com**

What's Covered:






- Manufacturing defects (e.g., broken frames, faulty hardware).
- Missing or damaged parts (caused during transportation).

What's Not Covered:

- Damage from improper use (e.g., jumping, over loading).
- Normal wear and tear (fading, minor fabric stains from mis use).
- Damage from harsh cleaners or incorrect assembly.


1. Shipping & Delivery Information

Your modular sectional sofa ships in multiple boxes based on your selected combination. Exact box count & contents below:

Sofa Combination	Boxes Included
113″ L Shaped (3 seats + 1 ottoman)	Box C + Box J 
78″ L Shaped (2 seats + 1 ottoman)	Box A + Box K 
78″ Loveseat (2 seats)	Box C + Box B 
148" U Shaped (4 seats + 2 ottomans)	Box A + C+J 
42″ Single Sofa (1 seat)	Box K 


2. Shipping Box Contents

The detailed contents of Boxes A, B, C, J and K are listed below. Each box contains distinct, separately packed sofa components:





3. Parts & Hardware List


Before assembly, check all boxes and packaging for small parts. Below is the full component list by box ABCJK:



Notes: Boxes may ship from different warehouses and may not arrive at the same time.

A IRON ROD

2PCS

B FRONT BOARD

1PC

E SLATS

1PC

F BACKREST


1PC

G SEAT CUSHION

1PC

H BACK CUSHION

1PC

I THROW PILLOW

1PC

J FEET


8PCS

K M8*20mm SCREWS

8PCS

M WASHERS

12PCS

N ALLEN KEY

1PCS

O PLASTIC WASHERS


8PCS

P OTTOMAN CUSHION


1PC


R BUTTERFLY NUTS


2PCS

S M8*60mm SCREWS

2PCS

BOX A

A IRON ROD

4PCS

B FRONT BOARD

2PC


E SLATS

2PCS


F BACKREST

2PCS

G SEAT CUSHION

2PC

H BACK CUSHION

2PC

I THROW PILLOW

2PC

J FEET

8PCS

K M8*20mm SCREWS


16PCS

L M8*45mm SCREWS

3PCS

M WASHERS

27PCS


N ALLEN KEY

2PCS

O PLASTIC WASHERS

8PCS

R BUTTERFLY NUTS


4PCS


S M8*60mm SCREWS

4PCS

BOX C

A
IRON ROD

2PCS

B
FRONT BOARD

1PC

E
SLATS

1PC

F
BACKREST


1PC

G
SEAT CUSHION

1PC

H
BACK CUSHION

1PC

I
THROW PILLOW

1PC

J
FEET

8PCS

K
M8*20mm SCREWS


12PCS

L
M8*45mm SCREWS

4PCS

M
WASHERS

20PCS

N
ALLEN KEY

1PC

O
PLASTIC WASHERS

8PCS

P
OTTOMAN CUSHION

1PC

R
BUTTERFLY NUTS


2PCS

D
ARMREST

2PCS

Q
ARM CUSHION


2PCS


S
M8*60mm SCREWS

2PCS


BOX J

A
IRON ROD

2PCS

B
FRONT BOARD

1PC

E
SLATS

1PC


F
BACKREST

1PC

G
SEAT CUSHION

1PC

H
BACK CUSHION

1PC

I
THROW PILLOW

1PC

J
FEET

4PCS

K
M8*20mm SCREWS


12PCS

L
M8*45mm SCREWS

4PCS

M
WASHERS

20PCS

N
ALLEN KEY

1PC

O
PLASTIC WASHERS

4PCS

R
BUTTERFLY NUTS


2PCS

D
ARMREST

2PCS

Q
ARM CUSHION

2PCS


S
M8*60mm SCREWS

2PCS

BOX K


4. Step-by-Step Assembly Instructions


Step 1: Attach Iron Rod to Front Board


- Attach the iron rod (A) to the front board (B) using screw (K) and washer (M).



Tighten the screws to 50% in this step.










Step 2: Attach the iron rod to one armrest

- Connect the iron rod (A) to the armrest (D). Fasten them with the short screws (K) and long screws (L) together with the washers (M). Note: Do not attach the other armrest for the time being.






Tighten the screws to 50% in this step.




"Ensure the sofa is assembled on a level surface to prevent instability after installation."


Step 3: Attach Iron Rod to Backrest

- Attach the iron rod (A) to the backrest (F) using screw (K) and washer (M).






Tighten the screws to 100% in this step.



Step 4: Install Feet with Plastic Washer


- Install the feet (J) with plastic washer (O) on the bottom.




"Ensure the sofa is assembled on a level surface to prevent instability after installation."

Step 5: Tighten all screws and attach the seat

• First, recheck and fully tighten all screws from the previous steps. Then use butterfly nuts (R), screws (S) and washers (M) to attach the seat (for 2-seater and larger models only).




Tighten the screws to 100% in this step.



Step 6: Install Slats on Seat with Velcro Strap


• Put the slats (E) on the seat.





"Ensure the sofa is assembled on a level surface to prevent instability after installation."


Step 7: Attach the other armrest

- Repeat Step 3 to connect the iron rod (A) to the armrest (D), and fasten them with short screws (K), long screws (L) and washers (M).










Step 8: Assemble the Ottoman


- Attach the plastic washers (O) and plastic feet (J) to the bottom. Then cut open the packaging bag (P) with scissors and gently pat it into its optimal shape.




"Ensure the sofa is assembled on a level surface to prevent instability after installation."

Step 9: Place & Fit All Cushions & Pillows

- Use scissors to open the vacuum-packed bags (G&H&I); pat the cushions and pillows to make them fluffy.
- Put all the cushions (G) and pillows (H&I) in place make sure they are well fitted.





Assembly Complete !

5. Frequently Asked Questions (FAQs)

Find your issue and the solution below for immediate assistance.

- **Q: A part is missing or broken—can I get a replacement?**

A: Absolutely! Email us at **HexionHM@outlook.com** with order number and clear photos of the issue, and we'll ship a free replacement within 3 - 5 business days.

- **Q: Tracking hasn' t updated in days—what should I do?**

A: Reach out to us via email. We'll contact the courier to locate your package or arrange a reshipment if needed.

- **Q: The cushions aren' t rebounding—what' s wrong?**

A: Vacuum-sealed cushions need 4-6 hours to expand. If they're still flat after 72 hours, email us for a replacement.

For fast assistance with missing parts, shipping issues, or assembly questions—email us first (we respond within 24 hours!):

√ Priority Email: **HexionHM@outlook.com**

6.Maintenance & Safety Guidelines

Care Instructions (To Keep Your Sofa Looking New)

- Keep the sofa at least 2 feet away from heat sources (radiators, heaters, fireplaces).
- Clean spills immediately: use mild, non-colored soap mixed with warm water (1:10 soap-to-water ratio). Dab gently—do not rub.
- Do NOT use harsh cleaners, solvents, abrasives, spray polishes, or leather cleaners (they damage the fabric).
- Avoid direct sunlight (prolonged exposure causes fading).
- Do NOT use dry cleaning machines on any cushions or components.

Safety Warnings

- Weight Capacity: 330 LBS PER SEAT (do not exceed this limit).
- Keep children from climbing or jumping on the sofa (risk of tipping or damage).
- Do not write on unprotected surfaces (use a padded cover if needed).

Thank you for choosing our cloud sofa!
We hope it brings comfort to your home for years to come.

Need Help? We're Here For You.

Service: **HexionHM@outlook.com**

We promise to respond to your inquiry within 24 hours.

Contact Us

Thank you for choosing and using our product! If you encounter any issues, questions, or suggestions during use, please feel free to contact us via the following methods—we are committed to providing you with quality service.

Email: **HexionHM@outlook.com**