#### **CARE AND MAINTENANCE**

Store outdoor furniture indoors or cover well when not in use. Remove wooden furniture from standing water. Dust regularly with small brush or vacuum Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.

#### **NOTICE**

- \* Please make sure that you have all parts indicated before you begin assembly of this item
- \* This item should be assembled on a soft surface to prevent scratching the finish during assembly
- \* This item may require periodic tightening

## Part List and Hardware List

PIECE	DESCRIPTION	PICTURE	QUANTITY
1	Chair seat frame		6X
2	Chair leg		12X
3	Bacing chair leg		12X
4	Chair seat cushion		6X
5	Table top frame		1X
6	Table leg		2X
7	Table glass	1 1 1	1X
А	Allen bolt(M6x15 mm)	•	48X
В	Allen bolt(M6x25 mm)	•	24X
С	Allen bolt(M6x35 mm)	•	32X
D	Flat washer	0	104X
E	Allen key		3X

Weight Capacity: 275 Lbs (single seat)

550 Lps (towperson seat)

Warning: Do not stand on table


Warning: Do not over torque bolts/screws







Product Dimensions: 28.74"x59.06"x41.73" H (Table) 14.17"x14.17"x28.35" H (Chair)



### **CARE AND MAINTENANCE**

Store outdoor furniture indoors or cover well when not in use. Remove wooden furniture from standing water. Dust regularly with small brush or vacuum Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.

### **NOTICE**

- \* Please make sure that you have all parts indicated before you begin assembly of this item
- \* This item should be assembled on a soft surface to prevent scratching the finish during assembly
- \* This item may require periodic tightening

# Part List and Hardware List

PIECE	DESCRIPTION	PICTURE	QUANTITY
5	Table top frame		1X
6	Table leg		2X
7	Table glass		1X
С	Allen bolt(M6x35 mm)	9	8X
D	Flat washer	0	8X
E	Allen key		1X

Weight Capacity: 275 Lbs (single seat)

550 Lps (towperson seat)


Warning: Do not stand on table


Warning: Do not over torque bolts/screws











Connect Table Leg (6) & Table Top Frame (5) tighten Bolt (C) with Allen key (E)

Putton Table Glass (7) to complete Table