


Seven Tier Shelf



IMPORTANT

Carefully remove all the parts from the carton and place them individually on a soft cloth to prevent scratches or other damage.


Carefully and strictly follow these assembly instructions to ensure a completed product as designed.

Do not use power tools above 8 volts to assemble.


Part List



A.
Top
1 pc.




B.
Shelf
4 pcs.



C.
Shelf
1 pc.




D.
Base
1 pc.



E.
Side Frame
1 pc.



F.
Side Frame
1 pc.




G.
Side Frame
1 pc.



H.
Side Frame
1 pc.




I.
Stretcher
3 pcs.



J.
Stretcher
1 pc.

Hardware List



Hex Wrench
1 pc.



Small Hex Wrench
1 pc.




M6x16
Head Cap Bolt
30 pcs. (+1 extra)



Spring Washer
30 pcs. (+1 extra)



Flat Washer
30 pcs. (+1 extra)



Adjustable Pin
16 pcs. (+1 extra)

Tool(s) required for assembly: Phillips screwdriver, Level, Drill (8 volts or less), 3/8" Drill Bit

Assembly Instructions 2/4

IMPORTANT

- Use a soft cloth between these parts and the floor.
- Do not use power tools above 8 volts to assemble.
- Do not tighten all the bolts until each part is properly assembled.
- The unit must be level to work properly. Use the included adjustable levelers to level.
- Keep Hex Wrench in a safe place as the bolts may need to be tightened up in the future.

STEP 1

Attach Side Frame (E) to Side Frame (G) with Flat Washers, Spring Washers and Head Cap Bolts, tightening the bolts only half way. (See Figure 1)

Attach Stretchers (I) and (J) to unit with Flat Washers, Spring Washers and Head Cap Bolts, tightening the bolts only half way.






Figure 1



STEP 2

Attach Side Frame (F) to Side Frame (H) with Flat Washers, Spring Washers and Head Cap Bolts, tightening the bolts only half way.

Attach unit to unit from Step 1 with Flat Washers, Spring Washers and Head Cap Bolts, tightening the bolts only half way.


Assembly Instructions 3/4

STEP 3

Attach Top (A), Shelf (C) and Base (D) with Flat Washers, Spring Washers and Head Cap Bolts, tightening the bolts only half way.

Tighten all Head Cap Bolts used in all steps.

Spring Washer
Flat Washer
Head Cap Bolt



STEP 4

Turn unit to its' upright position.

Insert Adjustable Pins into unit at desired level.
(See Figure 2)

Place Shelves (B) into position.

Level unit by adjusting the adjustable levelers on the bottom on unit.
(See Figure 3)

Note: Unit must be level to work properly.

Adjustable Pin





Figure 2




Figure 3

Assembly Instructions 4/4

IMPORTANT

- To help reduce the risk of the unit tipping over, the Tip-over Restraint must be installed following these instructions exactly.

STEP 5

Place unit at desired location.

Drill a 3/8" hole in wall in-line with the pre-drilled hole at top of unit.

Move unit.

Insert Anchor into the wall hole and attach Bracket with Wall Screw.

Attach Bracket at pre-drilled hole at top of unit with Machine Screw.

Move unit back into place.

Slide Tip-over Restraint through Bracket on wall and Bracket on unit.
(See Figure 4)

Put tie end of Tip-over Restraint into lock end of Tip-over Restraint and pull until tight.







Figure 4




Hardware List




Anchor
1 pc. (+1 extra)




Bracket
2 pcs. (+1 extra)



Tip-over Restraint
1 pc. (+1 extra)



M3.5x40
Wall Screw
1 pc. (+1 extra)



M4x16
Machine Screw
1 pc. (+1 extra)

CARE INSTRUCTIONS

NEVER

allow liquids to remain on furniture.
Absorption causes parts to warp
and split and finishes to delaminate.

NEVER

use glass cleaners on
finished furniture. Ammonia
chemically attacks the finish.



Do not use power tools
above 8 volts to assemble.
**PREVENT
CRACKING**



Do not place
in direct sunlight.
**PREVENT
FADING**



Do not write
directly on surface.
**PREVENT
MARKING**



Do not place hot
objects on surface.
**PREVENT
FINISH DAMAGE**



Do not use rubber
based placemats.
**PREVENT
DISCOLORING**



Do not use commercial
waxes and polishes.
**PREVENT
YELLOWING**

CLEAN

with a soft cloth moistened
in lukewarm soap and water.
Buff with a dry clean cloth.

