



## 10 Feet Offset Cantilever Patio Umbrella with Cross Base

**Installation Manual** 





Umbrella frame supplied is fully assembled. Please read instructions prior to installation.

Take all parts out of the box. If any parts are missing, please do not return to the place of purchase directly. Please email us first.

A 1 pc


B 1 pc

C 1 pc


D 1 pc

4 pcs


- A. Assembled umbrella frame with canopy 1pc
- B. Holder pole with two thumbscrews 1pc
- C. The lower cross leg 1pc
- D. The upper cross leg 1pc
- **E**. Screws and washers 4pcs



**1**. Place the upper cross leg (D) over the lower cross leg (C) to form a "+".



**2**. Attach the holder pole(B) to the "+" base tightened with the screws and washers (E).




**3**. Unscrew the two thumbscrews on the holder pole (B).


**Reminder:** Please place patio stones on all four sides of the base cross legs to make the base secure and solid. (Patio stones are not included in this package) The recommended size and weight for each stone.

**Square:** 18.7 x 18.7 inches, 66lbs


**Triangle:** 18.7 x 18.7 x 26.5 inches, 33lbs




. Insert the pole of umbrella frame (A) into the assembled base with holder pole.




. Tighten the two thumbscrews.




. Pull out and raise the lever clamp and then push the pole in an upwards position.




. Push down the lever clamp and lift the side arm.




. Move down the slide bushing to fix the support arm. Make sure the slide bushing locked in the secure position to support and stabilize the side arm.



. Turn the crank handle clockwise in the up direction to open the canopy fully. When cranking, if you feel resistance and umbrella is not opening, do not force the crank. Spread umbrella ribs using your hands then continue to crank.



**10**. Unscrew the two thumbscrews to turn the pole for the umbrellas 360-degree rotation adjustment.



**11**. To storage the umbrella, please close the canopy first, and then pull out the lever clamp, release the slide bushing, pull down the support arm and push down the lever clamp.

Thanks for choosing products.

Wed love to hear your thoughts, and so would other customers. If you are satisfied with our products and service, please let us know. If you have questions or feedback, we're here to help! (We will reply you within 24 business hours)

Also be sure to follow us on Facebook for promotions and specials offers.