












1 x Loveseat+1 x Table



COMPONENT LIST - LOVESEAT

Item no.	Reference Image	Description	Qty.
B		Right Armrest	1
B1		Left Armrest	1
C		Seat Base	1
D		Seat Back	1
E		Washer	12
F		M6X20 Head Cap Screws	2
G		M6X40 Head Cap Screws	10

COMPONENT LIST - LOVESEAT

Item no.	Reference Image	Description	Qty.
L		Allen Key	1
S		Seat Cushion	1
T		Back Cushion	2

NOTE:

When tightening the Screws, tighten sequentially.

DO NOT tighten any Screws fully and then move on to the next one.


This may cause the frame to warp.

If there is still wobbles or screw holes cannot be aligned, loosen the bolts and execute this same process.

If the Loveseat is not stable it could lead to damage to the product.

1

Attach the Seat Back (D) to the Right Armrest (B) by securing with M6*40 Head Cap Screws (G) and Washers (E). Do this in 2 places.




NOTE: DO NOT TIGHTEN THE SCREWS COMPLETELY.

2

Attach the Seat Base (C) to the Seat Back (D) and the Right Armrest (B) by securing with M6*40 Head Cap Screws (G) and Washers (E). Do this in 4 places.

Attach the Seat Base (C) to the Right Armrest (B) by securing with M6*20 Head Cap Screws (F) and Washers (E). Do this in 1 places.




NOTE: DO NOT TIGHTEN THE SCREWS COMPLETELY.

3



Attach the Left Armrest (B1) to the Seat Base (C) and the Seat Back (D) by securing with M6*40 Head Cap Screws (G) and Washers (E). Do this in 4 places.

Attach the Left Armrest (B) to the Seat Base (C) by securing with M6*20 Head Cap Screws (F) and Washers (E). Do this in 1 places.



NOTE:DO NOT TIGHTEN THE SCREWS COMPLETELY.


- 4** Tighten all 12 Screws into place with Allen Key (L).
Loveseat is completed.











NOTE:IF ANY SCREW HOLES CANNOT BE ALIGNED,
LOOSEN ALL THE SCREWS AND GO BACK STEP
1 AND RESTART ASSEMBLY.

5




Place the Loveseat on a level surface. Place Seat Cushions (S) and Pillows (T) on the Loveseat. Your Loveseat is ready for use.



COMPONENT LIST - TABLE

Item no.	Reference Image	Description	Qty.
H		Table Base	1
J		Table Top	1
M		Table Leg	1
O		Table Leg	1
P		Table Leg	2
E		Washer	16
E1		Plastic Washer	2
F		M6X20 Head Cap Screws	2

COMPONENT LIST - TABLE

Item no.	Reference Image	Description	Qty.
G		M6X35 Head Cap Screws	14
L		Allen Key	1
I		Table Cushion	1

NOTE:

When tightening the Screws, tighten sequentially.



DO NOT tighten any Screws fully and then move on to the next one.

This may cause the frame to warp.

If there is still wobbles or screw holes cannot be aligned, loosen the bolts and execute this same process.

If the Table is not stable it could lead to damage to the product.


- 1** Attach the Table Base (H) to the Table Leg (M)&(O) by securing with M6*35 Head Cap Screws (G) and Washers (E). Do this in 6 places.



NOTE: DO NOT TIGHTEN THE SCREWS COMPLETELY.

2



Attach the Table Legs (P) to the Table Leg (M)&(O) by securing with M6*35 Head Cap Screws (G) and Washers (E). Do this in 8 places.



NOTE: DO NOT TIGHTEN THE SCREWS COMPLETELY.



3

Attach the Table Top (J) to the Table Leg (M) by securing with M6*20 Head Cap Screws (F) and Washers (E) & Washers (E1). Do this in 2 places.



NOTE:DO NOT TIGHTEN THE SCREWS COMPLETELY.


- 4** Tighten all 16 Screws into place with Allen Key (L).
Table is completed.




NOTE:IF ANY SCREW HOLES CANNOT BE ALIGNED,
LOOSEN ALL THE SCREWS AND GO BACK STEP
1 AND RESTART ASSEMBLY.

5


Place the Table on a level surface and adjust height for balance. Place the Table Cushion (I) on the table. Your Table is ready for use.



Adjust Pre-installed levelers height for balance



Adjust height for balance



Adjust low for balance