


DATASHEET AND MEASUREMENT




FIVE HOLES WATERFALL BATHTUB FAUCET


FUNCTIONS AND SPECIFICATION

Function	Bathtub Faucets
Feature	Waterfall
Style	Contemporary
Finish	Chrome
Installation Holes	Fine Holes
Number of Handles	Three knobs
Faucet Total Height	230mm [9.0 Inch]
Spout Reach	160mm [6-5/16 Inch]
Spout Width	30mm [1-3/16 Inch]
Spout Height	175mm [6-7/8 Inch]
Max deck thickness	32mm [1-1/4 Inch]
Valve Type	Ceramic disc Valve
Faucet Body Material	Brass
Faucet Spout Material	Brass
Sprayer Material	ABS plastic
SPOUT Net Weight	0.5 KG [1.10lbs]
Gross Weight	3.0 KG [6.61lbs]
Working water press	0.2 ~0.8 Mpa
Flow Rate	6.8L/M [1.8GPM]


DIMENSION




Front view of faucet



Left view of faucet



MOUNTING HOLE DIMENSION



MAX DECK THICKNESS



HONGKONG SUMERAIN SANITARY INDUSTRY CO., LIMITED

Address: ROOM 1018, HOLLYWOOD PLAZA 610 NATHAN ROAD MONGKOK, KL
Factory Address: Shuikou Industrial Park, Kaiping City, Guangdong Province, China (Mainland)
Tel: +86-750-2731579
Toll Free: 400-0999-075 (China mainland)
Fax: +86-750-2715258
Web: www.sumerain.com
E-mail: hk@sumerain.com

SUMERAIN INTERNATIONAL GROUP – AMERICA Sales Branch

Address: 13455 Harper Dr.
Saratoga, CA 95070
USA
Tel: +1-408-867-8884
FAX: +1-408-867-4272
E-mail: us@sumerain.com