

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
		1 Person PAC Tables:							WORK SURFACE: Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be banded with a 1/2" thick x 1 1/2" solid hardwood external edge. All edges are eased.
	EL-PAC-1-29-W	Sitting Height, Wood Divider	36"	36"	37"	65 Lbs.	10 Cu Ft	\$ 3,613	
	EL-PAC-1-29-A	Sitting Height, Acrylic Divider	36"	36"	37"	65 Lbs.	10 Cu Ft	\$ 3,800	
	EL-PAC-1-32-W	Wheelchair Height, Wood Divider	36"	36"	40"	65 Lbs.	10 Cu Ft	\$ 3,669	
	EL-PAC-1-32-A	Wheelchair Height, Acrylic Divider	36"	36"	40"	65 Lbs.	10 Cu Ft	\$ 3,856	
	EL-PAC-1-39-W	Standing Height, Wood Divider	36"	36"	47"	67 Lbs.	10 Cu Ft	\$ 3,706	
	EL-PAC-1-39-A	Standing Height, Acrylic Divider	36"	36"	47"	67 Lbs.	10 Cu Ft	\$ 3,900	
		2 Person (1 Place Back to Back) PAC Tables:							TABLE TOP SUPPORTS: All tables 60" and longer will be fitted with a v-shaped, 14 gauge steel keel. All tables 48" wide and 60" long and longer will be fitted with two parallel steel keels.
	EL-PAC-1D-29-W	Sitting Height, Wood Divider	36"	48"	37"	65 Lbs.	10 Cu Ft	\$ 3,756	
	EL-PAC-1D-29-A	Sitting Height, Acrylic Divider	36"	48"	37"	65 Lbs.	10 Cu Ft	\$ 3,994	
	EL-PAC-1D-32-W	Wheelchair Height, Wood Divider	36"	48"	40"	65 Lbs.	10 Cu Ft	\$ 3,813	
	EL-PAC-1D-32-A	Wheelchair Height, Acrylic Divider	36"	48"	40"	65 Lbs.	10 Cu Ft	\$ 4,050	
	EL-PAC-1D-39-W	Standing Height, Wood Divider	36"	48"	47"	67 Lbs.	10 Cu Ft	\$ 3,913	
	EL-PAC-1D-39-A	Standing Height, Acrylic Divider	36"	48"	47"	67 Lbs.	10 Cu Ft	\$ 4,150	
									LEG ASSEMBLY: Legs are 2 3/8" x 2 3/8" glued up solid stock. The two inside edges are tapered down to 1 1/2" x 1 1/2". The leg is attached to a 5" x 5" x 1/4" thick steel plate by means of two threaded machine bolts fastened to a barrel nut embedded in the leg. Two steel decorative angle bars are attached to the upper outside corners of the leg spaced 5" apart. Plate and leg assembly shall be mounted to the underside of the table top by means of threaded inserts embedded in the underside of the top. Inserts are capable of receiving machine bolts.
									WOOD DIVIDERS: Sloped side dividers constructed of 3/4" thick x 8" high solid hardwood and back divider constructed of 3/4" x 7 3/4" high veneer particleboard, top edge banded with 1/4" external hardwood.
									ACRYLIC DIVIDERS: Sloped side panels and rectangular back divider consisting of 1/4" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.
									WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
									ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
		2 Person PAC Tables:							WORK SURFACE: Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be banded with a 1/2" thick x 1 1/2" solid hardwood external edge. All edges are eased.
	EL-PAC-2-29-W	Sitting Height, Wood Divider	72"	36"	37"	100 Lbs.	21 Cu Ft	\$ 4,031	
	EL-PAC-2-29-A	Sitting Height, Acrylic Divider	72"	36"	37"	100 Lbs.	21 Cu Ft	\$ 4,625	
	EL-PAC-2-32-W	Wheelchair Height, Wood Divider 72"		36"	40"	100 Lbs.	21 Cu Ft	\$ 4,088	
	EL-PAC-2-32-A	Wheelchair Height, Acrylic Divider 72"		36"	40"	100 Lbs.	21 Cu Ft	\$ 4,681	
	EL-PAC-2-39-W	Standing Height, Wood Divider	72"	36"	47"	100 Lbs.	21 Cu Ft	\$ 4,219	
	EL-PAC-2-39-A	Standing Height, Acrylic Divider	72"	36"	47"	100 Lbs.	21 Cu Ft	\$ 4,813	
									TABLE TOP SUPPORTS: All tables 60" and longer will be fitted with a v-shaped, 14 gauge steel keel. All tables 48" wide and 60" long and longer will be fitted with two parallel steel keels.
		4 Person (2 Place Back to Back) PAC Tables:							LEG ASSEMBLY: Legs are 2 3/8" x 2 3/8" glued up solid stock. The two inside edges are tapered down to 1 1/2" x 1 1/2". The leg is attached to a 5" x 5" x 1/4" thick steel plate by means of two threaded machine bolts fastened to a barrel nut embedded in the leg. Two steel decorative angle bars are attached to the upper outside corners of the leg spaced 5" apart. Plate and leg assembly shall be mounted to the underside of the table top by means of threaded inserts embedded in the underside of the top. Inserts are capable of receiving machine bolts.
	EL-PAC-2D-29-W	Sitting Height, Wood Divider	72"	48"	37"	100 Lbs.	21 Cu Ft	\$ 4,538	
	EL-PAC-2D-29-A	Sitting Height, Acrylic Divider	72"	48"	37"	100 Lbs.	21 Cu Ft	\$ 5,013	
	EL-PAC-2D-32-W	Wheelchair Height, Wood Divider 72"		48"	40"	100 Lbs.	21 Cu Ft	\$ 4,594	
	EL-PAC-2D-32-A	Wheelchair Height, Acrylic Divider 72"		48"	40"	100 Lbs.	21 Cu Ft	\$ 5,069	
	EL-PAC-2D-39-W	Standing Height, Wood Divider	72"	48"	47"	100 Lbs.	21 Cu Ft	\$ 4,688	
	EL-PAC-2D-39-A	Standing Height, Acrylic Divider	72"	48"	47"	100 Lbs.	21 Cu Ft	\$ 5,163	
									WOOD DIVIDERS: Sloped side dividers constructed of 3/4" thick x 8" high solid hardwood and back divider constructed of 3/4" x 7 3/4" high veneer particleboard, top edge banded with 1/4" external hardwood.
									ACRYLIC DIVIDERS: Sloped side panels and rectangular back divider consisting of 1/4" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.
									WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
									ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
		3 Person PAC Tables:							WORK SURFACE: Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be banded with a 1/2" thick x 1 1/2" solid hardwood external edge. All edges are eased.
	EL-PAC-3-29-W	Sitting Height, Wood Divider	90"	36"	37"	110 Lbs.	26 Cu Ft	\$ 4,256	
	EL-PAC-3-29-A	Sitting Height, Acrylic Divider	90"	36"	37"	110 Lbs.	26 Cu Ft	\$ 5,281	
	EL-PAC-3-32-W	Wheelchair Height, Wood Divider	90"	36"	40"	110 Lbs.	26 Cu Ft	\$ 4,313	
	EL-PAC-3-32-A	Wheelchair Height, Acrylic Divider	90"	36"	40"	110 Lbs.	26 Cu Ft	\$ 5,338	
	EL-PAC-3-39-W	Standing Height, Wood Divider	90"	36"	47"	114 Lbs.	26 Cu Ft	\$ 4,531	
	EL-PAC-3-39-A	Standing Height, Acrylic Divider	90"	36"	47"	114 Lbs.	26 Cu Ft	\$ 5,550	
		6 Person (3 Place Back to Back) PAC Tables:							TABLE TOP SUPPORTS: All tables 60" and longer will be fitted with a v-shaped, 14 gauge steel keel. All tables 48" wide and 60" long and longer will be fitted with two parallel steel keels.
	EL-PAC-3D-29-W	Sitting Height, Wood Divider	90"	48"	37"	110 Lbs.	26 Cu Ft	\$ 4,850	
	EL-PAC-3D-29-A	Sitting Height, Acrylic Divider	90"	48"	37"	110 Lbs.	26 Cu Ft	\$ 5,763	
	EL-PAC-3D-32-W	Wheelchair Height, Wood Divider	90"	48"	40"	110 Lbs.	26 Cu Ft	\$ 4,906	
	EL-PAC-3D-32-A	Wheelchair Height, Acrylic Divider	90"	48"	40"	110 Lbs.	26 Cu Ft	\$ 5,819	
	EL-PAC-3D-39-W	Standing Height, Wood Divider	90"	48"	47"	114 Lbs.	26 Cu Ft	\$ 5,088	
	EL-PAC-3D-39-A	Standing Height, Acrylic Divider	90"	48"	47"	114 Lbs.	26 Cu Ft	\$ 6,000	
									LEG ASSEMBLY: Legs are 2 3/8" x 2 3/8" glued up solid stock. The two inside edges are tapered down to 1 1/2" x 1 1/2". The leg is attached to a 5" x 5" x 1/4" thick steel plate by means of two threaded machine bolts fastened to a barrel nut embedded in the leg. Two steel decorative angle bars are attached to the upper outside corners of the leg spaced 5" apart. Plate and leg assembly shall be mounted to the underside of the table top by means of threaded inserts embedded in the underside of the top. Inserts are capable of receiving machine bolts.
									WOOD DIVIDERS: Sloped side dividers constructed of 3/4" thick x 8" high solid hardwood and back divider constructed of 3/4" x 7 3/4" high veneer particleboard, top edge banded with 1/4" external hardwood.
									ACRYLIC DIVIDERS: Sloped side panels and rectangular back divider consisting of 1/4" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.
									WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.
									ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	1 Person PAC Tables, Panel Base:								WORK SURFACE: Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is 1/4" thick x 1 1/4" high solid external hardwood with edges eased. TABLE TOP SUPPORTS: All tables will be fitted with a 1" thick x 6" high 3-ply particleboard core wood keel. All tables 48" wide and 60" long and longer will be fitted with two parallel wood keels. END PANELS: Panel frame construction consists of a 1 3/16" thick 3-ply particleboard core with plain sliced veneer both faces and externally banded on all four sides with a 1/4" thick solid hardwood. Panels are fitted with two 1/2" wide horizontal decorative metal bars spaced 5" apart. All edges of panel frame are eased. WOOD DIVIDERS: Sloped side dividers constructed of 3/4" thick x 8" high solid hardwood and back divider constructed of 3/4" x 7 3/4" high veneer particleboard, top edge banded with 1/4" external hardwood. ACRYLIC DIVIDERS: Sloped side panels and rectangular back divider consisting of 1/4" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off. WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request. ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.
	EL-PAC-1-PB-29-W	Sitting Height, Wood Divider	36"	36"	37"	65 Lbs.	10 Cu Ft	\$ 2,769	
	EL-PAC-1-PB-29-A	Sitting Height, Acrylic Divider	36"	36"	37"	65 Lbs.	10 Cu Ft	\$ 3,138	
	EL-PAC-1-PB-32-W	Wheelchair Height, Wood Divider	36"	36"	40"	65 Lbs.	10 Cu Ft	\$ 2,781	
	EL-PAC-1-PB-32-A	Wheelchair Height, Acrylic Divider	36"	36"	40"	65 Lbs.	10 Cu Ft	\$ 3,150	
	EL-PAC-1-PB-39-W	Standing Height, Wood Divider	36"	36"	47"	67 Lbs.	10 Cu Ft	\$ 2,825	
EL-PAC-1-PB-39-A	Standing Height, Acrylic Divider	36"	36"	47"	67 Lbs.	10 Cu Ft	\$ 3,194		
	2 Person (1 Place Back to Back) PAC Tables, Panel Base:								
	EL-PAC-1D-PB-29-W	Sitting Height, Wood Divider	36"	48"	37"	65 Lbs.	10 Cu Ft	\$ 3,200	
	EL-PAC-1D-PB-29-A	Sitting Height, Acrylic Divider	36"	48"	37"	65 Lbs.	10 Cu Ft	\$ 3,613	
	EL-PAC-1D-PB-32-W	Wheelchair Height, Wood Divider	36"	48"	40"	65 Lbs.	10 Cu Ft	\$ 3,219	
	EL-PAC-1D-PB-32-A	Wheelchair Height, Acrylic Divider	36"	48"	40"	65 Lbs.	10 Cu Ft	\$ 3,631	
	EL-PAC-1D-PB-39-W	Standing Height, Wood Divider	36"	48"	47"	67 Lbs.	10 Cu Ft	\$ 3,250	
EL-PAC-1D-PB-39-A	Standing Height, Acrylic Divider	36"	48"	47"	67 Lbs.	10 Cu Ft	\$ 3,669		

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	2 Person PAC Tables, Panel Base:								WORK SURFACE: Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is 1/4" thick x 1 1/4" high solid external hardwood with edges eased. TABLE TOP SUPPORTS: All tables will be fitted with a 1" thick x 6" high 3-ply particleboard core wood keel. All tables 48" wide and 60" long and longer will be fitted with two parallel wood keels. END PANELS: Panel frame construction consists of a 1 3/16" thick 3-ply particleboard core with plain sliced veneer both faces and externally banded on all four sides with a 1/4" thick solid hardwood. Panels are fitted with two 1/2" wide horizontal decorative metal bars spaced 5" apart. All edges of panel frame are eased. WOOD DIVIDERS: Sloped side dividers constructed of 3/4" thick x 8" high solid hardwood and back divider constructed of 3/4" x 7 3/4" high veneer particleboard, top edge banded with 1/4" external hardwood. ACRYLIC DIVIDERS: Sloped side panels and rectangular back divider consisting of 1/4" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off. WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request. ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.
	EL-PAC-2-PB-29-W	Sitting Height, Wood Divider	72"	36"	37"	100 Lbs.	21 Cu Ft	\$ 3,031	
	EL-PAC-2-PB-29-A	Sitting Height, Acrylic Divider	72"	36"	37"	100 Lbs.	21 Cu Ft	\$ 3,800	
	EL-PAC-2-PB-32-W	Wheelchair Height, Wood Divider 72"		36"	40"	100 Lbs.	21 Cu Ft	\$ 3,044	
	EL-PAC-2-PB-32-A	Wheelchair Height, Acrylic Divider 72"		36"	40"	100 Lbs.	21 Cu Ft	\$ 3,813	
	EL-PAC-2-PB-39-W	Standing Height, Wood Divider	72"	36"	47"	100 Lbs.	21 Cu Ft	\$ 3,081	
	EL-PAC-2-PB-39-A	Standing Height, Acrylic Divider	72"	36"	47"	100 Lbs.	21 Cu Ft	\$ 3,856	
	4 Person (2 Place Back to Back) PAC Tables, Panel Base:								
	EL-PAC-2D-PB-29-W	Sitting Height, Wood Divider	72"	48"	37"	100 Lbs.	21 Cu Ft	\$ 3,550	
	EL-PAC-2D-PB-29-A	Sitting Height, Acrylic Divider	72"	48"	37"	100 Lbs.	21 Cu Ft	\$ 4,406	
	EL-PAC-2D-PB-32-W	Wheelchair Height, Wood Divider 72"		48"	40"	100 Lbs.	21 Cu Ft	\$ 3,569	
	EL-PAC-2D-PB-32-A	Wheelchair Height, Acrylic Divider 72"		48"	40"	100 Lbs.	21 Cu Ft	\$ 4,425	
	EL-PAC-2D-PB-39-W	Standing Height, Wood Divider	72"	48"	47"	100 Lbs.	21 Cu Ft	\$ 3,606	
	EL-PAC-2D-PB-39-A	Standing Height, Acrylic Divider	72"	48"	47"	100 Lbs.	21 Cu Ft	\$ 4,456	

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	3 Person PAC Tables, Panel Base:								WORK SURFACE: Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is 1/4" thick x 1 1/4" high solid external hardwood with edges eased. TABLE TOP SUPPORTS: All tables will be fitted with a 1" thick x 6" high 3-ply particleboard core wood keel. All tables 48" wide and 60" long and longer will be fitted with two parallel wood keels. END PANELS: Panel frame construction consists of a 1 3/16" thick 3-ply particleboard core with plain sliced veneer both faces and externally banded on all four sides with a 1/4" thick solid hardwood. Panels are fitted with two 1/2" wide horizontal decorative metal bars spaced 5" apart. All edges of panel frame are eased. WOOD DIVIDERS: Sloped side dividers constructed of 3/4" thick x 8" high solid hardwood and back divider constructed of 3/4" x 7 3/4" high veneer particleboard, top edge banded with 1/4" external hardwood. ACRYLIC DIVIDERS: Sloped side panels and rectangular back divider consisting of 1/4" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off. WORK SURFACE HEIGHT: Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request. ELECTRICAL ACCESSORIES: Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.
	EL-PAC-3-PB-29-W	Sitting Height, Wood Divider	90"	36"	37"	110 Lbs.	26 Cu Ft	\$ 3,225	
	EL-PAC-3-PB-29-A	Sitting Height, Acrylic Divider	90"	36"	37"	110 Lbs.	26 Cu Ft	\$ 4,425	
	EL-PAC-3-PB-32-W	Wheelchair Height, Wood Divider 90"		36"	40"	110 Lbs.	26 Cu Ft	\$ 3,231	
	EL-PAC-3-PB-32-A	Wheelchair Height, Acrylic Divider 90"		36"	40"	110 Lbs.	26 Cu Ft	\$ 4,431	
	EL-PAC-3-PB-39-W	Standing Height, Wood Divider	90"	36"	47"	114 Lbs.	26 Cu Ft	\$ 3,275	
	EL-PAC-3-PB-39-A	Standing Height, Acrylic Divider	90"	36"	47"	114 Lbs.	26 Cu Ft	\$ 4,475	
	6 Person (3 Place Back to Back) PAC Tables, Panel Base:								
	EL-PAC-3D-PB-29-W	Sitting Height, Wood Divider	90"	48"	37"	110 Lbs.	26 Cu Ft	\$ 4,031	
	EL-PAC-3D-PB-29-A	Sitting Height, Acrylic Divider	90"	48"	37"	110 Lbs.	26 Cu Ft	\$ 5,300	
	EL-PAC-3D-PB-32-W	Wheelchair Height, Wood Divider 90"		48"	40"	110 Lbs.	26 Cu Ft	\$ 4,050	
	EL-PAC-3D-PB-32-A	Wheelchair Height, Acrylic Divider 90"		48"	40"	110 Lbs.	26 Cu Ft	\$ 5,319	
	EL-PAC-3D-PB-39-W	Standing Height, Wood Divider	90"	48"	47"	114 Lbs.	26 Cu Ft	\$ 4,088	
	EL-PAC-3D-PB-39-A	Standing Height, Acrylic Divider	90"	48"	47"	114 Lbs.	26 Cu Ft	\$ 5,350	

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	EL-R36	Round Reading Tables	36"	36"	29"	90 Lbs.	8 Cu Ft	\$ 2,869	WORK SURFACE: Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be banded with a 1/2" thick x 1 1/2" solid hardwood external edge. All edges are eased.
	EL-R42		42"	42"	29"	90 Lbs.	8 Cu Ft	\$ 2,950	
	EL-R48		48"	48"	29"	100 Lbs.	10 Cu Ft	\$ 3,031	
	EL-R60		60"	60"	29"	155 Lbs.	10 Cu Ft	\$ 3,488	
	EL-4242	Square ReadingTables	42"	42"	29"	170 Lbs.	8 Cu Ft	\$ 2,888	TABLE TOP SUPPORTS: All tables 60" and longer will be fitted with a v-shaped, 14 gauge steel keel. All tables 48" wide and 60" long and longer will be fitted with two parallel steel keels.
	EL-4848		48"	48"	29"	230 Lbs.	10 Cu Ft	\$ 2,963	
	EL-6036	60" Wide Rectangle Reading Tables	60"	36"	29"	200 Lbs.	10 Cu Ft	\$ 3,069	LEG ASSEMBLY: Legs are 2 ³ / ₈ " x 2 ³ / ₈ " glued up solid stock. The two inside edges are tapered down to 1 1/2" x 1 1/2". The leg is attached to a 5" x 5" x 1/4" thick steel plate by means of two threaded machine bolts fastened to a barrel nut embedded in the leg. Two steel decorative angle bars are attached to the upper outside corners of the leg spaced 5" apart. Plate and leg assembly shall be mounted to the underside of the table top by means of threaded inserts embedded in the underside of the top. Inserts are capable of receiving machine bolts.
	EL-6048		60"	48"	29"	270 Lbs.	13 Cu Ft	\$ 3,250	
	EL-7236	72" Wide Rectangle Reading Tables	72"	36"	29"	230 Lbs.	12 Cu Ft	\$ 3,150	
	EL-7248		72"	48"	29"	290 Lbs.	15 Cu Ft	\$ 3,344	
	EL-8436	84" Wide Rectangle Reading Tables	84"	36"	29"	290 Lbs.	13 Cu Ft	\$ 3,231	
	EL-8448		84"	48"	29"	290 Lbs.	18 Cu Ft	\$ 3,444	
	EL-9636	96" Wide Rectangle Reading Tables	96"	36"	29"	290 Lbs.	15 Cu Ft	\$ 3,306	
	EL-9648		96"	48"	29"	340 Lbs.	20 Cu Ft	\$ 3,538	