



Memoirs® | K-6918

Wall-hung compact elongated toilet, dual-flush

Features

- One-piece wall-hung toilet
- Compact elongated bowl offers added comfort while occupying the same space as a round-front bowl
- Mounting hardware is completely concealed, allowing the design lines to remain intact when installed
- Includes wall-hung bowl with Memoirs seat
- Requires in-wall tank and carrier system, and flush actuator plate (sold separately)
- 0.8 or 1.6 gpf (3.0 or 6.0 lpf)
- Dual-flush flushing system



Sustainability



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
8-04-2026 19:03 - US-CA

THE BOLD LOOK
OF **KOHLER**®

Codes/Standards

Accessibility standards may require controls to be located on the open side of the toilet.

Plumbing codes may require elongated toilets and elongated, open-front seats in public bathrooms.



ASME A112.19.2/CSA B45.1

ASME A112.19.14

DOE - Energy Policy Act 1992

EPA WaterSense®

California Energy Commission (CEC)

Technical Information

Flush Type:	Class Five
Flush Rate:	0.8 or 1.6 gpf (3 or 6 lpf)
Bowl Shape:	Elongated
Seat-Mounting Holes:	6-1/8" (155 mm)
Trapway Size:	2-9/16" (65 mm)
Trapway Type:	Exposed
Water Surface Size:	5-1/4" x 4-1/8" (133 mm x 105 mm)
Rim to Water Surface:	8-1/2" (216 mm)

Recommended Products/Accessories

K-23726 Drain treatment

K-28829 In-wall tank and carrier system

Warranty

See website for detailed warranty information.

KOHLER® Toilets and Seats Limited Warranty




1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

8-04-2026 19:03 - US-CA



Installation

- See installation guide and installation video for more detailed information
- Also pairs with K-6284 in-wall tank and carrier system, and K-6298 Veil® flush actuator plate
- This product is not designed or intended for bariatric use

Installation Notes

Install this product according to the installation instructions.

Toilet height is dependent on carrier settings.



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

8-04-2026 19:03 - US-CA