























WE HAVE YOU IN MIND, LET US SERVE YOU!

Questions? Issues?








CONTACT US


24 hours / 7 days a week

Parts List

| | | | | |
|-----------------------------|----|--------------|---|---|
| Post | A1 | P00020060501 | 4 |  |
| Post Base | B | P000100297 | 4 |  |
| Post Base Cover | C | P006100153 | 4 |  |
| Long beam(short side) | D1 | P000400804 | 2 |  |
| Short beam(short side) | E1 | P000400805 | 2 |  |
| Long beam(long side) | F1 | P000400806 | 2 |  |
| Short beam(long side) | G1 | P000400807 | 2 |  |
| Slanting Beam Bottom Tube | H1 | P00060122301 | 4 |  |
| Middle Beam Lower Connector | I1 | P00050026401 | 4 |  |
| Big Roof Slanting Beam | J1 | P00060121901 | 4 |  |
| Long middle beam | L1 | P00060205301 | 2 |  |
| Short middle beam | M1 | P00060205102 | 2 |  |
| Long netting bar | N1 | P005700596 | 4 |  |
| Short netting bar | O1 | P005700597 | 4 |  |
| Big Roof Connector | P1 | P00050026301 | 1 |  |
| Hook | Q1 | P005800001 | 1 |  |
| Big canopy | T1 | P001100522 | 1 |  |
| Small canopy | U1 | P001100523 | 1 |  |
| Curtain | V | P001300097 | 1 |  |
| Mosquito Netting | W | P001200193 | 1 |  |
| Slanting support bar | X1 | P005000350 | 8 |  |
| Adjustable tube | Y | P00570082501 | 4 |  |

Hardware Pack 1

| Label | Description | Part# | Qty | Image |
|-------|-----------------|------------|--------|---|
| AA | M6X15 Bolt | H100010068 | 56 PCS |  |
| BB | M6X35 bolt | H100010069 | 40 PCS |  |
| CC | M6 flat washer | H050030001 | 8 PCS |  |
| DD | M6 nut | H040010004 | 8 PCS |  |
| FF | Φ6x230mm 7stake | H070010001 | 8 PCS |  |
| GG | Ring | P005100264 | 104PCS |  |
| Z | M6 wrench | H090010017 | 2 PC |  |






Fig.1: Put base cover (C) through bottom of post(A1), then attach base(B) to Post(A1) by using bolt(AA) .

Fig.2-1: Insert short beam(long side)(G1) to long beam(long side) (F1), Repeat the step for short side beam(E1)/(D1).

Fig.2-2: Attach middle beam connector(I1) to beam (long side) (F1 /G1),by using bolt (AA) , repeat step for short side beam(E1/D1)。

Fig.3: Attach the assembled beam to post(A1), then fix by using bolt (AA) .





Fig.4-1、 Fig.4-2: Attach netting bar (N1、 O1) to across beam(F1、 D1、 G1、 E1),then fix by using bolt (AA) .

Fig.5: Attach the slanting support bar (X1) to across beam and post (A1) fix by using bolt (BB) .






Fig.6: Attach slanting beam bottom tube(H1) to top of post (A1),fix by using bolt (BB) 、 flat washer (CC) and nut (DD) .




Fig.7: Insert slanting bar (J1) to **Slanting Beam Bottom Tube (H1)** .




Fig.8: Insert slanting bar (J1) to big top connector (P1).




Fig.9: Insert short middle beam(M1) and long middle beam(L1) to big top connector(P1).




Fig.10: Fix long middle beam(L1) and short middle beam(M1) to middle beam connector(I1), by using bolt (BB)、 flat washer (CC) and nut (DD) .




Fig.11: Put the big top cloth (T1) on the big top first, but do not assemble it first, then assemble the adjusting tube (Y) to the big top diagonal beam (J1)





Fig.12: Assemble the small top cloth (U1) to the small top, and assemble the four corners of the small top cloth to the adjusting tube (Y) as shown in Fig.12-1



Country of Origin: China





Fig.12: Assemble the big top cloth (T1) on the big top, and install the four corners of the big top cloth (T1) on the big top diagonal beam (J1) as shown in Fig 13.

Fig.13: Hang mosquito netting(W) and Curtain (V) to across beam and netting bar, by using ring (GG).

Fig.14: Up the base cover(C),fix assembled gazebo on the ground by using Stake (FF).

Fig.15: Attach hook (Q1) to big top connector (P1) . .

Care and Maintenance

- Our steel components for garden accessories and furniture are treated with rust inhibiting paint that protects it from rusting. However, due to the nature of steel, surface oxidation (rusting) will occur once these protective coatings are scratched. This is not a defect and thus not covered by the warranty.
- To minimize this condition, we recommend care when assembling & handling the product to prevent scratching the paint. Should any scratching or damage occur, we recommend immediate touch-up with rust inhibiting paint.
- Surface rust can also be easily removed with a very light application of common cooking oil. If surface oxidation (rusting) occurs and if no measure is taken to prevent this, the oxidation may start dripping on to deck or patio and caused damaging stains, which may be difficult to remove. This can be prevented if the above-mentioned measures are taken to keep the product from oxidizing.
- Use damp cloth to wipe off the stains as quickly as possible.
- If necessary, wash with a mild solution of soap and water; rinse thoroughly and dry completely.
- Periodically check and ensure that all bolts are well-tighten during use

Limited Manufacturer's Warranty

We warrant to the original purchaser that this item is free from defects in workmanship and materials for a period of **1 year** from the date of purchase, provided the item was factory-sealed at the time of purchase and is maintained with care and used only for personal, residential purposes. Should any manufacturing defect arise within this warranty period, We will replace (at our option) any defective merchandise or parts upon proof of purchase; however, transportation and delivery costs, as well as payments to a third party for assembly or disassembly of the item, remain the responsibility of the purchaser. A purchaser of an "open box," previously-returned, or "clearance" item, as well as original purchasers outside of the warranty period, may obtain replacement parts from us for products in current production, at nominal cost.

Exclusions:

Items used for commercial, contract, or other non-residential purposes, or items damaged due to acts of nature, vandalism, misuse, or improper assembly are not covered. Corrosion or rusting of hardware is not covered. Proof of purchase (dated register receipt) is required for warranty claims. Warranty is to the original purchaser and is non-transferable. Any replacement of warranted items will be in the original style and color, or a similar style and color if the original is unavailable or has been discontinued. As some states do not allow exclusions or limitations on an implied warranty, the above exclusions and limitations may not apply. This warranty gives you specific rights, and you may also have other rights, which vary from state to state.