




Assembly Instructions

Your loveseat comes packaged in 5 boxes, which may not arrive on the same day. Please wait an additional 2 to 3 days for all packages to arrive before assembling.


CAUTION:
DO NOT use any sharp objects to open plastic wrapped components as damage to product or components may result.

Package Contents


			BOX 1L
A-L 1* Chair Seat(Left)	**E 1* Power Cable**	**F 1* Transformer**	
			BOX -2L
B 1* Chair Back	**D 1* Left Armrest**		
			BOX -0
G 1* Storage Back	**H 1* Storage**	**I 2*Latches**	
			BOX -2R
B 1* Chair Back	**C 1* Right Armrest**		
			BOX -1R
A-R 1* Chair Seat(Right)	**E 1* Power Cable**	**F 1* Transformer**	

Note: Right or left are defined by when you face the recliner.

Step 1 Place **Left Chair Seat (A-L)** on a flat smooth surface, then take out **Left Armrest (D)** and connect the wires as shown in the picture.




Step 2 Use **Left Armrest(D)** to match **Left Chair Seat (A-L)** by aligning the metal grooves on **Chair Seat (A-L)** to brackets on the main frame as shown.




Note: Ensure the armrest slides down fully over the brackets on the chair seat**.**


Step 3 Take out **Storage Back(G)** and **2 latches(I)** from the bottom of **Storage(H)**.




Step 4: Use **Storage(H)** to match **Left Chair Seat (A-L)** with **Metal latch(M)**.




Step 5 Use **Right Chair Seat(A-R)** to match **Storage(H)** with **Metal latch(M)**.




Step 6 Connect the wires between **Right Chair Seat(A-R)** and **Right Armrest(C)** as shown in the picture.



Step 7 Use **Right Armrest(C)** to match **Right Chair Seat (A-R)**.




After the above steps are completed, the seat is as follow,




Step 8 Attach **Chair Back (B)** and **Storage Back(G)** to **Chair Seat (A)** by aligning the metal grooves on backrest to brackets on the main frame as shown. Ensure the all backs slides down fully over the brackets on **Chair Seat (A)**.

Note: The 2 latches(I) should be inserted into Storage(H) before install back.



Step 9 Connect the wires as shown in the picture. **Note:** Plug all the Power Source into outlet to get the recliner working.



Warnings

1. Please check if the components of the chair are all included and can be used normally.
2. Assemble all components according to the instruction correctly before you connect the chair to the power.
3. Please DO NOT sit on the armrests or footrest to eliminate the risk of tipping over.
4. If the chair is damaged or doesn't match the website description, please send clear pictures of the product and label of the carton to our service team for further help.
5. If the recliner doesn't work, you may try the following measures for self-checking firstly:
   a) Check if all the cables are connected;
   b) Check if the light of transformer is on.

   If the chair still doesn't work, please feed the information back to our customer service in time and we'll help you solve the matter as soon as possible.
6. If you have any questions with the product, please contact us by:

