
ASSEMBLY INSTRUCTIONS



Coat Rack







NOTE TO CUSTOMERS:

- For ease and speed of assembly we recommend that before you commence each step of the assembly that you identify all the parts required to complete that step.
- We recommend that where possible you allow sufficient space to assemble the item as close as possible to the place where it will be once assembled.
- For the protection of your furniture we recommend that the product is placed on protected surfaces during assembly to prevent any damage.
- During assembly do not over tighten, as this may damage the product.
- Please ensure you retain all the product packaging until the item completely assembled.
- Please periodically check all fittings and re-tighten as necessary.
- Please never allow any liquids to remain on your furniture as absorption can cause the wood to warp or finish to de-laminate.
- It is recommended that this item should be assembled by two adults.

Part List


A1. Quantity of 2  Side Frame	A2. Quantity of 1  Bottom Frame	A3. Quantity of 3  Connect Bar	A4. Quantity of 1  Upper Back Frame
A5. Quantity of 4  Hook	A6. Quantity of 1  Seat		

Hardware List

B1. Quantity of 4  Bolt	B2. Quantity of 4  Bolt	B3. Quantity of 10  Bolt	B4. Quantity of 6  Screw
 Allen Wrench			

STEP 1


B3 10pcs



Assemble Side Frames A1 to Bottom Frame A2 and Connect Bars A3 using Bolts B3.
Noted:Please do not tighten Bolts B3 until Step 3.

STEP 2


B1 4pcs
B2 4pcs



1).Insert and assemble Upper Back Frame A4 to Side Frames A1 using Bolts B1.
2).Attach Hooks A5 to Upper Back Frame A4 using Bolts B2.
Noted:Please do not tighten Bolts B1 until Step 3.

STEP 3

B4	6pcs



Assemble Seat A6 to Connect Bars A3 using Screws B4.

Noted:Place unit on the floor and check if it is stable before tightening all bolts.

Weight capacity of the seat is 250lbs.