

AXOR Starck

Baton hand shower 2jet

Surfaces: **Polished Gold Optic** Article Number: **28532990**



product features

- shower head size: 68 x 24 mm
- spray type: Rain, Mono
- spray type adjustment by turning spray disc
- grey spray disc
- maximum flow rate at 3 bar: 16,2 l/min
- flow rate Mono spray (at 3 bar): 12,4 l/min
- flow rate Rain spray (at 3 bar): 16,2 l/min
- minimum flow pressure: 1 bar
- rinseable screen seal
- connection thread G ½
- connection dimension: DN15
- suitable for continuous flow water heaters


Technology



Product image



Scale drawing



AXOR Starck


Baton hand shower 2jet

Surfaces: **Polished Gold Optic**

Article Number: **28532990**



Flowchart




The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.

AXOR Starck
Baton hand shower 2jet
Surfaces: **Polished Gold Optic** Article Number: **28532990**



Exploded Drawing

Year of production: >11/16



AXOR Starck
Baton hand shower 2jet
 Surfaces: **Polished Gold Optic** Article Number: **28532990**



Spare part list

Year of production: >11/16

Pos.		Article Number	Price	PU
1	filter packing	94246000	-	1
2	selector assy	95511000	-	1
3	spray former	95411990	-	1
4	O-Ring 14x2,5	98189000	-	1
a	flow-restrictor-set	92019000	-	1