

A19, A21

A-SHAPE

9W, 11W, 15W & 22W

**60W, 75W, 100W & 150W
REPLACEMENT**



A19

9W & 11W



A19

15W



A21

22W



SPECIFICATIONS

ELECTRICAL

	MODEL	DESCRIPTION	POWER	INPUT VOLTS	DIMMABLE	EFFICACY (LPW)	FREQUENCY	LIFETIME	WATT REPLACEMENT
A19 60W REPLACEMENT	LR21420	LED9A19/D827/E2	9	120V	YES	80	60Hz	25,000	60W
	LR21421	LED9A19/D830/E2	9	120V	YES	80	60Hz	25,000	60W
	LR21422	LED9A19/D840/E2	9	120V	YES	80	60Hz	25,000	60W
	LR21423	LED9A19/D850/E2	9	120V	YES	80	60Hz	25,000	60W
	LR21425	LED9A19/D827/RP4/E2	9	120V	YES	89	60Hz	25,000	60W
	LR21426	LED9A19/D830/RP4/E2	9	120V	YES	89	60Hz	25,000	60W
	LR21427	LED9A19/D840/RP4/E2	9	120V	YES	89	60Hz	25,000	60W
	LR21428	LED9A19/D850/RP4/E2	9	120V	YES	89	60Hz	25,000	60W
A19 75W REPLACEMENT	LR21430	LED11A19/D827/E2	11	120V	YES	100	60Hz	25,000	75W
	LR21431	LED11A19/D830/E2	11	120V	YES	100	60Hz	25,000	75W
	LR21432	LED11A19/D840/E2	11	120V	YES	100	60Hz	25,000	75W
	LR21433	LED11A19/D850/E2	11	120V	YES	100	60Hz	25,000	100W
A19 100W REPLACEMENT	LR21440	LED15A19/D827/E2	15	120V	YES	107	60Hz	25,000	100W
	LR21441	LED15A19/D830/E2	15	120V	YES	107	60Hz	25,000	100W
	LR21442	LED15A19/D840/E2	15	120V	YES	107	60Hz	25,000	100W
	LR21443	LED15A19/D850/E2	15	120V	YES	107	60Hz	25,000	100W
	LR21445	LED15A19/D827/RP4/E2	15	120V	YES	107	60Hz	25,000	100W
	LR21446	LED15A19/D830/RP4/E2	15	120V	YES	107	60Hz	25,000	100W
	LR21447	LED15A19/D840/RP4/E2	15	120V	YES	107	60Hz	25,000	100W
	LR21448	LED15A19/D850/RP4/E2	15	120V	YES	107	60Hz	25,000	100W
A21 150W REPLACEMENT	LR21450	LED22A21/D827/E2	22	120V	YES	116	60Hz	25,000	150W
	LR21451	LED22A21/D830/E2	22	120V	YES	116	60Hz	25,000	150W
	LR21452	LED22A21/D840/E2	22	120V	YES	116	60Hz	25,000	150W
	LR21453	LED22A21/D850/E2	22	120V	YES	116	60Hz	25,000	150W

PHOTOMETRIC


MODEL	COLOR (CCT)	TEMP	LUMEN	CRI
LR21420	2700K	WARM WHITE	800	80
LR21421	3000K	SOFT WHITE	800	80
LR21422	4000K	COOL WHITE	800	80
LR21423	5000K	BRIGHT WHITE	800	80
LR21425	2700K	WARM WHITE	800	80
LR21426	3000K	SOFT WHITE	800	80
LR21427	4000K	COOL WHITE	800	80
LR21428	5000K	BRIGHT WHITE	800	80
LR21430	2700K	WARM WHITE	1100	80
LR21431	3000K	SOFT WHITE	1100	80
LR21432	4000K	COOL WHITE	1100	80
LR21433	5000K	BRIGHT WHITE	1100	80
LR21440	2700K	WARM WHITE	1600	80

GENERAL


CASE	COST/YR	BASE TYPE	FINISH	ENCLOSED FIXTURE RATED
50	\$ 1.08	E26	FROST	YES
50	\$ 1.08	E26	FROST	YES
50	\$ 1.08	E26	FROST	YES
50	\$ 1.08	E26	FROST	YES
48	\$ 1.08	E26	FROST	YES
48	\$ 1.08	E26	FROST	YES
48	\$ 1.08	E26	FROST	YES
48	\$ 1.08	E26	FROST	YES
50	\$ 1.32	E26	FROST	YES
50	\$ 1.32	E26	FROST	YES
50	\$ 1.32	E26	FROST	YES
50	\$ 1.32	E26	FROST	YES
50	\$ 1.81	E26	FROST	YES

MODEL	COLOR (CCT)	TEMP	LUMEN	CRI	CASE	COST/YR	BASE TYPE	FINISH	ENCLOSED FIXTURE RATED
LR21441	3000K	SOFT WHITE	1600	80	50	\$ 1.81	E26	FROST	YES
LR21442	4000K	COOL WHITE	1600	80	50	\$ 1.81	E26	FROST	YES
LR21443	5000K	BRIGHT WHITE	1600	80	50	\$ 1.81	E26	FROST	YES
LR21445	2700K	WARM WHITE	1600	80	48	\$ 1.81	E26	FROST	YES
LR21446	3000K	SOFT WHITE	1600	80	48	\$ 1.81	E26	FROST	YES
LR21447	4000K	COOL WHITE	1600	80	48	\$ 1.81	E26	FROST	YES
LR21448	5000K	BRIGHT WHITE	1600	80	48	\$ 1.81	E26	FROST	YES
LR21450	2700K	WARM WHITE	2550	80	50	\$ 2.65	E26	FROST	YES
LR21451	3000K	SOFT WHITE	2550	80	50	\$ 2.65	E26	FROST	YES
LR21452	4000K	COOL WHITE	2550	80	50	\$ 2.65	E26	FROST	YES
LR21453	5000K	BRIGHT WHITE	2550	80	50	\$ 2.65	E26	FROST	YES


DIMENSIONS



A19
60W & 75W
REPLACEMENT



A19
100W
REPLACEMENT



A21
150W
REPLACEMENT