


Assembling Instruction

Generating Drawings

Assembly Instructions



ATTENTION

If there is any missing, please kindly send us messages to let us know the name of missing part regarding to the first page of instructions.


We will send replacement to you asap. We are concerned about each customer's experience, if there is any loss or damage, please contact us at any time, we will provide effective solutions.

Please attach your Oder ID so that we can assist you better.




General Assembly Guidelines

- I. Ensure that all parts and hardware are available before beginning assembly.
- II. Follow each step carefully to ensure the proper assembly of this product.
- III. Two people are recommended for ease in the assembly of this product.
- IV. The three main types of hardware used to assemble this product are : wood dowels , screws and bolts.
- VI. A Phillips head screwdriver is required for the assembly of this product .




- VI. Power tools should not be used to assemble this product .












































- VII. Concealed hinges are three-way adjustable.

Parts List



HARDWARE PACK CONTENT


  Ø8x30mm 6x +1	  Ø6x35mm 18x +2	  Ø15x11mm 18x +2	  Ø6x40mm 6x+1	  1x	  Ø8x5x16mm 8x+1	  Ø3x17mm 8x+1
  8x+1	  Ø4x12mm 4x	  2x	  2	  M6x12mm 4x	  Ø5x55mm 2x	
  1x	  Ø4x19mm 2x	  Ø4x30mm 2x	  Ø7x40mm 4x	  2x	  2x	
  Ø5x40mm 2x						




Philips head screwdriver required for assembly
(not included)


The hardware quantities listed above are required for proper assembly.
Some extra hardware may also have been included.

Step 1






Step 2

C

X4







Step 3

C	A
	
X4	X4




Step 4



A	B	C
		
X2	X10	X10









Step 5





Step 6



Step 7


I	N	O
		
X4	X1	X2
J	L	K
		
X2	X4	X2





Step 8


ATTENTION: When the sliding door is stuck, you can try to loosen the 4 #L screws on the door, and then tighten them after the door falls down due to gravity, so that the gap between the door and the sliding rail will be enlarged.

This gap can be adjusted by adjusting the #L screws






Step 9

S	P
	
X2	X2




Step 10

G	H
	
X8	X8








Step 11







Make FOUR holes 40MM deep

Step 12







Step 13

R	T	M
		
X2	X2	X2



Step 14

F

X8



Step 15

