



## ASSEMBLY INSTRUCTION




# General Assembly Guidelines


- I. Ensure that all parts and hardware are available before beginning assembly.
- II. Follow each step carefully to ensure the proper assembly of this product.
- III. Two people are recommended for ease in the assembly of this product.
- IV. The three main types of hardware used to assemble this product are : wood dowels , screws and bolts.
- V. A Phillips head screwdriver is required for the assembly of this product .












- VI. Power tools should not be used to assemble this product .



# Parts List




# Hardware List

A		Ø10*35(mm)	Wood dowel	6 pcs
B		Ø6*60(mm)	Bolt	2 pcs
C			Nut	2 pcs
D		Ø8*60(mm)	Bolt	8 pcs
E		Ø5/16"	Spring washer	8 pcs
F		Ø5/16"	Washer	8 pcs
G		Ø4*38(mm)	Screw	4 pcs
H		M4(mm)	Wrench	1 pc
J		M5(mm)	Wrench	1 pc


*The hardware quantities listed above are required for proper assembly.  
Some extra hardware may also have been included.*

## Step 1




Insert dowels (A) into crossbars (4,5).

## Step 2




Insert nuts (C) into crossbar (4). Attach crossbars (5) to crossbar (4) using bolts (B). Tighten bolts (B) with wrench (H). Bolts (B) will screw directly into nuts (C).

## Step 3




Insert end caps (6) into crossbars (5) using pre-inserted dowels as guides.

## Step 4




Carefully slide legs (2,3) into place along bench top (1).

## Step 5



Attach crossbars (5) to legs (2,3) using screws (G). Tighten screws (G) with a screwdriver. Secure legs (2,3) to bench top (1) using bolts (D), spring washers (E) and washers (F). Tighten all bolts (D) with wrench (J).

## Step 6



Final Assembly