








ASSEMBLY INSTRUCTION



Detail View



Part List + Hardware List

1  Head board-1pc	2  Crown -1pc	3  Head board legs -2pcs
4  Side rails-2pcs	5  Side rails-2pcs	6  Foot board -1pc
7  Side rails support bar-4pcs	8  Side rails support legs-2pcs	9  Cross bar-1pc
10  Bed legs-2pcs	11  Slats-12pcs	


Hardware List

A  20*70mm	B  Ø8*40mm	D  Ø8*18mm
Allen Key(1pc)	Bolts(14pcs)	Bolts(32pcs)
E  100*100*2mm	F  75*33*33mm	H 
Four hole iron(1pc)	"7" Connector(4pcs)	Power adapter(1pc)
I 	J 	K  Ø3*16mm
Color controller(1pc)	LED(1pc)	Nails(28pcs)
L  20*6mm	M  Ø8*45mm	
Buckle(14pcs)	Bolts(4pcs)	

Attention: Do not tighten the screws before completing the entire installation. If you have any difficulty with the installation process, please feel free to contact us.

Step 1


Fix the Head board legs③to the headboard ①with Bolts M by using Allen key A,you can chose the hole a and c,or b and d or c and e.



A Allen Key	M Bolts x 4
	 M8X45mm

Step 2


Fix the Crown ②to the headboard ① with Bolts D and Four hole iron E by using Allen key A.



Allen Key	D Bolts x 4	E Four hole iron x 1
	 M8X18mm	

Step 3x2


Connect the Siderail support bar⑦to the Siderails ④and ⑤with Bolts B by using Allen key A.



Allen Key	B Bolts x 12
	 M8X40mm

Step 4 x2


Fix the side rails support leg ⑧ to the assembled side rail with Bolts D by using Allen key A.



Allen Key	D Bolts x 8
	 M8X18mm

Step 5


Fix the legs ⑩ to the foot board ⑥ with Bolts D by using Allen key A.



Allen Key	D Bolts x 4
	 M8X18mm

Step 6


Fix the assembled side rail to the Headboard legs ③ and foot board ⑥ with Bolts D and "7" Connector F by using Allen key A.



Allen Key	D Bolts x 16	F "7" Connector x 4
	 M8X18mm	


Step 7

Fix the cross bar⑨to the side rails support legs⑧ with Bolts B by using Allen key A




Step 8

At first,tear off the tape on the back of the LED Light Strip,stick it in side of the siderails and foot board.Please notice that the position of LED is about 1cm from the bottom.At second,fasten it with Buckle L and Nails K.



Step 9

Fix the slats ⑪ to the side support bar ⑦, the assemble is finished.




Step 10


At first connect the two led of the headboard and bed frame. Please notice → ← .

At second, put the color controller I to the light line, please notice that → ← .

At third, Fix the power adapter H to the Color controller I. Finally connect the power and enjoy the bed.



H Led adapter x1	I Color controller x1
	



NOTICE:

When you use the remote control board to control the color of the light, Please remove the clear plastic card first, then please be sure to point the remote control at the color controller I.