



ASSEMBLY INSTRUCTIONS

□□□P□






Step 1: Lay the vanity bench (A) face down on a piece of cloth or carpet to prevent finish from scratching. Attach leg (B) to vanity bench (A). Insert the flat washer (3), lock washer (2), nut (1) into the bolt on the leg (B), tighten with wrench (4). Assembly product is now completed.


□□□P□




PARTS LIST

HARDWARE PACK

NO.	DESCRIPTION	DIMENSION	Q' TY
□	□□□	 □□□□"	□P□□
□	L□□□□□ □□□□R	 □□□□"	□P□□
□	□L□□□□ □□□□R	 □□□□□□"	□P□□
□	□ R□□□□	 □□□□"□□"	□P□

COMPLETE HARDWARE



PRODUCT DETAILS

□□□□□□□□□□

P□□□

□r□□ □

□p□□□□□

Pr□du□□□□□□

□□r□□□□□□

□□□□ □□□□

□r□□□□□ □□□□

□u□

Pl□□□□d

□□□□□□□ □□d

□□□□ □P□□□□□□r

□□□□ □□r□ □D□□

□□"L□□□"□ □□□"□

□□□□"□□□□□□"□□□□□

□□□□□L□□

□□□□□L□□

□□□□