

OFFICE MASSAGE CHAIR ASSEMBLY INSTRUCTIONS



YK5001 SERIES



ATTENTION

1. This chair comes with 1 box, please check the parts list and hardware list carefully to make sure you've received all parts.
2. If there are any missing parts, please contact us with the missing part and the missing part number, we'll resend them to you ASAP.
3. If there are any damaged parts, please contact us with clear picture or clear video, we'll offer you the best solution after confirming it.

WARRANTY AND RETURN


We offer 1 year warranty and free replacement for all damaged or defective parts you received. Check the condition of your package once upon the delivery. If you have any questions, please contact our customer service immediately.

CONTACT INFORMATION





If you order our product on Amazon/Walmart/Wayfair etc., please log in your Amazon/Walmart/Wayfair account to contact us.

If you order our product on Shopify, please contact us at **service@meissalivve.com**. Our service team will reply within 24 hours.

ASSEMBLY INSTRUCTIONS



Parts List

I		K		L		M		N	
	5 pcs		1 pc		5 pcs		1 pc		1 pc
O		P		Q		R		S	
	Right x1		Left x1		1 pc		1 pc		1 pc
T		U		V		W			
	1 pc		1 pc		1 pc		1 pc		


Hardware List

A		B		C		D		E	
	M6*10mm		M6*20mm		M8*35mm		M6*25mm		M5*10mm
	5 pcs		4 pcs		4 pcs		4 pcs		1 pc
F		G		H		J			
	4 pcs		4 pcs		1 pc		1 pc		

IMPORTANT SAFEGUARDS

1. If one or some screws are fully tightened during the assembly, the other screws may not be aligned with screw holes. 70% tighten before fastening all screws. Allen wrench is recommended instead of an electric drill.
2. If some screws are not aligned with holes during assembly, please loosen all the other screws to 70% and continue the assembly process.
3. If the items is not stable, please loosen all the screws, adjust it on a flat ground and tighten all the screws.
4. Before using the chair be sure that it is completely and properly assembled. Handle with care.
5. Regularly check if all screws are tightly secured.
6. Please do not exceed the maximum load weight of 300lbs.
7. Please do not use the office chair if any components are damaged, worn, broken or cracked.
8. Be careful when using the product to avoid squeezing and shearing, especially between movable parts!
9. Your office chair is equipped with casters for all types of flooring.
10. Please do not let children climb on or play with the product.


STEP 1




Press to install

First, we need to prepare the connector (K), 5* metal feet (I), 5* universal casters (L), 5*10mm screws (Screw A) and a wrench (H). Then, according to the figure, insert the 5* metal feet into the connector, align the screw holes, install the screws and tighten them. Finally, a universal caster is installed on the tail of each metal foot.


STEP 2





STEP 3





STEP 4



STEP 5





STEP 6




Tighten the knob

STEP 7





As shown in the picture, the 2 armrests (O and P) are separately marked with label "P"(Left) and label "O"(Right). Please check and choose the correct one.

STEP 8




After fastening the screws, use part (G) to cover the screw holes.


STEP 9



STEP 10




Adjust lumbar support





MAX LOAD-BEARING CAPACITY

Pull up to adjust the reclining angle of the office chair;
Press to lock the angle.



Pull up to adjust the sitting height.

