



# ASSEMBLY INSTRUCTION

## WARNING



Serious or fatal injury may occur from unexpected assembly or use. Please read this instructions carefully before starting assembly.

1. Ensure that all parts and hardware are available. Follow each step carefully to ensure the proper assembly of this product.
2. During the assembly process, keep all parts away from babies or children.
3. Two people are recommended for ease in the assembly process of this product.
4. Place the heaviest items on the lowest shelf to reduce the risk of tip-over.
5. Never allow children to climb or bang on frames, bases or shelves.
6. Always securely fix this product to the wall. Make sure the wall area to be drilled is free from hidden electrical wires, water and gas pipes.





× 2



## Before You Begin

Two people are recommended for the assembly.


Use the included tools.

If using a power tool, use low power and torque.



## Installation of Eccentric Unit




Bolt




Connecting piece




1






2




3



4








## friendly reminder


To prevent confusion during installation, please do not cut open all hardware bags at once.  
Some screws may look similar, so before starting assembly:

- Check each hardware bag and confirm that the type and quantity match the parts list in the manual.
- Only open each bag when it is needed for that specific installation step.

This will help keep the hardware organized and ensure a smoother installation process.



1





A×4 C×4



Twist (A) into the holes on (2), then insert (C) into the holes on (2) as displayed.

2




A×8



Twist (A) into the holes on (5)(6) as displayed.

3




B×4




Connect (5)(11) as displayed, then secure with (B).

4



Insert (12) into the grooves on (11).

5




Connect (6)(11) as displayed, then secure with (B).

B×4




6



Insert both (12) into the grooves on (5)(6)(11).

7




Connect (1) with (5)(6), then secure with (D).

D×4



8




Twist (D) to connect (2) with (5)(6).


D×4



9





A×8 C×4



Twist (A) into the holes on (3),  
then insert (C) into the holes on (3) as displayed.

10




A×8



Twist (A) into the holes on (7)(8) as displayed.

11




B×4




Connect (7)(11) as displayed,  
then secure with (B).

12



Insert (12) into the grooves on (11).

13




B×4




Connect (8)(11) then secure with (B).

14



Insert both (12) into the grooves on (7)(8)(11).

15




D×4



Twist (D) to connect (3) with (7)(8).

16




A×8



Twist (A) into the holes on (9)(10)

17




B×8



Connect (9)(10)(13), then secure with (B).



18




B × 8



Connect (3) with (9)(10)(13), then secure with (B).

19




B × 4

E × 24




Connect (2) with (7)(8), then insert (E) into the holes on (5)(6)(7)(8).

20



Place the grooves of (4) on (E). The position of (E) is adjustable to maximize the storage space.

21







K × 12

L × 12



Insert (K) into the back of the cabinet as displayed, securing with (L).

WALL



| F × 2                                                                              |                                                                                     | G × 8                                                                               |  |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|
|  |                                                                                     |  |  |
| H × 2                                                                              | I × 2                                                                               | J × 2                                                                               |  |
|  |  |  |  |

Marking your drilling spot on the wall, then drill a hole and put in (I).  
Twist (H) to connect (F1) with (1) and attach it to the wall, covering it with (F2).

Place the G over the hole on (5) (6) (7) (8) to cover (B).