

USER GUIDE - LED LIGHTED MIRROR




IF IN DOUBT ABOUT FITTING THIS PRODUCT, PLEASE CONSULT A QUALIFIED ELECTRICIAN

IMPORTANT

PLEASE READ THE INSTRUCTIONS BEFORE SET UP AND INSTALLATION

COMPONENT PARTS AND FITTINGS



Mirror



Screw & Wall plug x 4
(Included in pack)



Wire nut x 3
(Included in pack)

Suggested Tools:



Screw driver



Drill

Safety Warning

Safety:

- We suggest you spend a short time reading the instruction leaflet
- Carefully check that you have all the parts before beginning assembly.
- Keep small parts and fittings out of children's reach and keep children well away from construction area, as the unassembled product contains small parts, which could present a choking hazard.
- We suggest you retain these instructions for future reference.
- This appliance can be used by adults ONLY.
- If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.

Caution:

- In order to avoid overheating, do not cover the mirror.
- Switch off the mains supply and remove the appropriate fuse or switch off the appropriate circuit breaker before commencing installation
- Make sure that there is no danger that the cord or extension cord is inadvertently be pulled or cause anyone to trip when in use.

Assembly/User Instruction

Please read all instructions carefully. Before you proceed to install, make sure that the power supply is turned off and remains off until installation is complete.

Please note that each part has been assigned a number and proceed in a numerical order.



Applicable models





STEP1. Mark the position of the hanging screw.



STEP2. Fix the screw.

STEP3. Connect to the main supply



STEP4. Hang up the Mirror on the wall





Touch switch

Can adjust three kinds of color temperature.
Press once to change color temp. and on-off.
Press and hold switch for dimming the lumens.

Installation Dimensions:

MODEL	A (inch)	B(inch)	C(inch)	D (inch)	E (inch)	F (inch)	G(inch)	Color Temperature	LED Length(inch)	Drive Wattage
MRE31830	18	30	1.3	13.8	14.8	17.7	18.7	4200K/3000K/6400K	79	72W
MRE31836	18	36	1.3	13.8	14.8	25.6	26.6	4200K/3000K/6400K	114	72W
MRE32030	20	30	1.3	13.8	14.8	17.7	18.7	4200K/3000K/6400K	102	72W
MRE32036	20	36	1.3	13.8	14.8	25.6	26.6	4200K/3000K/6400K	122	72W
MRE32040	20	40	1.3	13.8	14.8	25.6	26.6	4200K/3000K/6400K	133	72W
MRE32430	24	30	1.3	17.7	18.7	17.7	18.7	4200K/3000K/6400K	114	72W
MRE32436	24	36	1.3	17.7	18.7	25.6	26.6	4200K/3000K/6400K	133	72W
MRE32440	24	40	1.3	17.7	18.7	25.6	26.6	4200K/3000K/6400K	145	72W
MRE32730	27	30	1.3	17.7	18.7	17.7	18.7	4200K/3000K/6400K	123	72W
MRE32736	27	36	1.3	17.7	18.7	25.6	26.6	4200K/3000K/6400K	120	72W
MRE32740	27	40	1.3	17.7	18.7	25.6	26.6	4200K/3000K/6400K	154	72W
MRE33030	30	30	1.3	17.7	18.7	17.7	18.7	4200K/3000K/6400K	133	72W
MRE33036	30	36	1.3	17.7	18.7	25.6	26.6	4200K/3000K/6400K	154	72W
MRE33040	30	40	1.3	17.7	18.7	25.6	26.6	4200K/3000K/6400K	185	72W
MRE33048	30	48	1.3	17.7	18.7	33.5	34.4	4200K/3000K/6400K	190	72W
MRE33072	30	72	1.3	17.7	18.7	49.2	50.2	4200K/3000K/6400K	263	72W
MRE33636	36	36	1.3	25.6	26.6	25.6	26.6	4200K/3000K/6400K	354	72W
MRE33640	36	40	1.3	25.6	26.6	25.6	26.6	4200K/3000K/6400K	183	72W
MRE33648	36	48	1.3	25.6	26.6	33.5	34.4	4200K/3000K/6400K	204	72W
MRE33660	36	60	1.3	25.6	26.6	49.2	50.2	4200K/3000K/6400K	244	72W
MRE33672	36	72	1.3	25.6	26.6	49.2	50.2	4200K/3000K/6400K	282	72W
MRE34260	42	60	1.3	33.5	34.4	49.2	50.2	4200K/3000K/6400K	262	72W
MRE34272	42	72	1.3	33.5	34.4	49.2	50.2	4200K/3000K/6400K	301	72W