ASSEMBLY GUIDE

RESIN DEER STATUE - LYING

BEFORE YOU BEGIN

- Place the statue on a flat, stable surface.
- Handle the resin statue and detachable antlers carefully.
- Wear protective gloves before opening the 502 glue.
- Dry-fit both antlers and confirm their direction first.
- Draw one short alignment line across each joint.
- Remove both antlers before applying any glue.
- Install one antler at a time. Do not twist or hammer.
- After gluing, the antlers cannot be repositioned.

IMPORTANT

Read all three pages before opening the glue. The glue bonds quickly, so check both antlers and both alignment marks before permanent installation.



HOW TO OPEN AND USE 502 GLUE

Complete these steps before installing the antlers




1 TURN THE CAP OVER

Unscrew the complete cap. Find the pointed pin inside the cap.




2 PUNCTURE THE SEAL

Place the complete cap back on the tube. Screw it clockwise until the inner pin punctures the foil seal.



3 CHECK THE OPENING

Remove the cap and confirm that a small round opening is visible.



4 OPEN THE NOZZLE

Hold the lower cap firmly. Turn only the upper half counterclockwise and remove the small nozzle cover.



5 APPLY A THIN LAYER

Apply glue directly to the antler plug and inside the matching socket. Do not pour or overfill.

CAUTION: Instant glue bonds skin and eyes quickly. Keep away from children and painted surfaces. Wipe excess glue immediately.

PERMANENT ANTLER INSTALLATION

Dry-fit and mark first. Apply glue only after the direction is confirmed.



1 DRY-FIT AND MARK

Insert both antlers without glue. Check the front view and adjust both antlers to the correct direction. Draw one short pencil line across each joint so the line crosses the antler base and the head.



2 APPLY 502 GLUE

Remove both antlers. Apply a thin, even layer inside the first socket and lightly around its square plug. Do not overfill. Glue one antler at a time to prevent mistakes.



3 MATCH MARKS AND PRESS

Match the line on the antler base with the line on the head. Push the square plug straight down into the correct socket. Do not twist. Press firmly and hold until secure, then repeat for the other antler.

CHECK BOTH DIRECTIONS AND BOTH ALIGNMENT MARKS BEFORE GLUING. THE ANTLERS CANNOT BE REPOSITIONED AFTER INSTALLATION.

After pressing, keep the statue stationary on a flat surface. Do not touch or move the antlers until the glue is fully set. Keep it in a ventilated area.

NEED HELP? Locate your order and email the seller through the order page. Replies may be delayed due to time differences.