


Ceiling Fan with Light Specification Sheet



Models & Finishes


CFL-0015-BK: Matte Black

CFL-0015-BW: Black&Walnut


CFL-0015-WG: Black&Walnut

CFL-0015-CH: Silver&Walnut


Included Components




①




②




③




④




⑤




⑦




⑧



⑨



⑩



⑪



⑫

Electrical, Light & Motor Specs

No.	Name	Qty.
①	Motor Assembly	1
②	Blades	3
③	Downrod (5 inches and 10 inches, 5 inches one with hanger ball)	1 Set
④	Mounting Bracket	1
⑤	Canopy	1
⑥	Light Shade	1
⑦	LED Light Kit	1
⑧	Upper Cover	1
⑨	Remote Set	1
⑩	Screws and Washers Package	1
⑪	Rubber Pad	1
⑫	Rubber Cover	1

Dimensions & Materials

Dimension/ Material	Specification
Product Width	52 in.
Downrod Size(s)	5 in., 10 in.
Number of Blades Accommodated	3
Blade Length - End to End	25.1 in.
Blade Width - At the Widest Point	6.1 in.
Distance From Ceiling To Bottom Of Fan	5 in. Downrod: 12.99 in. 10 in. Downrod: 17.91 in.
Body Material	Metal
Blade Material	ABS
Shade Material	PC
Shade Color	Milky White

Electrical, Light & Motor Specs

Category	Technical Details
Input Voltage	120V
Motor Type	DC Motor (Energy Efficient)
Motor Power	35 Watts
Operation Mode	Reversible (Summer/Winter Mode)
Light Wattage	20 Watts
Luminous Flux	2000 Lumens
Color Temp (CCT)	3-Color Selectable (2700K / 4000K / 6500K)
Color Rendering (CRI)	≥ 80 Ra
Dimmable	Yes (Remote Controlled)
Maximum Airflow (at High Speed)*	5914 CFM

FTC EnergyGuide

Item	Unit	Standard
Airflow (weighted-average)	CFM	4520
Energy Use	W	20
Airflow Efficiency	CFM/W	223
Estimated Yearly Energy Cost	\$	6

***Note:** Maximum airflow is based on DOE test results at the highest fan speed. The EnergyGuide airflow rating is calculated using the applicable DOE/FTC weighted-average method and may be lower than the maximum airflow.

Replacement Accessories & After-Sales Support

No.	Accessories
1	Remote
2	Remote Receiver
3	Downrod
4	Extension Cord
5	Light Plate

Note: The above-listed accessories are not included in the package as standard. They are intended solely for the replacement of lost or damaged parts of your ceiling fan with light in the future. For the replacement of the relevant accessories, please do not hesitate to contact us:



+1(888)969-6880



greenever@grandjoyhome.com



greenever.grandjoyhome.com