

# COFFEE TABLE

## ASSEMBLY INSTRUCTION



# ASSEMBLY INSTRUCTION

## ASSEMBLY TIPS:





- 1.Remove hardware from box and sort by size.
- 2.Please check to see that all hardware and parts are present prior to start of assembly.
- 3.Please follow attached instructions in the same sequence as numbered to assure fast & easy assembly.







## Warning!!

- 1.Don't attempt to repair or modify parts that are broken or defective.Please contact the store immediately.
- 2.This product is for home use only and not intended for commercial establishment.


## PARTS IDENTIFICATION

<p><b>A</b></p> <p><b>TOP GLASS</b></p>  <p><b>1PC</b></p>	<p><b>B</b></p> <p><b>SIDE FRAME</b></p>  <p><b>2PCS</b></p>
<p><b>C</b></p> <p><b>TOP CROSSBAR</b></p>  <p><b>2PCS</b></p>	<p><b>D</b></p> <p><b>BOTTOM CROSSBAR</b></p>  <p><b>1PC</b></p>

## HARDWARE PACKAGE

Z	DESCRIPTION	FIGURE	Q'TY
1	BOLT		8PCS
2	SUCTION CUP		6PCS
3	CAP		4PCS
4	ALLEN WRENCH		1PC

## STEP 1




You will need one people for this installation. And will take about thirty minutes.

### STEP 1 :

1. Insert Cap (3) into the hole at the Side Frame (B).
2. Attach Top/Bottom Crossbar (C,D) to Side Frame (B) by using Bolt (1) tighten with allen wrench.

## STEP 2



### STEP 2 :

1. Insert Suction Cup (2) into the hole at the Side Frame (B) and Top Crossbar (C).
2. Place Top Glass (A) onto the Suction Cup (2).

## FINISH

