

Thank you for your purchase!



## 31.5" COMMERCIAL BISTRO TABLE

### ASSEMBLY INSTRUCTIONS

#### **Before You Begin:**

Please identify all component parts and hardware pieces required before you begin. Carefully remove all of the components from the packaging and set aside for assembly. Assemble on a soft surface to prevent scratching during assembly.

#### **Caution:**

Tighten all components securely before use. Failure to do so may result in personal injury.

DO NOT use any sharp objects to open plastic wrapped components as damage to product or components may result.

#### **Warning:**











**CHOKING HAZARD** - Small Parts. Adult Assembly Required.

#### **DO NOT ALLOW CHILDREN TO CLIMB ON FURNITURE**

Serious or fatal injuries can occur from furniture tipping over. You must install Tipping Restraint Hardware (where included) to help prevent the unit from tipping and causing accidental injury, instability, death or damage. The tipping restraint is intended only as a safety measure, it is not a substitute for proper adult supervision.

To help prevent furniture from tipping over it must be permanently attached to the wall. Anti-Tip Safety Wall Straps suitable for the unit weight and wall materials (if not included) should be purchased and installed.

## Parts



Part	Drawing	Description	QTY
A		TABLE TOP	1
B		GLASS	1
C		TABLE LEG	4
D		LEG CONNECTOR	1
E		SCREW M8*30	8
F		SCREW M6*16	8
G		ALLEN WRENCH	1
H		ALLEN WRENCH	1
I		LARGE WASHER	8
J		SMALL WASHER	8

## NOTE:

Do not completely tighten screws during the step by step installation.



### STEP 1

Attach the table top and table leg using the M6\*16 screw (F) and small washer (J) then loosely tighten using the allen wrench (H).



### STEP 2

Attach the leg connector to the table leg with the M8\*30 screw (E) and the large washer (I) then loosely tighten using the allen wrench (G).



### STEP 3

Repeat step 2 for the rest of the table legs then completely tighten all screws.



### STEP 4

Place the glass on the top.

