


USER'S MANUAL



Pre-Assembly Checklist and Tips

1. Check Parts and Read Instructions:

- Please check the parts list before assembly and read the instructions carefully, step by step. Incorrect methods may lead to incomplete assembly, personal injury, or property damage.

2. User-Friendly Assembly Tips:

- If possible, ask another person to assist you.
- Using an electric screwdriver will save you time and effort.
- Due to the weight of the base and armrests, it may be easier to assemble the chair by placing one side on the ground.

3. Need Help? Contact Us!

- If you encounter any issues during assembly, please contact the seller for assistance. We will respond within 24 hours.

Table of Contents

Chapter 1: Product Introduction

Page 1

1.1 Product Overview

Page 1

1.2 Module Descriptions

Page 1

1.3 Sofa Module Combos Example

Page 1

Chapter 2: Modular Sofa Assembly and Accessories

Page 3

2.1 Module A: Accent Chair

Page 3

2.2 Module B: Seat Base

Page 9

2.3 Module C: Ottoman

Page 14

2.4 Module D: Corner

Page 18

2.5 Module Connections

Page 23

Chapter 3: Your Sofa Care & Cleaning Guide

Page 24

3.1 Regular Maintenance

Page 24

3.2 Routine Cleaning

Page 24

3.3 How to Restore?

Page 26

Chapter 4: Support & FAQ

Page 27

4.1 How to Get Support

Page 27

4.2 FAQ

Page 27

1.Product Introduction

1.1 Product Overview

Welcome to the Modular Sofa! Our sofa is designed with a modular concept, allowing you to customize your seating arrangement based on your space and needs.The modular design not only makes assembly easy but also allows for flexibility in reconfiguration.

1.2 Module Descriptions

Module ID	Module Name	Description
A	Armrest Chair	
B	Seat Base	
C	Ottoman	
D	Corner	

1.3 Sofa Module Combos Example

Sofa	Description	Module List
	Accent chair	A
	Ottoman	C

1.3 Sofa Module Combos Example





Sofa	Description	Module List
	Loveseat	1.A×1 2.B×1
	L-shaped sofa (3+1)	1.A×1 2.B×2 3.C×1
	U-shaped sofa (4+2)	1.A×1 2.B×3 3.C×2
	5 Seat sofa	1.A×1 2.B×3 3.D×1
	6 Seat sofa	1.A×1 2.B×4 3.D×1
	7 Seat sofa	1.A×1 2.B×4 3.D×2

2. Assembly and Accessories


2.1 Install the Module A



Parts List for Armrest Chair (Module A)



A1  Seat Base	B1  Seat Cushion Cover	C  Back Cushion Cover	D 2PCS  Armrest Pillow Cover
E  Backrest	F 2PCS  Armrests	G  Seat Cushion	H  Back Cushion
I 2PCS  Armrest Pillow	K 4PCS  Hexagon Screw M6*30MM	L 8PCS  Hexagon Screw M6*20MM	M  Wrench
N 2PCS  Long Bracket for Backrest	O 4PCS  Short Bracket for Armrest	P 4PCS  Wood Leg	Q 4PCS  Floor Mat
R 2PCS  U-Clamp			



STEP 1 Install the wood legs.




STEP 2 Install backrest and armrest.

Step 2-1: Install the long bracket [N] on the backrest side of the seat base [A1], and the short bracket [O] on both armrests. Please note the arrow pointing to the floor.





Step 2-2: Insert the backrest [E] and armrest [F] into the seat base [A1].



STEP 3 Install the cushions

ATTENTION:

Open the compression bag, pat the foam and insert it into the corresponding chenille cover, allow it to rest for 72 hours.




ATTENTION:

Orientation: Springs side facing down, raised surface facing up
Alignment: Zipper side of cushion opposite Velcro strip on cushion cover.
When installing the seat cushion, ensure that the side with the zipper of the cushion is parallel to the side with the Velcro on the cushion cover, as shown.



STEP 4


Place the cushions. Install the cushions.



2.2 Install the Module B




Parts List for Seat Base (Module B)

A1  Seat Base	B1  Seat Cushion Cover	C  Back Cushion Cover
E  Backrest	G  Seat Cushion	H  Back Cushion
K 4PCS  Hexagon Screw M6*30MM	M  Wrench	N 2PCS  Long Bracket for Backrest
P 4PCS  Wood Leg	Q 4PCS  Floor Mat	R 2PCS  U-Clamp

STEP 1



Install the wood legs.




STEP 2

Install backrest and armrest.

Step 2-1: Install the long bracket [N] on the backrest side of the seat base [A1]. Please note the arrow pointing to the floor.



Step 2-2: Insert the backrest [E] into the seat base [A1]



STEP 3 Install the cushions.

⚠ ATTENTION:

Open the compression bag, pat the foam and insert it into the corresponding chenille cover, allow it to rest for 72 hours.



⚠ ATTENTION:


Orientation: Springs side facing down, raised surface facing up

Alignment: Zipper side of cushion opposite Velcro strip on cushion cover.

When installing the seat cushion, ensure that the side with the zipper of the cushion is parallel to the side with the Velcro on the cushion cover, as shown.





STEP 4 Place the cushions.



2.3 Install the Module C



Parts List for Seat Base (Module C)

A2		B2		S	
	Seat Base		Seat Cushion Cover		Seat Cushion
P		4PCS	Q		4PCS
	Wood Leg		Floor Mat		

STEP 1 Install the wood legs.



STEP 2 Install the cushions.

⚠ ATTENTION:

Open the compression bag, pat the foam and insert it into the corresponding chenille cover, allow it to rest for 72 hours.






STEP 3 Place the cushions.




2.4 Install the Module D



Parts List for Seat Base (Module D)



A3  Seat Base	B3  Seat Cushion Cover	T  Back Cushion Cover(left)
U  Back Cushion Cover(right)	E  Backrest	G  Seat Cushion
V  Back Cushion(left)	W  Back Cushion(right)	N 4PCS  Long Bracket for Backrest
M  Wrench	K 8PCS  Hexagon Screw M6*30MM	P 4PCS  Wood Leg
Q 4PCS  Floor Mat	R 2PCS  U-Clamp	

STEP 1 Install the wood legs.



STEP 2 Install backrest.

Step 2-1: Install the long bracket [N] on the backrest side of the seat base [A3]. Please note the arrow pointing to the floor.



Step 2-2: Insert backrest [E] into the seat base [A3].



STEP 3 Install the cushions

⚠ ATTENTION:

Open the compression bag, pat the foam and insert it into the corresponding chenille cover, allow it to rest for 72 hours.



⚠ ATTENTION:

Orientation: Springs side facing down, raised surface facing up

Alignment: Zipper side of cushion opposite Velcro strip on cushion cover.

When installing the seat cushion, ensure that the side with the zipper of the cushion is parallel to the side with the Velcro on the cushion cover, as shown.



STEP 4 Place the cushions.



2.5 Connections modules

Connect the chair, seat base, and ottoman into a sofa using the U-clamp, as shown.



3.Your Sofa Care & Cleaning Guide

3.1Regular Maintenance

Thank you for choosing sofa. Following this guide for daily care will sig-nificantly extend the appearance and service life of your sofa. Please take a few minutes to read these recommendations, which are specifically designed for the unique material of your sofa.

Recommendations:

1



2



3



4



Avoid direct sunlight: Prolonged exposure to direct sunlight should be avoided to prevent fading and aging of the fabric.

Keep away from heat sources: Maintain a distance of at least 20 inches (50 cm) from heat sources such as radiators and fireplaces.

Even usage: Flip and rotate the cushions weekly (if reversible) to ensure even wear.

Regular vacuuming: Use the soft brush attachment of your vacuum cleaner weekly to remove dust and debris, preventing them from damaging the fibers.

3.2 Routine Cleaning

3.2.1 Spot Cleaning (For Stains)

Preparation Tools:

- ★ White microfiber cloth
- ★ Soft-bristled brush (e.g., soft upholstery brush, clean cosmetic brush)
- ★ Mild cleaner (avoid bleach, ammonia, strong stain removers, or cleaners containing abrasive particles)
- ★ Spray bottle filled with cold water (for rinsing)
- ★ Dry towel



Procedure:

- ★ Vacuum: Remove surface dust from the area to be cleaned before starting.
- ★ Test (Mandatory Test Spot):
Test the cleaner on a completely hidden area (e.g., under the cushion).
- ★ Apply the cleaner and wait for it to dry completely.
- ★ Check three aspects: 1. No color change/fading, 2. No texture hardening/pilling, 3. No water stain residue. If any of these issues occur, stop immediately!

Cleaning:

- ★ Spray the cleaner onto the cloth (do not spray directly on the sofa) and gently wipe the stain from the outside inward.
- ★ For stubborn stains, use a soft-bristled brush to gently scrub in circular motions.
- ★ Rinsing (Critical Step):
Lightly spray the area with cold water from the spray bottle, then blot vigorously with a dry towel to rinse off cleaner residue.

Drying:

- ★ Allow the area to air dry completely, or use a fan or the cool setting of a hairdryer to speed up drying.
- ★ Do not use the sofa until it is fully dry.

3.2.2 Special Guide for Machine Washing Sofa Covers

Pre-treatment:

- ★ After removing the cover, zip it up to ensure no openings.
- ★ Vacuum the cover first.
- ★ Pre-treat stubborn stains (apply mild detergent and let sit for 5-10 minutes).

Loading:

- ★ Turn the sofa cover inside out, fold it neatly, and place it in a large mesh laundry bag. (Using a laundry bag is highly recommended.)

Washing:

- ★ Cycle: Delicate Cycle
- ★ Water Temperature: Cold Water
- ★ Detergent: Use a mild, neutral detergent free of bleach and fabric softener.

Drying:

- ★ Preferred method: Air dry naturally by hanging flat or laying on a drying rack in a cool, well-ventilated area away from direct sunlight.

Installation:


- ★ Ensure both the sofa cover and inner cushion are completely dry before reinstalling smoothly.

Risk Warning

When designing this sofa, we selected machine-washable fabrics. However, even if all guidelines are followed, machine washing may still cause slight shrinkage, color dulling, or texture changes due to the uncontrollable nature of washing machines and dryers.

For the first machine wash, be sure to test on one cushion cover first. Rinse separately. Do not machine wash with other fabrics to prevent color bleeding or transfer. Only proceed with washing the other parts if you are satisfied with the results.

3.3 How to Restore?



4.Support & FAQ

4.1How to Get Support


Your satisfaction is our top priority. We are fully committed to supporting you through any issues or concerns via Amazon's official messaging system.

Steps to Contact Us:



- 1. Visit "Your Orders" on website.
- 2. Locate your order using the order ID or purchase date.
- 3. Click "Contact Seller" or the "Get help with order" button next to the product (Sofa).

For Faster Support (Information requested):



- 1. Your Order ID (e.g., 111-xxxxxxx-xxxxxxx)
- 2. A clear description of the issue or your question.
- 3. Photos or videos of the product issue (strongly recommended for quick resolution).



24/7 Customer Assurance:

We're here to help—anytime. You'll receive a response from our team within 24 hours, guaranteed.

4.2 FAQ (Frequently Asked Questions)

01

Q: The product listing states that there are 5 boxes in total, but I only received one. What should I do?

A: Multiple boxes may be shipped separately and arrive at different times. Please contact customer service to track the logistics of the remaining packages.

Q: What should I do if I receive damaged goods or missing parts?

02

A: Feel free to contact our customer service, and we will arrange a replacement or resend the missing parts for you. Providing photos or detailed descriptions of the missing part numbers can help expedite the reshipment process.

Q: Is it normal for the sofa to feel firm when sat on?

03

A: Yes, it is normal for the initial sitting feel to be slightly firm, as the foam and springs will compress over time. The optimal comfort level is expected to be achieved after approximately 2 months of use.

Q: What is the weight capacity of the sofa?

04

A: Per seat, the maximum tested weight capacity is 350 lbs. We recommend not exceeding 330 lbs per seat to better prolong the sofa's service life.

Q: Can the sofa covers be removed and machine-washed?

05

A: Yes. The covers should be placed in a laundry bag and washed in cold water on a gentle cycle. (We recommend washing one cover first to test the result.)

Q: Can I purchase additional modules?

06

A: Yes, you can contact customer service to purchase individual modules to assemble a larger sofa or additional sets.

Q: How long does it take for the sofa to regain its shape after compression?

07

A: 24 to 72 hours.

If your question is not answered here, please do not hesitate to contact us via "Contact Seller" feature. Please provide your order number, and we will assist you as soon as possible!