



# Pinstripe® Pure | K-T13140-4A

Deck-mount bath faucet trim

## Features

- Available with plain lever handles
- 7-1/16" (179 mm) nondiverter spout with slip-fit connection
- Metal construction



## Available Colors/Finishes

*Color tiles intended for reference only.*

|    |                         |
|----|-------------------------|
| CP | Polished Chrome         |
| SN | Vibrant Polished Nickel |
| BN | Vibrant Brushed Nickel  |



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
7-29-2026 23:57 - US-CA

THE BOLD LOOK  
OF **KOHLER**

## Codes/Standards

*ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.*

ADA CSA B651 OBC

ASME A112.18.1/CSA B125.1  
DOE - Energy Policy Act 1992  
ADA  
ICC/ANSI A117.1  
CSA B651  
OBC

## Warranty

*See website for detailed warranty information.*

KOHLER® Faucet Lifetime Limited Warranty

## Technical Information

*All product dimensions are nominal.*

### Handle

Handle Style/Type: Lever

### Spout

Spout Reach: 7-1/16" (179 mm)

## Material

- KOHLER finishes resist corrosion and tarnishing

## Recommended Products/Accessories


K-23723 Faucet cleaner

## Required Products/Accessories

- K-300-K 1/2" ceramic high-flow valve system
- or
- K-300-KR 1/2" ceramic high-flow valve with rigid connections
- or
- K-301-K 3/4" ceramic high-flow valve system



\*Dimension allows +/- 1/4" (6 mm) handle adjustment during handle trim installation.



Rim or Deck-Mount  
Installation

Rough + Finished  
Deck-Mount Installation

## Installation

- Deck-mount

## Installation Notes

*Install this product according to the installation instructions.*

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

