
Assembly Instructions

SOFA BES-S-030




Please read this manual carefully before any operation and keep it properly for future use.

Note: Two people are recommended for assembly. If the instructions are unclear, please refer to the installation video on the product page, or contact customer service for the video.




Back cushion




Ax2

Seat cushion




Bx2

Handrail frame




Cx2

Back frame




Dx1

Front seat board




Ex1

Seat slats



Fx2

Armrest



Gx2

Arm bag



Hx2

Panel




Jx2

Panel




Kx2

Crossbar




Lx2

Pillow




Mx2

M8x18mm



① x8

M8x30mm



② x8

M8x22mm



③ x8




④ x1


M6x35mm



⑤ x8





1



X2


2







X2


3









4




Tighten all screws to 30% only. Do not fully tighten them yet.




5







Hang part D onto part G using the screws on D, align them, then fully tighten all screws to 100%.Pay attention to the washer on each screw. The washer must be placed in front of the panel as shown.


6









7





Tighten all screws to 30% only. Do not fully tighten them yet.



8









Hang part E onto part G using the screws on E, align them, then fully tighten all screws to 100%. Pay attention to the washer on each screw. The washer must be placed in front of the panel as shown.


9




10




With the left hand, pull component E outward, and with the right hand, press component F downward, as shown in the figure.




11



12



13



14

