




# Product Installation Instructions






Ax1



Bx1




Cx1




Dx1




Ex2




Fx2




Gx4




Hx2



Ix1



Jx4












Kx4




1

# Accessories list


|   |                                                                                                                                                |                                                                                                                                                  |                       |
|---|------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| ① |                                                               | Two in one screw<br>(6x28mm)                                                                                                                     | 24pcs<br>+3pcs        |
| ② |                                                               | Two in one nut<br>(10x12mm)                                                                                                                      | 24pcs<br>+3pcs        |
| ③ |                                                               | Wood Chipping<br>(6x30mm)                                                                                                                        | 24pcs<br>+4pcs        |
| ④ |                                                               | Non-slip pads                                                                                                                                    | 4pcs<br>+2pcs         |
| ⑤ |                                                               | Fixing clip & screw<br>(3x16mm)                                                                                                                  | 24pcs<br>+3pcs        |
| ⑥ |                                                               | Wire clamp                                                                                                                                       | 5pcs<br>+2pcs         |
| ⑦ |                                                               | Forked line                                                                                                                                      | 2pcs                  |
| ⑧ |                                                              | Rebound device & Screw<br>(3x16mm)                                                                                                               | 8pcs<br>+2pcs<br>2pcs |
|   |                                                             | Iron sheet                                                                                                                                       | 4pcs                  |
|   |                                                             | Rubber ring                                                                                                                                      | 8pcs                  |
|   |                                                             | Hinge                                                                                                                                            | 4pcs 4pcs             |
| ⑨ |                                                             | Backboard card strip                                                                                                                             | 4pcs                  |
| ⑩ |                                                             | Double door glass lock<br>Key                                                                                                                    | 2pcs<br>1pcs          |
|   |                                                             | AC/DC Adapter (12V=3.0A)                                                                                                                         | 1pcs                  |
| ⑪ | <p>Anti Fall Hardware</p>  <p>(3.5x14mm) x2 (4x45mm) x2</p> | <p>Double-head screwdriver, use as required</p>  <p>1pcs</p> |                       |

# Product structure decomposition




Use parts ① and ②



Step1




Step2



Step3




Use a screwdriver to lock in the direction of the "+" sign




Disassemble along the direction of "-" sign

Step 1



4





x4

Tear off release paper and stick the black foot pad on the board


4

## Step 2





①  x4

③  x4



⑧  x1  x4

## Step 3





①  x2

## Step 4



## Step 5




## Step 6

2



x2




## Step 7

2



x2




7

## Step 8

2




x4




## Step 9

1






x4




8

## Step 10

Place the "G" board, Backboard card strip, and "H" board in order



## Step 11




## Step 12



2



x4





## Step 13



Ex2

## Step 14




## Step 15

2



x2




## Step 16



2




x2






## Step 17



- |   |                                                                                     |    |
|---|-------------------------------------------------------------------------------------|----|
| 1 |   | x4 |
| 8 |  | x1 |
|   |  | x4 |

## Step 18




- |   |                                                                                     |    |
|---|-------------------------------------------------------------------------------------|----|
| 1 |  | x4 |
| 3 |  | x4 |

## Step 19

2






x4




## Step 20

Place the "G" board, Backboard card strip, and "H" board in order



## Step 21




## Step 22

2




x4




## Step 23

First, loosen  
the screws.



8






x1




x1

1. Take out the white foam pad
2. Fit the pad around the edge of the glass panel
3. Then slide the metal clamp over the assembled position
4. Finally, tighten the screws securely




## Step 24




First, loosen  
the screws.



8






1. Take out the white foam pad
2. Fit the pad around the edge of the glass panel
3. Then slide the metal clamp over the assembled position
4. Finally, tighten the screws securely



## Step 25

- 8
-  x1
-  x1
-  x2



## Step 26


Pay attention to the direction of the door hinge during installation

8




x2

When installing a glass door, it is recommended to have two people install it to avoid the glass door colliding or hitting oneself.





first




second

Insert the glass into the door hinge's slot.




third


Locking screw



Tip: Turning the door lock to the right will close it




Tip: Turning the door lock to the left opens it




## Step 27

first



10



x1




second




## Step 28





First, loosen the screws.




8



1. Take out the white foam pad
2. Fit the pad around the edge of the glass panel
3. Then slide the metal clamp over the assembled position
4. Finally, tighten the screws securely




Locking screw




K

## Step 29



First, loosen the screws.







8




1. Take out the white foam pad
2. Fit the pad around the edge of the glass panel
3. Then slide the metal clamp over the assembled position
4. Finally, tighten the screws securely






Locking screw



## Step 30

- ⑧
-  x1
-  x1
-  x2



## Step 31


Pay attention to the direction of  
the door hinge during installation

8





x2

When installing a glass door, it is recommended to  
have two people install it to avoid the glass door  
colliding or hitting oneself.




first




second

Insert the glass into the  
door hinge's slot.




third

Locking screw





## Step 32

Open the glass door




Close the glass door





## Step 33

5




x20






## Step 34


7



x2



## Step 35





## Step 36


6





x5



## Step 37




x1



Step 38

Install as required

11




x2






x2

x2

3.5x14mm





Install the anti fall hardware on the cabinet as shown in the picture first






Then mark the wall with a pen through the holes in the anti-fall hardware

## Step 39



Drill the hole with an electric drill and punch in the colloidal particles



4x45mm

Fix the dressing table to the wall


## User's Guide

Thank you for purchasing this product. To use this product, please plug it into a 12V DC power supply. Please use if the product works normally after connecting to power.

## Introduction

The box is an intelligent controller with 2 touch buttons. It can turn ON/OFF the light, change light colors, and adjust the light luminance.

## Product Show



### ATTENTION PLEASE

1. If there is no touch response suddenly, Re-plug the power to reset the touch static electricity.
2. If bubbles appear on the panel, remove the protective film.

## Operation



This touch button is used to turn on/off, change colors, and adjust brightness.

A. Short touch -> lighting on -> short touch -> change light color -> short touch -> change light color -> short touch -> lighting off. B. Long touch -> adjust the luminance



This touch button is used to turn on/off the induction function.

- A. Short touch to turn on the induction function. It can auto-turn on the light when people are close to the controller in 1 meters. It can auto power off the light when the body is far away from the controller after 30 seconds.
- B. Long touch to turn off the induction function.
- C. Note: When you touch the light button to change the light modes, the induction function will automatically turn off. It is best to turn on this function after selecting the light color and adjusting the brightness you want.