

# TRADITIONAL ROCKING CHAIR

## CARE INSTRUCTIONS


Thank you for choosing this product.

With a little care and maintenance, the TRADITIONAL ROCKING CHAIR will provide you with comfort and enjoyment for many years to come!

- To clean panels, use clean water on a damp cloth.
- When assembling TRADITIONAL ROCKING CHAIR, please handle all the panels and/or hardware with care to avoid any possibilities of damages and/or injuries.
- Cover during harsh weather to keep it from weathering.
- It is highly recommended that you treat the TRADITIONAL ROCKING CHAIR with a weatherproof coating of (stain or paint) once a year, to increase life expectancy and maintain the look.




NOTE: Please read all instructions carefully before starting assembly. Also, we recommend that the unit is fully assembled on a level surface. Two people are recommended to assemble this product. DO NOT over torque screws and bolts.

**1**


LEFT SIDE

X 1PC

**2**


RIGHT SIDE

X 1PC

**3**


LEFT SIDE ARM SUPPORT

X 1PC

**4**


ROCKERS

X 2PCS

**5**

BACK


X 1PC

**6**


SEAT

X 1PC

NOTE: Please read all instructions carefully before starting assembly.  
Also, we recommend that the unit is fully assembled on a level surface.  
Two people are recommended to assemble this product.  
DO NOT over torque screws and bolts.

**7****FRONT RAIL****X 1PC**

A  7x60x15 LARGE SCREW 10PCS

B  7x70x15 LARGE SCREW 4PCS

C  4x30 SMALL SCREW 2PCS

D  HEX WRENCH 1PC

NOTE: Please read all instructions carefully before starting assembly.  
Also, we recommend that the unit is fully assembled on a level surface.  
Two people are recommended to assemble this product.  
DO NOT over torque screws and bolts.

A line drawing of a rocking chair with two seats. The chair is shown from a side-on perspective. The backrest is labeled with a circled '1'. The seat is labeled with a circled '2'. The armrest is labeled with a circled '3'. The curved rockers are labeled with a circled '4'. The chair is shown in two positions: one fully upright and one tilted back. The tilted position is labeled with a circled 'B'. A callout 'C' points to the armrest area. A callout 'D' points to a detail of the armrest and seat connection. A callout 'B' points to a detail of the rocker and seat connection. A callout 'B' points to a detail of the rocker and seat connection. A callout 'D' points to a detail of the armrest and seat connection.

A line drawing of a rocking chair with several parts labeled. Part 5 is the backrest, part 6 is the seat, and part 7 is the base. Callout A points to various screws used in the assembly.

NOTE: Please read all instructions carefully before starting assembly.  
Also, we recommend that the unit is fully assembled on a level surface.  
Two people are recommended to assemble this product.  
DO NOT over torque screws and bolts.

Please check contents before assembly.

NOTE: Please read all instructions carefully before starting assembly.  
Also, we recommend that the unit is fully assembled on a level surface.  
Two people are recommended to assemble this product.  
DO NOT over torque screws and bolts.