SERIN

Smart Bidet Toilet

E-25032H-G



CLEANSING & BOWL CARE

Clean. Fresh. Personal.



Powerful flush

- 1.06 US gal (4 L) tank + pump
- Low-pressure performance
- Jet-assisted siphon action



360° foam shield

- Automatic foam on seating
- Helps limit splash + odor
- Helps reduce bowl residue




Easy-clean bowl

- Rimless swirl rinse
- Antibacterial ceramic glaze



Personal cleansing

- Rear / feminine / child wash
- Massage + oscillating modes




Moving wash

- 4 pressure levels
- Adjustable nozzle position



Ag+ antibacterial nozzle

- Curved antibacterial wand
- Self-cleaning nozzle
- Removable tip




Easy foam refill

- Slide-open rear cover
- Easy foam-liquid refill



Instant warm water

- Ceramic instant heating
- 1-second heating
- Adjustable water warmth



UV nozzle care

- Timed UV nozzle sanitation
- Automatic operation

SERIN

Smart Bidet Toilet

E-25032H-G



COMFORT & INTELLIGENT CONTROL



Heated seat

- Adjustable seat warmth
- Silver-ion antibacterial seat



Warm-air dryer

- 4 air-temperature settings
- 91.4–100.4°F



Auto deodorizer

- 3 catalytic deodorizer settings
- Activates when seated



ADA seat height

- 17.5 in comfort-height seat
- Soft-close action



Automatic lid

- Microwave proximity sensing
- 3 sensing-distance settings




Automatic flushing

- Flushes after you stand
- Hands-free daily use



Illuminated dial

- Rear / feminine wash
- Press: stop / dry / flush



Digital display

- Integrated illuminated screen
- Clear readout at a glance



Foot-sensor control

- Open + close the seat
- Lid closes + flushes on exit




Soft night light

- Warm white bowl illumination
- Remote on / off control



Remote & ECO mode

- Lid / seat / flush control
- ECO energy-saving mode



Quality built in

- Ultrasonically welded seat
- SMT / wave-soldered circuits

Built-in safeguards

Seat temperature sensing
V0 flame-retardant seat

Seat occupancy sensing

We are ELLAI – present globally,
and always by your side.

GLOBAL PRESENCE | LOCAL CARE | BETTER LIVING

SERIN

Smart Bidet Toilet

E-25032H-G



COMPLETE FEATURE CHECKLIST

5 FEATURE CATEGORIES

Personal Cleansing

- ✓ Rear wash
- ✓ Feminine wash
- ✓ Child wash (hold Rear key)
- ✓ Warm / cool SPA wash
- ✓ Oscillating / massage wash
- ✓ Adjustable water temperature
- ✓ Adjustable water pressure
- ✓ Adjustable nozzle position
- ✓ Silver-ion curved wash wand
- ✓ Removable nozzle tip
- ✓ Automatic nozzle self-cleaning
- ✓ Timed UV nozzle care

Flushing & Bowl

- ✓ Concealed 1.06 US gal (4.5L) tank
- ✓ Built-in booster pump
- ✓ Low-pressure flush support
- ✓ Rimless swirl bowl rinse
- ✓ Jet-assisted siphon flushing
- ✓ Automatic 360° foam shield
- ✓ Splash / odor / residue berrier
- ✓ Easy-access foam-liquid refill
- ✓ Antibacterial ceramic glaze
- ✓ Multi-mode auto / manual flushing (Remote, auto on seat exit, dial & foot sensor)

Everyday Comfort

- ✓ Adjustable seat temperature
- ✓ Silver-ion antibacterial seat
- ✓ 4-level warm-air drying
- ✓ Dryer range: 91.4–100.4°F
- ✓ Automatic catalytic deodorizer
- ✓ 3 deodorization settings
- ✓ 17.5 in comfort seat height
- ✓ Soft warm white night light
- ✓ Night light on / off control
- ✓ 1-second instant fresh-water heating

Smart Controls


- ✓ Radar-sensing auto lid opening
- ✓ 3 sensing-distance settings
- ✓ Foot-sensor seat control
- ✓ Remote lid / seat opening and closing
- ✓ Seat occupancy sensor
- ✓ Illuminated multifunction dial
- ✓ Integrated digital display
- ✓ ECO energy-saving mode

Safety & Construction

- ✓ Built-in seat-temperature sensor
- ✓ flame-retardant seat material
- ✓ Silver-ion antibacterial seat
- ✓ Ultrasonically welded seat
- ✓ SMT circuit assembly
- ✓ Built-in water-temperature sensor
- ✓ Built-in air-temperature sensor
- ✓ Built-in thermal fuse protection
- ✓ Built-in flow-meter protection

DIMENSIONS & ESSENTIALS

DIMENSIONS IN INCHES



- Overall size (L x W x H): 27.0 x 15.6 x 19.1 in
- Rough-in options: 12.0 in
- Concealed tank: 1.06 US gal (4.5 L)
- Net weight: 95.9 lb
- Average water usage: 1.27 US gal/min
- Power supply: AC 120 V / 60HZ
- Flush system: Jet-assisted siphon
- Floor-to-seat height: 17.5 in
- Water pressure: 14.5-108.8 psi

Before you buy, check dimensions, rough-in and electrical requirements.

We are ELLAI – present globally, and always by your side.

GLOBAL PRESENCE | LOCAL CARE | BETTER LIVING