

Assembly Instructions

N767P447504

N767P447505

N767P447506

Caution: You must read these Assembly Instructions before you proceed

Care & Maintenance



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- To obtain the longest lifespan of your outdoor product minimizing exposure to direct sunlight is recommended.



- Children should not climb or jump on the furniture.



- Do not write on furniture without a padded barrier to protect the surface.



- To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine.
Whenever possible cover the product and /or place under patio or awnings.



- Not for commercial use. For residential use only.




- Stains may be removed with mild soap solution and damp cloth.



- Dust and pick-up spills using a clean, non-colored, lint- free cloth.










Please look in the Seat Panel for hardware packs.


BENCH 3 SEATER



Caution: This Bench 3 Seater is NOT a TOY.
Keep your child / children at bay during the assembly process.
Whenever lifting or moving the Bench 3 Seater and to prevent any damage to it, two adults may be needed to execute these actions.


Part List

Label	Picture	Description	Qty
A		Left Arm Panel	1
B		Right Arm Panel	1
C		Middle Leg	1
D		Backrest Panel	2
E		Left Seat Panel	1
F		Right Seat Panel	1
G		Left Seat Cushion	1
H		Seat Cushion	1
I		Right Seat Cushion	1
J		Back Cushion	3


Hardware			
No.	Picture	Description	Qty
①		Screw (M6x50mm)	7
②		Screw (M7x70mm)	3
③		Sleeve Nut (M8x18mm)	8
④		Bolt (M8x65mm)	5
⑤		Bolt (M8x70mm)	4
⑥		Bolt (M8x90mm)	5
⑦		Allen Wrench	2

CARTON CONTENT:


N767P447504




Ax1




Bx1




Cx1



Dx2




Gx1




Jx1

N767P447505




Hx1




lx1


N767P447506



Ex1




Fx1




Jx2




Assembly Preparation




Ax1




Bx1




Cx1




Dx2




Ex1




Fx1




Gx1



Hx1



Ix1



Jx3

- | | | |
|---|--|----|
| ① | | x7 |
| ② | | x3 |
| ③ | | x8 |
| ④ | | x5 |
| ⑤ | | x4 |
| ⑥ | | x5 |
| ⑦ | | x2 |



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-

Assembly Steps


Overview



FRONT FACING


This Bench 3 Seater has multiple parts and may require up to some 30 minutes to assemble. To give you an overview of the Bench 3 Seater, the above picture to assemble to help you put the various parts into perspective. Please read through the instructions here below to familiarise the parts and steps before assembly.

Step 1



Unpack and place all parts on a clean, non-marring surface.


Step 2



2. Attach Backrest Panel (D) to the Left Arm Panel (A) using Bolt (6) and Sleeve Nut (3) and with Allen Wrench (7).

Do not fully tighten the Bolts.


Step 3



3. Attach Left Arm Panel (A) to the Left Seat Panel (E) using Screw (2) and with Allen Wrench (7).

Do not fully tighten the Screw.


Step 4



4. Attach Middle Leg (C) to the Backrest Panel (D) using Bolt (4) and with Allen Wrench (7).

Do not fully tighten the Bolts.


Step 5



5. Attach Backrest Panel (D) to the Right Arm Panel (B) using Bolt (6) and Sleeve Nut (3) and with Allen Wrench (7).

Do not fully tighten the Bolts.


Step 6



6. Attach Right Arm Panel (B) to the Right Seat Panel (F) using Screw (2) and with Allen Wrench (7).

Do not fully tighten the Screw.

Step 7




7.1: Attach Right Seat Panel (F) to the Middle Leg (C) using Bolt (5) and Sleeve Nut (3) with Allen Wrench (7).

7.2: Attach Backrest Panel (D) to the Middle Leg (C) using Bolt (4) and with Allen Wrench (7).

Do not fully tighten the Bolts.



Step 8




8. With the help of a friend, tilt the Bench 3 Seater to a 90-degree angle. Left Seat Panel (E) and Right Seat Panel (F) is attached to the rear support with Screws (1) and with Allen wrench (7).

Do not fully tighten the Screws.

Step 9



Adjust height for balance



Adjust low for balance

Adjust Pre-installed Levellers height for balance

Inspect the Bench 3 Seater and make sure all parts are adequately connected.

Then EXERT pressure, floorwards onto the Bench 3 Seater with both hand

This pressure will help align all parts at all joints.

In a sequential manner, tighten all Bolts and Screws at all joints.

Adjust the Levellers until the Bench 3 Seater is level with the ground.


To adjust the Levellers, get assistance from an adult partner to lift/lean and hold the Bench 3 Seater while you are working.

CAUTION : When tightening these screws and bolts, tighten sequentially.

DO NOT tighten any screw or bolt fully and then move towards the next one. This could cause the frame to warp.

WARNING!! IF THE BENCH 3 SEATER IS NOT STABLE , IT COULD LEAD TO DAMAGING THE PRODUCT.

Step 10



10. Place Seat Cushion (G)(H)(I) and Back Cushion (J) onto the Bench 3 Seater and affix the magic tape straps around as shown above.

This Bench 3 Seater can only be used on a flat, level surface.

Step 11

